



DEFENSE LOGISTICS AGENCY
HEADQUARTERS
CAMERON STATION
ALEXANDRIA, VIRGINIA 22304-6100

CH 6
DoD 4500.32-R
Vol. I

DLMSO

CHANGE NO. 6

DoD-4500.32-R

Vol.

Vol. 1 - CHG-6

Change 6 to AD-A278 457

15 MAY 1995

MILITARY STANDARD TRANSPORTATION AND MOVEMENT PROCEDURES

I. This change, published by direction of the Deputy Under Secretary of Defense (Logistics) (DUSD(L)), under the authority of DoD Directive 4140.1, Materiel Management Policy, is effective upon receipt.

II. This change incorporates:

A. Interim Changes 6-1 thru 6-5.

B. The following Approved MILSTAMP Changes:

- (1) AMCL 28, Consolidated Shipment Information
- (2) AMCL 30A, Transportation Priority
- (3) AMCL 39, Defense Transportation System (DTS) Definition

C. Miscellaneous editorial revisions to correct and/or clarify existing information.

III. Chapters, paragraphs, and figures that contain additions or modifications are highlighted by ***bold italic type***.


IV. Remove old pages listed below and insert new revised pages as follows:

Remove Old


v thru xiii
xv and xvi
1-A-1 thru 1-A-4
1-B-1 thru 1-B-8
1-C-1 thru 1-C-6
1-D-1
2-A-1 thru 2-A-3
2-B-1 thru 2-B-55
3-B-1 thru 3-B-9
3-C-1 thru 3-C-57
3-D-1 thru 3-D-13
3-E-1 thru 3-E-4
A-1 thru A-17
B-1 thru B-9
C-1 thru CC-14
D-1 thru D-59
E-1 thru E-9
F-1 thru F-3
F5-1 and F5-2
F8-1 thru F8-6
F13-1 thru F13-3
F14-1 thru F14-4

Insert New

v thru x
xi and xii
1-A-1 thru 1-A-3
1-B-1 thru 1-B-6
1-C-1 thru 1-C-4
1-D-1
2-A-1 thru 2-A-3
2-B-1 thru 2-B-39
3-B-1 thru 3-B-7
3-C-1 thru 3-C-45
3-D-1 thru 3-D-10
3-E-1 thru 3-E-3
A-1 thru A-12
B-1 thru B-8
C-1 thru C-11
D-1 thru D-42
E-1 thru E-8
F-1 thru F-3
F5-1 and F5-2
F8-1 thru F8-5
F13-1 and F13-2
F14-1 thru F14-3



19951106 046



Remove Old


F16-1 and F16-2
F18-1 thru F18-4
F21-1 thru F21-29
F22-1
F23-1 thru F23-3
G-1 thru G-10
H-1 thru H-31
I-1 thru I-6
J-1 thru J-67
K-1 thru K-18
L-1 thru L-13
M-1 thru M-15

Insert New

F16-1 thru F16-3
F18-1 thru F18-4
F21-1 thru F21-27
F22-1
F23-1 thru F23-4
G-1 thru G-7
H-1 thru H-29
I-1 thru I-6
J-1 thru J-53
K-1 thru K-15
L-1 thru L-11
M-1 thru M-13

V. This change sheet will be filed in front of the publication for reference purposes, after changes have been made.

BY ORDER OF THE DIRECTOR



RAUL A. MARTINEZ
DASC Administrator

DISTRIBUTION
41; 62

VOLUME I. THE MILITARY STANDARD TRANSPORTATION AND MOVEMENT PROCEDURES (MILSTAMP)

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	i
TABLE OF CONTENTS	v
REFERENCES	xi
DEFINITIONS (SEE APPENDIX A)	A-1
ACRONYMS (SEE APPENDIX B)	B-1

CHAPTER 1. INTRODUCTION

SECTION A. GENERAL	1-A-1
1. Authority	1-A-1
2. Purpose	1-A-1
3. Scope and Applicability	1-A-1
4. Exclusions	1-A-1
5. Policy	1-A-2

Figure 1-A-1, MILSTAMP Telecommunications Guide	1-A-3
---	-------

SECTION B. ADMINISTRATION	1-B-1
1. MILSTAMP Maintenance Responsibilities	1-B-1
2. Administering Changes to the System	1-B-4
3. Publication of the Regulation	1-B-5

SECTION C. IMPLEMENTATION	1-C-1
1. Major Implementing Elements	1-C-1
2. USTRANSCOM	1-C-1
3. Transportation Component Commands (TCCs)	1-C-1
4. Sponsoring Services	1-C-3
5. Theater Commanders	1-C-4
6. Joint Chiefs of Staff	1-C-4
7. Users of the Canada-United States Integrated Lines of Communication (CANUS-ILOC)	1-C-4

SECTION D. USE OF THE REGULATION	1-D-1
--	-------

CHAPTER 2. SHIPPER REQUIREMENTS AND PROCEDURES

SECTION A. GENERAL	2-A-1
1. Introduction	2-A-1
2. The Shipper's Steps in Making a MILSTAMP Shipment	2-A-1
SECTION B. PROCEDURES	2-B-1
1. Planning the Shipment and Determining Transportation Information	2-B-1
2. Preparing the TCMD	2-B-11
3. Clearing the Shipment	2-B-12
4. Preparing Additional Shipper Documentation	2-B-20
5. Making the Shipment	2-B-24

Dist	Special	or
A-1		

	<u>Page</u>
6. Answering Transportation Discrepancy Report (TDR)	2-B-24
7. Maintaining Files	2-B-24
Figure 2-B-1, Application of Transportation Priorities	2-B-25
Figure 2-B-2, Time Standards for Issuance of an ETR	2-B-26
Figure 2-B-3, TCMD Submission for Water Shipments	2-B-27
Figure 2-B-4, GBL Header Data Format for Shipments to Water Ports	2-B-28
Figure 2-B-5, TCMD Submission for Air Shipments	2-B-29
Figure 2-B-6, Transportation Holding Delay Codes	2-B-30
Figure 2-B-7, Illustration of Stencil Marking	2-B-31
Figure 2-B-8, Instructions for Completing the DD Form 1387 Military Shipment Label (Other Than Mail)	2-B-32
Figure 2-B-9, Instructions for Completing the DD Form 1387, Military Shipment Label (Mail)	2-B-33
Figure 2-B-10, Instructions for Completing The DD Form 1387-2, <i>(Unclassified/Classified)</i>	2-B-35
Figure 2-B-11, Illustration of Report of Shipment (REPSHIP) Data Requirements for Breakbulk Shipments of Hazardous Materials and Inert Component Parts	2-B-37
Figure 2-B-12, Illustration of Report of Shipment (REPSHIP) Data Requirements for Containerized Shipments of Hazardous Materials and Inert Component Parts	2-B-38
Figure 2-B-13, Data Entries for Consolidated Shipment Information (DI TAW)	2-B-39

CHAPTER 3. TRANSSHIPPER REQUIREMENTS AND PROCEDURES

SECTION A. GENERAL	3-A-1
1. Introduction	3-A-1
2. The CCP Steps in Processing a Transshipment	3-A-1
3. The POE Steps in Processing a Transshipment	3-A-2
4. The POD Steps in Processing a Transshipment	3-A-3
5. The Breakbulk Point Steps in Processing a Transshipment	3-A-3
SECTION B. CONSOLIDATION AND CONTAINERIZATION POINT (CCP)	3-B-1
1. General	3-B-1
2. Procedures	3-B-3
SECTION C. PORT OF EMBARKATION (POE) INCLUDING INTRA-COUNTRY AIR AND WATER DTS TRANSSHIP PORTS	3-C-1
1. General	3-C-1
2. Procedures	3-C-2
Figure 3-C-1, Air Manifest Header Data Entries	3-C-16
Figure 3-C-2, Air Cargo Pallet Header Entries DD Form 1385 or Automated Format	3-C-17
Figure 3-C-3, Prime Data Entries For Shipment Units on Air Manifests	3-C-20
Figure 3-C-4, Ocean Manifest Header Data Entries	3-C-22
Figure 3-C-5, Ocean Manifest Data Entries	3-C-24
Figure 3-C-6, Instructions for Preparing Manifest Adjustments	3-C-25
Figure 3-C-7, Ocean Cargo Manifest Recapitulation Data Entries	3-C-27
Figure 3-C-8, Ocean Cargo Manifest Summary Data Entries	3-C-29
Figure 3-C-9, Cargo Traffic Message Data Entries	3-C-32
Figure 3-C-10, Information to be Listed on the Ocean Bill of Lading (GBL or CBL)	3-C-34
Figure 3-C-11, Distribution of Ocean Cargo Manifest	3-C-35

	<u>Page</u>
Figure 3-C-12, Explanation of Codes for Ocean Cargo Manifest Distribution	3-C-40
Figure 3-C-13, Distribution of Ocean Bill of Lading	3-C-45
 SECTION D. PORTS OF DEBARKATION (POD) INCLUDING INTRA-COUNTRY AIR AND WATER DTS TRANSSHIP PORTS	
1. General	3-D-1
2. Procedures	3-D-1
Figure 3-D-1, Cargo Outturn Advisory and Reconciliation Message	3-D-9
 SECTION E. BREAKBULK POINT	
1. General	3-E-1
2. Procedures	3-E-1
 CHAPTER 4. RECEIVER REQUIREMENTS AND PROCEDURES	
 SECTION A. GENERAL	
1. Introduction	4-A-1
2. The Receiver's Steps in Processing a Shipment	4-A-1
 SECTION B. PROCEDURES	
1. Receiving the Shipment	4-B-1
2. Intransit Data	4-B-1
 APPENDIX A DEFINITIONS	 A-1
 APPENDIX B ACRONYMS	 B-1
 APPENDIX C TRANSPORTATION CONTROL NUMBER (TCN)	
1. General	C-1
2. Shipments in Response to MILSTRIP Requisitions (other than security assistance)	C-1
3. Security Assistance (FMS/MAP) Shipments	C-2
4. Nonappropriated Fund Activity Shipments	C-2
5. Unit Move Shipments	C-3
6. Shipments by the Armed Forces Courier Service (ARFCOS)	C-3
7. Shipments of Mail from Postal Activities	C-3
8. Cargo Shipments (Except personal property) Not Detailed Previously	C-4
9. Personal Property Shipments	C-4
10. Shipment of a SEAVAN/MILVAN	C-5
11. Partial and Split Shipments	C-6
 APPENDIX D TRANSPORTATION CONTROL AND MOVEMENT DOCUMENT/DATA PREPARATION .	
Figure D-1, Decision Table for TCMD Preparation	D-5
Figure D-2, Prime Data TCMD Entries for Single Shipment Units (DI T_0/1) (Including Empty SEAVAN/MILVAN/CONEX)	D-6
Figure D-3, Prime Data TCMD Entries for Single Shipments by the Armed Forces Courier Service (ARFCOS)	D-8
Figure D-4, Prime Data TCMD Entries for Loaded RORO Trailers (DI T_2)	D-9
Figure D-5, Prime Data TCMD Entries for Loaded SEAVAN/MILVAN(VAN) (DI T_2)	D-11

	<u>Page</u>
Figure D-6, Prime Data TCMD Entries for CONEX (containing cargo), Unitized Pallet Loads, and all Loaded Consolidation Containers MILVAN (DI T_3)	D-13
Figure D-7, Prime Data TCMD Entries for Shipment Units Loaded into all Consolidation Containers (DI T_4)	D-15
Figure D-8, Trailer Data TCMD Entries for Outsized Dimensions (DI T_5)	D-18
Figure D-9, Trailer Data TCMD Entries for Ammunition Round Count, Hazardous Material, Stock Number, and IMCO Classification (DT T_6)	D-20
Figure D-10, Trailer Data TCMD Entries for Net Explosive Weight (NEW) and Lot Number(s) (DI T_7)	D-22
Figure D-11, Trailer Data TCMD Entries for Household Goods and Baggage Ownership Data (DI T_8)	D-23
Figure D-12, Trailer Data TCMD Entries for General Miscellaneous Information not Otherwise Detailed (DI T_9)	D-25
Figure D-13, Trailer Data TCMD Entries for SEAVAN/MILVAN (Van) Miscellaneous Information (DI T_9) (Includes Empty SEAVAV/MILVAN/CONEX)	D-27
Figure D-14, Trailer Data TCMD Entries for SEAVAN/MILVAN Stop-off Points (DI T_9)	D-29
Figure D-15, Trailer Data TCMD Entries For Additional Required Hazardous Material Information (DI T_9)	D-30
Figure D-16, Trailer TCMD Entries for Personal Property Address Information (DI T_9)	D-32
Figure D-17, Trailer Data TCMD Entries for Air Load Planning and Manifesting (DI T_9)	D-33
Figure D-18, Trailer Data TCMD Entries for Air Load Planning and Manifesting (DI T_9)	D-35
Figure D-19, Trailer Data TCMD Entries for Air Load Planning and Manifesting (DI T_9)	D-37
Figure D-20, Trailer Data TCMD Entries for Air Load Planning and Manifesting (DI T_9)	D-38
Figure D-21, Trailer Data TCMD Entries for Air Load Planning and Manifesting (DI T_9)	D-39
Figure D-22, Trailer Data TCMD Entries for Air Load Planning and Manifesting (DI T_9)	D-41
Figure D-23, Data Entries When Using Electrically Transmitted Message (ETM) Format for an Advance TCMD	D-42
APPENDIX E TCMD EFFECTIVENESS REPORTING SYSTEM	E-1
Figure E-1, Error Codes for TCMD Effectiveness Reports	E-3
Figure E-2, Weekly Shipper TCMD Error Listing	E-6
Figure E-3, Example of the Monthly Shipper TCMD Effectiveness Summary	E-7
Figure E-3A, Acknowledgement of Transaction Timeliness/Accuracy	E-8
APPENDIX F, CODE INDEX	F-1
Appendix F1, Air Cargo Manifest Reference Codes	F1-1
Appendix F2, Air Commodity and Special Handling Codes	F2-1
Appendix F3, Air Dimension Codes	F3-1
Appendix F4, Air Terminal Identifier Codes	F4-1
Appendix F5, Consolidation and Containerization Point and CONUS Freight Distribution Center Codes	F5-1
Appendix F6, Container and RORO Number Codes	F6-1
Appendix F7, Date Shipped and Received Codes	F7-1
Appendix F8, Document Identifier Codes	F8-1
Appendix F9, Estimated Time of Arrival Codes	F9-1
Appendix F10, Military and Civilian Grade Codes	F10-1
Appendix F11, Ocean Carrier Codes	F11-1
Appendix F12, SEAVAN Ownership Codes	F12-1
Appendix F13, Transportation Mode/Method Codes	F13-1

	<u>Page</u>
Appendix F14, Type Pack Codes	F14-1
Appendix F15, Vessel Status and Terms of Carriage Codes	F15-1
Appendix F16, Vessel Stowage Location Codes	F16-1
Appendix F17, Vessel Sustaining Codes	F17-1
Appendix F18, Voyage Document Number Codes	F18-1
Appendix F19, Voyage Manifest Reference Codes	F19-1
Appendix F20, Water Commodity and Special Handling Codes	F20-1
Appendix F21, Water Port Identifier Codes	F21-1
Appendix F22, Other Codes in MILSTAMP	F22-1
Appendix F23, Miscellaneous Codes and Charts	F23-1
Appendix F24, Military Customs Inspector Codes	F24-1
 APPENDIX G UNIT MOVES	 G-1
1. General	G-1
2. Procedures	G-1
3. Shipment Unit Configuration	G-1
4. Marking of Shipment Units	G-1
5. Transportation Control Number	G-2
6. Transportation Documentation Codes	G-3
7. Advance Movement Data Formats	G-3
8. Clearance, Routing and Advance Data Submission	G-3
9. Surface Booking and Terminal Processing	G-4
10. Air Terminal Processing	G-5
11. Hazardous Material Exemptions	G-5
12. Transportation Discrepancies	G-5
 Figure G-1, List of STANAGs	 G-6
 APPENDIX H CONUS WATER PORT OF EMBARKATION SELECTION GUIDE	 H-1
Figure H-1, Ports Generally Cost Favorable for LRU Shipments	H-3
Figure H-2, Explanatory Notes for Entries in Figure H-1	H-23
Figure H-3, Water Ports Capable of Receiving LRU Shipments	H-25
Figure H-4, CONUS Export Shipments of Code 5 and DPM Household Goods	H-26
 APPENDIX I CONUS WATER PORT OF DEBARKATION SELECTION GUIDE	 I-1
Figure I-1, CONUS Import Shipments of Code 5 and DPM Household Goods	I-3
 APPENDIX J CLEARANCE AUTHORITIES AND BOOKING OFFICES	 J-1
 APPENDIX K SECURITY ASSISTANCE PROGRAM SHIPMENTS - FOREIGN MILITARY	
SALES AND MILITARY ASSISTANCE PROGRAM	K-1
Figure K-1, FMS Delivery Term Codes	K-6
Figure K-2, Constructing an MAPAC	K-11
Figure K-3, International Logistics Control Offices Freight Forwarder Assistance	K-15
 APPENDIX L INTRANSIT DATA REPORTING	 L-1
Figure L-1, Intransit Data Entries for Intra-Theater Airlift Origin and Intermediate Terminals (DI TK1/TK2	 L-4
Figure L-2, Intransit Data Entries for Intra-Theater Airlift Final Terminal (DI TK3)	L-5

Page

Figure L-3, Intransit Data Entries for GBL Shipments Within CONUS and Overseas Intra-Theater/ Retrograde Shipments (DI TK4)	L-6
Figure L-4, Intransit Data Entries for AMC APOD Receipt and Lift (DI TK6)	L-8
Figure L-5, Intransit Data Entries for AMC/WCA POE Receipt and Lift (DI TK7)	L-9
Figure L-6, Intransit Data Entries for Air Force Consignees (DI TK8)	L-11

APPENDIX M SHIPMENT TRACING, DIVERTING, AND HOLDING **M-1**

Figure M-1, Tracing Request (TM1)	M-4
Figure M-2, ETM Entries for MILSTAMP Tracing (TM1), Diversion (TM2), and Hold Request (TM3)	M-5
Figure M-3, Tracing Reply (TMA)	M-6
Figure M-4, ETM Entries for Tracing Reply (TMJ)	M-7
Figure M-5, Diversion Request (TM2)	M-8
Figure M-6, Diversion Request Reply Confirmation (TMB), or Denial (TMK) by the POE Clearance Authority	M-9
Figure M-7, Diversion Request Reply Confirmation (TMB), or Denial (TMK) by the POD Clearance Authority	M-10
Figure M-8, Shipment Hold Request/Authorization (TM3), Disposition Instruction (TMS)	M-11
Figure M-9, POE Shipment Hold Reply Acknowledgement (TMC), Disposition (TMT), and Denial (TML)	M-12
Figure M-10, POD Shipment Hold Reply Acknowledgement (TMC), Disposition (TMT), and Denial (TML)	M-13

APPENDIX N PRINTED FORMS **N-1**

Figure N-1, DD Form 1384, Transportation Control and Movement Document (TCMD)	N-2
Figure N-2, DD Form 1385, Cargo Manifest	N-3
Figure N-3, DD Form 1386, Ocean Cargo Manifest Recapitulation or Summary	N-4
Figure N-4, DD Form 1387, Military Shipment Label	N-5
Figure N-5, DD Forms 1387-2 Special Handling Data/Certification and DD Form 1387-2c, Continuation Sheet	N-6
Figure N-6, DD Form 1348-1A, Issue Release/Receipt Document	N-7
Figure N-7, DD Form 788, Private Vehicle Shipping Document for Automobile	N-8
Figure N-8, DD Form 788-1, Private Vehicle Shipping Document for Van	N-10
Figure N-9, DD Form 788-2, Private Vehicle Shipping Document for Motorcycle	N-12

REFERENCES

- a. DoDD 4140.1, DoD Directive Materiel Management Policy, **4 January, 1993**
- b. DoD 5200.1-R, Information Security Program Regulation, June 1986
- c. ADMP 1025.2, Document Security
- d. DoDI 5120.16, Department of Defense Incentive Awards Program: Policies and Standards, 15 July, 1974
- e. Personal Property Consignment Instruction Guide, Worldwide, 1 June, 1985
- f. DoD 4000.25-6-M, DoD Activity Address Directory, **April 1994**
- g. DoD 4000.25-8-M, Military Assistance Program Address Directory System, **March 1993**
- h. DoD 4500.34-R, Personal Property Traffic Management Regulation, **October 1991**
- i. DoDD 4500.9, Transportation and Traffic Management, **26 January, 1989**
- j. AR 55-355/NAVSUPINST 4600.70/AFR 75-2/MCO P4600.14B/DLAR 4500.3, Defense Traffic Management Regulation, 31 July, 1986
- k. National Motor Freight Classification No. 100-K
- l. Uniform Freight Classification No. 6000-C
- m. Title 49, Code of Federal Regulations, Transportation
- n. MIL-STD-129M, Military Standard Marking for Shipment and Storage, **15 June, 1993**
- o. **AFJMAN 24-204/TM 38-250/NAVSUP PUB 505/MCO P4030.19F/DLAM 4145.3**, Preparing Hazardous Materials for Military Air Shipments, **25 November 1994**
- p. MSC Container Agreement and Rate Guide, 1 October, 1986
- q. AR 55-38/NAVSUPINST 4610.33C/AFR 75-18/MCO P4610.19D/DLAR 4500.15, Reporting of Transportation Discrepancies in Shipments, **(RCS: MTMC-54), 31 August 1992**
- r. DLAR 4140.55/AR 735-11-2/SECNAVINST 4355.18/AFR 400-54, Reporting of Item and Packaging Discrepancies, 6 December, 1991
- s. MTMC Pamphlet 55-13, DoD Container Delivery System, November 1983
- t. MIL-STD-212D, Preparation of Household Goods and Unaccompanied Baggage for Shipment, Storage, and Intra city and Intra area Movements, 3 November, 1980
- u. Code of Federal Regulations, Title 41, Public Contracts and Property Management

CH 6
DoD 4500.32-R
Vol. I

- v. DoD 5030.49-R, Customs Inspection, May 1977
- w. Federal Property Management Regulation 101-41
- x. DoD 5100.76-M, Physical Security of Sensitive Conventional Arms, Ammunition, and Explosives, September 1992
- y. Canada-United States Integrated Lines of Communication Agreement (CANUS-ILOC) Joint Logistics Plan

CHAPTER 1

INTRODUCTION

SECTION A GENERAL

1. **Authority.** Department of Defense Directive 4140.1, subject: Materiel Management Policy, 4 January 1993, (reference a) prescribes publication and use of this regulation.

2. **Purpose.** This regulation provides DoD policy for the transportation and movement of materiel. MILSTAMP prescribes standard data elements, codes, formats, documents, forms, rules, methods, and procedures required by DoD Components and other U.S. Government Agencies/civil authorities, and users of the Canada-United States Integrated Lines of Communication (CANUS-ILOC) in the transportation and movement of materiel to, within, and beyond the Defense Transportation System (DTS). ***The DTS is that portion of the Nation's transportation infrastructure that supports Department of Defense transportation needs in peace and war. The DTS consists of those common-user military and commercial assets, services, and systems organic to, contracted by, or controlled by the Department of Defense.***

3. **Scope and Applicability**

a. This regulation applies to the Army, Navy, Air Force, Marine Corps, DLA, Coast Guard, GSA, ***USTRANSCOM and its transportation component commands (TCCs)***, and other activities/Agencies using the DTS.

b. MILSTAMP applies to all shipments entering the DTS. Some portions of MILSTAMP such as the codes and data elements it contains and intransit data reporting are also used for non-DTS shipments.

c. Requests for deviations or exceptions to this regulation must be processed through the DoD MILSTAMP System Administrator for approval or waiver.

d. All material transported during activation or exercise of the CANUS-ILOC will be documented in accordance with MILSTAMP as prescribed in reference y.

4. **Exclusions.** There are no exclusions from MILSTAMP data/documentation requirements for shipments entering the DTS. Some shipments which might logically fit the description of movement in the DTS are instead covered by Service or Agency regulations. Those DTS like shipments not covered by MILSTAMP are:

a. Coal and petroleum products shipped in bulk.

b. Special Assignment Airlift Missions (SAAM).

c. Marine Corps tactical unit movements by exclusive-use surface transportation under special arrangements between the WCA, the MSC, and the Marine Corps.

d. Annual resupply projects not entering the DTS.

5. Policy

a. MILSTAMP policy is designed to facilitate the exchange of logistics data between Services and Agencies. Deviations or exemptions will not be approved unless the user establishes that MILSTAMP does not provide workable methods or procedures. MILSTAMP accommodates technological improvements; however, prior to tests of innovative procedures within selected segments of the DTS, the MILSTAMP Administration Office and all Agencies concerned will be advised. MILSTAMP users involved in the development of advanced logistics systems will establish liaison with the DoD MILSTAMP System Administrator. In addition, Service and Agency mobility plans will recognize MILSTAMP documentation requirements.

b. Maximum use is made of ADPE, DSN, *EDI*, and the DDN to speed the exchange of MILSTAMP data. Services, Agencies, and theater commands establish COMRIs for clearance authorities, terminals, and related activities requiring MILSTAMP data. Telecommunication precedence for transmitting MILSTAMP data are determined from the MILSTAMP Telecommunications Guide in figure 1-A-1.

c. MILSTAMP documents are not classified unless the sponsoring Service assigns a security classification in accordance with DoD 5200.1-R (reference b); GSA will use ADMP 1025.2, (reference c). When so classified, the integrity of the classification is protected within the DTS. Classified cargo will be protected in accordance with procedures prescribed by references b, c, and other applicable regulations. When considering major modifications to existing or development of new transportation data/documentation and related information systems, it must be recognized that the movement of personnel and materiel is the prime consideration and necessary data transmittal should not be an impediment to that effort. For the near term, any effort to provide transportation data/documentation and related information systems with classification protection must be limited to minor modifications and altered procedures that remain within and can be accommodated by existing transportation systems. For the longer term, Service unique and DoD transportation systems undergoing development or enhancement must recognize the importance of security implications.

MILSTAMP Telecommunications Guide

Document Identifier	Name	DDN content indicator code ¹	TP	Telecommunications precedence for normal operations ²	Telecommunications precedence during minimize
T_(0-9)	TCMD from shipper to the clearance authority	KAZ (surface) KBZ (air)	1-3	O	O
T_(A-I)	Air manifest	KBZ	1-3	P	P
T_(J-R)	Ocean manifest	KAZ	1-3	P	P
---	Cargo traffic message	---	---	P	P
TK_	Intransit data	KCZ	1-3	R	Mail
---	CORM	---	---	R	Mail
TM_	Tracer actions	KAZ (surface) KBZ (air)	3 1-2	R P	R P

Figure 1-A-1

¹ Prefix with the one position **DDN** activity indicator for telecommunications.

² Telecommunications precedence: O = Immediate, within 1 hour; P = Priority, within 4 hours; R = Routine, within 8 hours; and Mail = Regular mail service.

SECTION B. ADMINISTRATION

1. MILSTAMP Maintenance Responsibilities

a. The **Defense Logistics Management Standard Office (DLMSO)** DoD MILSTAMP System Administrator administers MILSTAMP in accordance with the policy guidance of the **ADUSD(L/TP)**. The DoD MILSTAMP System Administrator:

(1) Performs analysis and design functions in coordination with the Services/Agencies.

(2) Recommends system improvements and additional policies as required.

(3) Ensures telecommunications involvement during planning.

(4) Resolves issues concerning procedural matters within 90 days after receipt of all comments from DoD Components. When the issues involve a policy or resource determination, the DoD MILSTAMP System Administrator refers them to **ADUSD(L/TP)** for decision. The referral includes the comments and position of the DoD Components along with recommendations of the System Administrator.

(5) Develops, publishes, and maintains this regulation in a current status. This includes responsibility to:

(a) Evaluate and coordinate change proposals with the Services/Agencies and furnish a copy of all change proposals to the **ADUSD(L/TP)**.

(b) Disseminate to Services/Agencies and the **ADUSD(L/TP)** a quarterly status review of all change proposals which have not yet been approved for publication.

(c) Assure compatibility of MILSTAMP procedures with those of the other DLSS and related DoD logistics task groups, prior to final coordination with the Services/Agencies.

(d) Report to the **ADUSD(L/TP)** the findings and recommendations of evaluations and staff assistance visits along with comments of the effected DoD Components.

(6) Reviews and coordinates with Services/Agencies all requests for system deviations and exemptions and makes recommendations to the **ADUSD(L/TP)** based on analysis of the justification submitted by the requester.

(7) Establishes and chairs a MILSTAMP Focal Point committee of Service/Agency representatives. This committee participates in the development, implementation, and maintenance of the system. The DoD MILSTAMP System Administrator convenes focal point committee meetings at least quarterly and issues minutes of these meetings. Meeting schedules and agenda items are announced 30 days in advance, when possible. The minutes of these meetings fully document the proceedings and a copy is provided to each Service/Agency by the chairman.

b. Heads of participating Services/Agencies, **USTRANSCOM** and its sponsored components will:

(1) Designate an office of primary responsibility for MILSTAMP to serve as the system focal point and identify by name to the DoD MILSTAMP System Administrator a primary and alternate focal point

representative for the MILSTAMP Focal Point committee. The focal point responsibilities are detailed in paragraph B.1.c.(2).

(2) Provide representation to joint system design and development efforts and onsite evaluations of MILSTAMP.

(3) Assure that all operating activities under their jurisdiction comply with this regulation.

(4) Report to the DoD MILSTAMP System Administrator, through their focal point, those problems, violations, and deviations which arise during system operations.

(5) Develop and maintain TACs in accordance with DoD 4500.32-R, volume II; monitor TAC application by shippers to ensure compliance, and resolve questionable, erroneous, or missing TAC applications within 5 working days of notification by the TCC that a TAC is questionable, erroneous, or missing. Resolution of TAC errors is applicable to CONUS outbound shipments only.

c. MILSTAMP Focal Points:

(1) The following offices have been designated as focal points for MILSTAMP:

DoD MILSTAMP System Administrator

Director
Defense Logistics Management Standards Office
ATTN: DLMSO-MM
6301 Little River Turnpike,
Suite 230
Alexandria, VA 22312-3508

Army

Commander
U.S. Army Materiel Command
ATTN: AMCLG-SD
5001 Eisenhower Avenue
Alexandria, VA 22333-0001

Navy

Commander, Naval Supply Systems Command
ATTN: SUP 44A3
1931 Jefferson Davis Highway
Arlington, VA 22241-5360

Air Force

Commander
Air Force Materiel Command
ATTN: LSO/LOTP
4375 Chidlaw Road, Suite 6
Wright Patterson AFB, OH 45433-5006

Marine Corps

Commandant
Headquarters, United States Marine Corps
2 Navy Annex
ATTN: LFT-1
Washington, DC 20380-1775

Coast Guard

Commandant
U.S. Coast Guard Headquarters
2100 Second Street, SW
ATTN: G-ELM-2
Washington, DC 20593-0001

General Services Administration

General Services Administration
Federal Supply and Services
ATTN: FSDW
Washington, DC 20406

Defense Logistics Agency

Director
Defense Logistics Agency
ATTN: **MMDTT**
Cameron Station
Alexandria, VA 22304-6100

United States Transportation Command¹

Director,
U.S. Transportation Command
ATTN: TCJ3/J4-LTF
508 Scott Drive
Scott AFB, IL 62225-7001

(2) The Services'/Agencies', **USTRANSCOM and Transportation Component Command**
focal points²:

(a) Serve on the focal point committee. Provide the DoD Component or participating organization position and have the authority to make decisions regarding procedures for implementing approved DoD policy.

(b) Assure continuous liaison with the DoD MILSTAMP System Administrator and other Services/Agencies.

(c) Evaluate all suggested system changes and system-related beneficial suggestions originating in that Service/Agency. When the suggestion is worthy of adoption, the focal point submits it as a change proposal to the DoD MILSTAMP System Administrator as outlined in paragraph B.2.a. The originating Service/Agency focal point, in accordance with DoDI 5120.16 (reference d), determines awards for those

¹ DoDD 5158.4 dated 8 Jan 93 assigns mission responsibility of Military Traffic Management Command (MTMC) of the Department of the Army, the Military Sealift Command (MSC) of the Department of the Navy, and Air Mobility Command (AMC) of the Department of the Air Force to USTRANSCOM and will henceforth from this date forward be considered the sponsor for these individual commands.

² As stated in footnote 1, USTRANSCOM, the component sponsor for MTMC, MSC and AMC, has the responsibility for performing the focal point functions outlined in this section. These individual commands must coordinate all MILSTAMP proposals through USTRANSCOM prior to submission to DLMSO. If DLMSO receives a proposal from any of these commands that has not been submitted by or coordinated with USTRANSCOM, the proposal will be returned to the originator.

suggestions which are coordinated as proposed system changes. Suggested changes received directly by the DoD MILSTAMP System Administrator are forwarded to the appropriate focal point for review and evaluation.

(d) Submit recommended change proposals to the DoD MILSTAMP System Administrator in the format prescribed in paragraph B.2.a.

(e) Develop and submit to the DoD MILSTAMP System Administrator a single, coordinated position on all proposed changes within the specified time (normally 60 days).

2. Administering Changes to the System

a. MILSTAMP Focal Points will submit to the DoD MILSTAMP System Administrator recommended change proposals providing minimum information prescribed by DoD Directive 4140.1 (reference a). Proposed changes will contain:

(1) A description of the concept being proposed and reasons for the proposal.

(2) Known interface and impact requirements identifying changes for coordination with other DLSS or non-DLSS logistics systems.

(3) A statement identifying known advantages and disadvantages of the proposed revision.

(4) Proposed wording required for the MILSTAMP regulation.

b. The DoD MILSTAMP Administrator:

(1) Staffs proposed changes.

(a) All proposed changes are evaluated by the Administrator prior to staffing with the Services/Agencies. The evaluation of a proposed change includes, but is not limited to, the necessity, accuracy, validity, and urgency of the change. Benefits may be monetary savings and/or improved mission performance. Proposals which do not demonstrate significant inter-Service/Agency benefit are returned to the originating Service/Agency. Proposals which do demonstrate significant benefits are formalized and forwarded to **ADUSD(L/TP)**, the participating Services/ Agencies, and the DoD System Administrators of other DoD systems impacted by the proposed change. When applicable, the proposed change includes the information provided in paragraph B.2.a.

(b) PMCLs are consecutively numbered and normally request the Services/Agencies to provide a response within 60 days. The DoD MILSTAMP System Administrator must be notified prior to the due date if it cannot be met. The notification must justify the late response. Responses will indicate the implementation leadtime as requested in the PMCL.

(2) Receives and evaluates Service/Agency responses as outlined in paragraph B.1.a.

(3) Establishes and disseminates implementation dates. Following resolution of the Service/Agency comments as outlined in chapter 1, paragraph B.1.a.(3), the DoD MILSTAMP System Administrator prepares and distributes to the Service/Agency MILSTAMP Focal Points an approved letter indicating the implementation date. An interim change message is provided to implement changes of operational necessity.

c. The **ADUSD(L/TP)**:

(1) Resolves issues concerning resources, policy, and requests for deviation or exemption from MILSTAMP which are submitted by the DoD MILSTAMP System Administrator.

(2) Directs changes when necessary to implement DoD policy and directs the implementation of urgent changes on a priority basis.

(3) Resolves with Service/Agency Heads matters escalated by the DoD MILSTAMP System Administrator.

3. Publication of the Regulation

a. The regulation consists of two volumes:

(1) Volume I contains the published DoD doctrine and establishes responsibilities, instructions, and procedures essential for exchanging transportation data/documentation on shipments moving by the DTS.

(2) Volume II contains instructions and procedures for determining and applying the TAC of the sponsoring Service or Agency.

b. The basic publication consists of chapters, sections, paragraphs, figures, and appendices.

(1) Chapters, Sections, Paragraphs, and Figures:

(a) Each chapter is divided into sections, paragraphs, and subparagraphs. The numbering system identifies the appropriate section followed by the applicable paragraph number in the chapter. Subparagraphs are identified by lower case alphabets followed by numerics and alphabets in parentheses and then underlined numerics and alphabets.

(b) Pages and figures are numbered in a separate series for each section within each chapter and are numbered in sequence with Arabic numerals beginning with 1. Each page or figure number is preceded by the number of the chapter and letter of the section, e.g., chapter 2, section A, page 2 is numbered 2-A-2. Chapter 2, section B, figure 6 is numbered 2-B-6. Each figure follows the text of each chapter; e.g., figure 2-B-1 follows the text of chapter 2, section B; figure 3-C-1 follows the text of chapter 3, section C, etc.

(2) Appendices:

(a) Each appendix is divided into paragraphs and subparagraphs. The numbering system identifies the appropriate paragraph number in the appendix. Subparagraphs are identified by lower case alphabets followed by numerics and alphabets in parentheses and then underlined numerics and alphabets.

(b) Pages and figures are numbered in a separate series for each appendix. They are numbered in sequence with Arabic numerals beginning with 1. Each page or figure number is preceded by the letter of the appendix, e.g., the second page (or figure) of appendix C is numbered C-2.

c. Publication of Changes:

(1) AMCL and interim changes (IC) are published by the DoD MILSTAMP System Administrator as required. AMCLs are numbered consecutively as AMCL 1, 2, 3, etc. ICs indicate the formal

change in which it will be published and are numbered consecutively. For example, ICs for formal change 1 are numbered 1-1, 1-2, 1-3, etc. All ICs remain in effect until incorporated into formal changes to the regulation. ICs are normally distributed by the DoD MILSTAMP System Administrator via AIG 4563 messages to Service/Agency focal points. Each Service/Agency is responsible for worldwide distribution of the changes by appropriate means within its own organization.

(2) Formal changes are published twice a year with dates of 1 February and 1 August and incorporate those AMCLs/ICs with implementation dates prior to the 1 February/1 August publication date. They are numbered consecutively and issued as full page insertions to this regulation. These changes indicate the change number on each page. If the changes alter the normal page number sequence, an explanation is included in the formal change cover letter. Changes are indicated by bold italic type.

d. Supplementation. This regulation will not be supplemented by Services/Agencies.

SECTION C. IMPLEMENTATION

1. **Major Implementing Elements.** Several functional elements have specifically defined roles in the implementation of the various MILSTAMP requirements and procedures. These elements are separated by areas of primary interest.

2. **USTRANSCOM:**

a. *Provides air, land, and sea transportation for the Department of Defense, both in time of peace and time of war.*

b. *Is the Department of Defense single manager for transportation, other than Service-unique or theater-assigned transportation assets.*

c. *Is the component sponsor for MTMC, MSC, and AMC and has the responsibility for performing the MILSTAMP focal point functions outlined in section B of this chapter.*

3. **Transportation Component Commands (TCCs)**

a. The MTMC:

(1) Provides CONUS traffic management service to Services and Agencies.

(2) Operates and manages common-user military water terminals in CONUS and at selected overseas locations.

(3) Receives, processes, and forwards cargo transiting terminals it operates or manages.

(4) Establishes OCCAs in CONUS and overseas to provide surface export cargo traffic management (WCA), ocean carrier selection, and cargo booking; develops instructions for their operation based on data input requirements and output products prescribed in this regulation; and designates OCCAs in appendix J.

(5) Provides recoopering, remarking, repacking, documentation, and similar services as required for cargo in transit.

(6) Provides to a Service or Agency designated activity required receipt and lift data for shipments moving by water through terminals it operates or manages.

(7) Disseminates information to theater commands regarding SEAVAN tenders for delivery of retrograde cargo to CONUS inland destinations.

(8) Maintains full and complete statistical records concerning surface traffic moving in the sealift system through terminals it operates or manages.

(9) Performs after-the-fact analyses on a continuing basis of the origins, flow patterns, operational procedures, growth trends, etc., for each segment of the international movement of DoD cargo and prepares reports covering these analyses for submission to **ADUSD(L/TP)** at least semiannually. Such reports are accompanied by copies of the concurrences or comments of the Services and Agencies.

(10) Provides Services and Agencies with reports of late or missing and inaccurate TCMDs.

(11) Advises overseas commands, WCAs, OCCAs, and sponsoring Services of anticipated workload surges resulting from political decisions, natural disasters, strikes, local or national regulatory action, or other actions which may affect normal traffic flow.

(12) In addition to the aforementioned responsibilities, MTMC is responsible to DLMSO in performing the following:

(a) In coordination with the DoD MILSTAMP System Administrator, be responsible for conducting periodic evaluations to determine system effectiveness and for conducting annual staff assistance visits of selected system segments, in order to determine compliance with prescribed MILSTAMP system requirements; also furnish clarification and uniform interpretation of the requirements of the system. Members of the MILSTAMP focal point committee should be requested to participate in visitations for activities under their Services' cognizance.

(b) Report to the DLMSO the findings and recommendations of evaluations and staff assistance visitations, along with the comments of the DoD Components concerned.

(c) Review and evaluate curricula of DoD schools which offer courses related to the assigned systems and make recommendations to the DLMSO for improvement.

(d) Assist in solving problems, violations, and deviations which arise during system operations and report these to the DoD MILSTAMP System Administrator. Unresolved problems and/or continued violations will be referred by DLMSO to **ADUSD(L/TP)** for resolution and/or corrective action.

(e) Maintain close liaison with the carrier industry to promote compatibility with commercial documentation systems.

(f) Assist in the joint development of automated systems with surface commercial carriers.

(g) Explore and make recommendations concerning improved communications channels.

(h) Continue efforts to simplify unit move procedures.

(i) Provide representation on designated task groups supporting DLSS.

(j) Serve as the DoD MILSTAMP System Administrator's key point of contact for MILSTAMP surface transportation systems development and design.

b. The MSC:

(1) Provides worldwide ocean transportation for Services and Agencies, as required.

(2) Processes ocean carrier claims.

(3) Maintains statistical records concerning cargo moved through the common-user sealift system.

(4) Provides statistical data and/or summarized management reports on export and import cargo, as requested.

(5) Coordinates with OCCAs regarding available MSC controlled ship capability to meet sealift requirements.

c. The AMC:

(1) Provides airlift support for Services and Agencies, as required.

(2) Operates or arranges for operation of aerial ports and air terminals serving AMC channels flown by scheduled AMC aircraft.

(3) Receives, processes, and forwards air cargo entered into the airlift system.

(4) Assures cargo received for airlift has been cleared by the ACA, and refers uncleared shipments to the appropriate ACA.

(5) Provides recoopering, remarking, repacking, and similar services as required for cargo in transit.

(6) Provides receipt and lift data on inbound and outbound cargo to the Services and Agencies, as required, within 4 hours of receipt or lift.

(7) Provides ACAs current capability information and timely reports covering aerial port tonnage onhand.

(8) Responds to sponsoring Service requests for special handling, tracing, diverting, or expediting movement of specific shipments.

(9) Maintains full and complete statistical records concerning air traffic moved through the airlift system.

(10) Provides statistical data and/or summarized management reports on export and import cargo as requested by MTMC, sponsoring services, OJCS, or OSD.

(11) Provides Services and Agencies with reports of late or missing TCMDs.

(12) Advises MTMC, ACAs, and the overseas routing authorities of anticipated workload surges resulting from political decisions, natural disasters, strikes, local national regulatory action, or other actions which may affect normal traffic flow.

(13) Evaluates carrier performance.

4. **Sponsoring Services.** The sponsoring services which authorize payment for the movement of material in the DTS will:

a. Designate ACAs and provide the DoD MILSTAMP System Administrator complete identification and location data for inclusion in MILSTAMP

b. Establish COMRIs to specifically identify the airlift clearance activity.

c. Establish air eligibility criteria.

- d. Provide consignment instructions, when required.
- e. Develop operating instructions based on the data input requirements and output products prescribed by this regulation.
- f. Advise MTMC, AMC, MSC, and the overseas commands of anticipated workload surges which may result from political decisions, natural disasters, strikes, local or national regulatory actions, or other actions which may affect normal traffic flow.
- g. Advise shipping activities of the deferred air freight (TP-4) program, cargoes selected for this service, and circumstances in which it may be used.
- h. Designate an ILCO in appendix K with whom clearance authorities may coordinate on movements of FMS material in the DTS.

5. Theater Commanders. Within their respective theaters, commanders will:

- a. Provide for airlift service, land transportation, and port operations both organically and commercially.
- b. Establish clearance authorities for those terminals under their cognizance in coordination with the sponsoring Services and provide the DoD MILSTAMP System Administrator complete identification data for inclusion in MILSTAMP.
- c. Develop instructions for theater clearance authority operation based on data input requirements and output products prescribed in this regulation.
- d. Coordinate with MTMC for applicable operations.
- e. Provide guidance on use of TP-4 service based on coordination with AMC and sponsoring Services.
- f. Develop and maintain an SEAVAN monitoring system to provide management visibility of container movements from discharge to receipt and unstuffing by receiving activities and release of containers to carriers.
- g. Advise MTMC and sponsoring services of anticipated workload surges resulting from political decisions, natural disasters, strikes, local or national regulatory actions, or other actions which may affect normal traffic flow.

6. Joint Chiefs of Staff. Determines priorities and allocations of lift when shipping requirements exceed lift capability. The DoD MILSTAMP System Administrator provides technical assistance to the Joint Transportation Board during national emergencies and contingencies.

7. Users of the Canada-United States Integrated Lines of Communication (CANUS-ILOC). The agreement of 8 Jun 79, the General Technical Agreement of 21 Apr 80, and various specific technical arrangements produced thereafter, are implemented through the Canada-United States Integrated Lines of Communication Joint Logistics Plan (reference y).

SECTION D. USE OF THE REGULATION

1. The chapters of this regulation are organized in the order normally occurring when a shipment is processed through the DTS; i.e., shipper, transshipper (including CCP, POE, POD, and breakbulk point) and receiver. While some shipments require different or more detailed data than others, the basic processing steps are similar. Definitions, acronyms, codes, and certain subject areas, such as those that apply to more than one segment of the DTS, are contained in the appendices. When applicable, the reference to the appropriate appendix is shown.

2. The steps necessary to process a shipment are listed at the beginning of each applicable chapter (chapters 2 - 4) under the heading, "The Shipper's Steps in Making a MILSTAMP Shipment", *"The CCP Steps in Processing a Transshipment"* and *"Receiver's Steps in Processing a Shipment."*

CHAPTER 2

SHIPPER REQUIREMENTS AND PROCEDURES

SECTION A. GENERAL

1. Introduction

a. The shipper is the key to successful transportation documentation in the DTS. Documents prepared and decisions made by the shipper influence a shipment throughout its movement. The cost of the movement and its proper funding are also directly dependent on the shipper correctly preparing MILSTAMP documents.

b. This chapter explains, in the general order of performance, the actual steps the shipper must take to process a shipment. While some shipments require different or more detailed data than others, the basic procedural steps are similar.

2. The Shipper's Steps in Making a MILSTAMP Shipment. The steps that a shipper accomplishes whenever making a MILSTAMP shipment are summarized in the following listing. The list also shows, by paragraph, where in MILSTAMP the procedures are explained in detail.

a. Prior to making a shipment, the shipper plans the movement and determines the information necessary to complete the transportation documents. This information includes:

<u>Shipment Planning Steps</u>	<u>Paragraph</u>	<u>Page</u>
(1) Consignee	B.1.b.(1)	2-B-1
(2) Transportation priority	B.1.b.(2)	2-B-1
(3) Required delivery date	B.1.b.(3)	2-B-2
(4) Project code	B.1.b.(4)	2-B-3
(5) Shipment unit	B.1.b.(5)	2-B-3
(6) Transportation control number	B.1.b.(6)	2-B-5
(7) Pieces, weight, and cube	B.1.b.(7)	2-B-5
(8) Dimensions	B.1.b.(8)	2-B-5
(9) Mode and method of shipment	B.1.b.(9)	2-B-6
(10) National stock number	B.1.b.(10)	2-B-6
(11) Commodity	B.1.b.(11)	2-B-6
(12) APOE, WPOE including CCP	B.1.b.(12)	2-B-6

<u>Shipment Planning Steps</u>	<u>Paragraph</u>	<u>Page</u>
(13) APOD, WPOD	B.1.b.(13)	2-B-8
(14) Transportation account code	B.1.b.(14)	2-B-9
(15) Special data by commodity or type of shipment	B.1.b.(15)	2-B-9
(a) Hazardous materials	B.1.b.(15)(a)	2-B-9
(b) Government vehicles, trailers, wheeled guns, or aircraft	B.1.b.(15)(b)	2-B-10
(c) Personal property	B.1.b.(15)(c)	2-B-10
(d) Source loaded SEAVANs/MILVANs	B.1.b.(15)(d)	2-B-10
(e) Arms, Ammunition, Generators, and Vehicles for U.S. forces in Turkey	B.1.b.(15)(e)	2-B-11
 b. After gathering the information to plan and document a shipment, the shipper:		
	<u>Paragraph</u>	<u>Page</u>
(1) <i>Preparing</i> the TCMD	B.2.	2-B-11
(2) <i>Clearing the Shipment</i>	B.3.	2-B-12
(a) General requirement	B.3.a	2-B-12
(b) Surface Clearance	B.3.b	2-B-13
1 General	B.3.b.(1)	2-B-13
2 Obtain export traffic release	B.3.b.(2)	2-B-13
3 Submit advance TCMD	B.3.b.(3)	2-B-13
(c) Air Clearance	B.3.c	2-B-14
(d) Clearance authorities procedures	B.3.d.	2-B-14
1 General	B.3.d.(1)	2-B-15
2 Water Clearance Authority (WCA)	B.3.d.(2)	2-B-15
3 Air Clearance Authority (ACA)	B.3.d.(3)	2-B-18
(3) <i>Holding, diverting, and tracing</i> shipments	B.3.e.	2-B-19
(4) <i>Preparing</i> additional shipper documentation	B.4.	2-B-20

	<u>Paragraph</u>	<u>Page</u>
(a) Military Shipment Label (DD Form 1387)	B.4.b.	2-B-21
(b) Special Handling Data/Certification (DD Form 1387-2)	B.4.c.	2-B-21
(c) <i>Shipper's Declaration for Dangerous Goods for Military Airlift of Hazardous Materials</i>	B.4.d.	2-B-21
(d) Government/commercial bill of lading	B.4.e.	2-B-22
(e) REPSHIP	B.4.f.	2-B-22
(f) Intransit data	B.4.g.	2-B-23
(g) Private Vehicle Shipping Document for Automobile (DD Form 788)	B.4.h.	2-B-23
(h) Air pallet header	B.4.i.	2-B-23
(5) Making the shipment	B.5.	2-B-23
(6) Answering transportation discrepancy report (TDR)	B.6.	2-B-24
(7) Maintaining files	B.7.	2-B-24

SECTION B. PROCEDURES

1. Planning the Shipment and Determining Transportation Information

a. The shipper must plan a shipment carefully to ensure effective and economical use of transportation resources. The planning must also result in timely transportation response. The many planning and shipping factors are considered consecutively here, but in the field they may be considered at the same time or in slightly different order. All the factors must be considered even though no further action may be taken by the shipper on a particular factor.

b. The first step in the planning process is to determine as much as possible about the shipment. This information is normally compiled by the shipper on some form of a shipment planning worksheet. There is no standard form for this worksheet, so the shipper may use a form prescribed by the Service/Agency or any other form appropriate for compiling the required data elements.

(1) The consignee is determined, usually from a document such as the DD Form 1348-1A, Issue Release/Receipt Document; DD Form 1149, Requisition and Invoice/Shipping Document; or a contract. Personal property consignees are listed in the PPCIG (reference e). The consignee is identified by the six digit DODAAC as listed in the DoDAAD (reference f) or by the MAPAC as listed in the MAPAD (reference g). The in-the-clear name of the consignee may be used in addition to the required DODAAC/MAPAC. When the consignee does not have an assigned DODAAC, the sponsoring Service code, e.g., F for Air Force followed by five zeros is used. The clear text address must then be entered on the TCMD as trailer data (DI T_9).

(2) *The shipper also determines if the shipment requires expedited or routine transportation. Expedited transportation is normally required for shipments with an entry in the RDD field of 999, N_ _ E_ _ 777, 555, or 444. Expedited transportation is designated as TP-1 for RDD entries of 999, N_ _ or E_ _ . TP-2 is assigned for RDD entries of 555, 777, or 444. When the RDD field is blank, routine transportation applies. Routine transportation is designated as TP-3. When the RDD field contains a day-of-the-year entry, TP-1, 2, or 3 is assigned, as appropriate. The time standards applicable to each transportation priority are shown in appendix F.*

(a) *Transportation processing for personal property shipments will be based on the RDD assigned in accordance with sponsoring Service policy. Routine transportation (TP-3) normally applies; however, TP-2 expedited transportation may be designated when operationally or economically beneficial, or to avoid hardship to the Service member or his dependents. In all cases, the RDD field contains the actual date the shipment is required at the destination. Deferred air freight (TP-4), which is explained in paragraph B.1.b.(2)(f) below, may be used in accordance with sponsoring Service guidance.*

(b) *Nonappropriated fund (NAF) activity shipments are normally afforded routine transportation (TP-3). The sponsoring Service may, however, authorize expedited transportation processing for seasonal items delayed by late availability from CONUS vendors, items which require air shipment for control purposes, necessary health items in critically low stock, or for shipments caused by equipment or facility failures which threaten the operation of NAF activities. When expedited transportation is authorized, TP-2 is assigned and a valid day-of-the-year or "777" must be entered in the RDD field.*

(c) *Shipments of GSA-managed sealants/adhesives, selected medical items, and items with limited remaining shelf-life, when designated by the shipper, are authorized expedited*

transportation (TP-2). When expedited transportation is authorized, a day-of-the-year or "777" must be entered in the RDD field.

(d) Registered letter mail, regular letter mail, priority parcels, command pouches, weapons system pouches, and CASREP pouches when shipped in bulk through the DTS are authorized expedited transportation. CASREP pouches are assigned TP-1 and must have either "999", N_ _, or a day-of-the-year entry in the RDD field. MOM, SAM, and PAL mail are authorized TP-2 when "777" is entered in the RDD field. For all other mail, the RDD field will be left blank and routine transportation (TP-3) is assigned.

(e) A procedure whereby specifically identified cargo in the AMC system may gain movement precedence over other expedited cargo, including 999 shipments, of the sponsoring Service is called green sheet. Green sheet is not a priority, but is designed to override priorities when expedited movement of specific shipments is required in the national interest and is certified an operational necessity by the sponsoring service. Green sheet is not approved if the other procedures, including space block, will meet the movement requirement. The shipper submits requests for green sheet action to the appropriate ACA.

(f) Movement of cargo at deferred air freight rates and time standards is a service offered by AMC. Cargo designated as deferred air freight is moved at surface rates in otherwise uncommitted aircraft capacity. Only shipments which are not air eligible may be offered for deferred air freight service. The use of deferred air freight service is strictly controlled by AMC, the ACAs, the air terminal managers, and the shippers.

1 The AMC sends an "Excess Space Estimate" message to the sponsoring Services, selected shippers, ACAs, and APOEs in October and April. The message, updated as necessary, identifies the projected monthly excess space available on each AMC channel for the subsequent 6-month period. AMC also establishes a maximum level of deferred air freight which may be onhand at the APOEs. This level may change and during contingencies or high workload periods AMC may close the APOEs to all deferred air freight cargo. The AMC will ensure that deferred air freight cargo is moved as quickly as possible and that delivery to the customer does not exceed UMMIPS time standards for routine cargo movements.

2 The ACAs receive offerings for deferred air freight cargo from the shipping activities and, in coordination with air terminal managers, clear the cargo into the airlift system. Deferred air freight cargo will be identified by the TP-4 entry in the TP field (rp 53). Within CONUS, documentation for approved deferred air freight is passed to Headquarters, AMC; at overseas locations, the documentation is passed directly to the APOE concerned. When movement by deferred air freight is not approved, the ACA will notify the shipper.

3 The air terminal manager, in coordination with the ACA and the shipper, monitors and controls the movement of deferred air freight cargo.

4 The shipper offers potential deferred air freight shipment to the ACA in a manner similar to other air eligible shipments. The shipper does not release the shipments for movement until after receiving clearance from the ACA and submits documentation to the OCCA/booking office for shipments not approved for deferred air freight movement.

(3) Next to be determined, but not assigned, by the shipper is the RDD. The RDD is a calendar date which specifies when material is required by the requisitioner.

(a) An RDD is assigned by a requisitioner only if the requisition must be satisfied by a justified date earlier or later than the standard delivery date (SDD). The SDD is the sum of the individual UMMIPS time standards, and the requisition date. The shipper obtains the RDD (if any) from the DD Form 1348-1A, other source document, or contract.

(b) An RDD for personal property is assigned by the personal property shipping office in accordance with the PPTMR (reference h) and the needs of the Service member.

(c) Using an RDD of "999," "777," "555," or "444" to identify expedited handling *and transportation* requirements is explained in paragraph B.1.b.(2), *above*.

(4) The shipper will determine any applicable project code by examining the source document, usually a DD Form 1348-1A, DD Form 1149, or contract. The project code, assigned by the requisitioner as prescribed in MILSTRIP, identifies requisitions, related documentation, and shipments which require special recognition and handling. It also allows accumulation of performance and cost data. The project code will be perpetuated on all applicable transportation documents. The project code may be used by the sponsoring Service to identify shipments which are exempt from air challenge.

(5) The shipment unit is the basic shipping entity for marking, documenting, clearing, and controlling a shipment. It is a key element on which later transportation decisions are made.

(a) By definition, a shipment unit is:

1 A single line item of supply (one material release order (MRO) or DD Form 1348-1A) destined to one consignee, or;

2 Two or more compatible line items (with certain specific exceptions listed in paragraph B.1.b.(5)(b)) having the same consignee/destination, MILSTAMP commodity category, and (within sponsoring Service guidelines) TAC, and which are shipped together either:

a In the same container (package/CONEX), or;

b In the same conveyance (railcar or truckload), or;

c In the same SEAVAN/MILVAN (without regard to MILSTAMP commodity category), or;

d Fastened together into a single piece, or;

e As a set or assembly, or;

f On a DD Form 1299, Application for Shipment and/or Storage of Personal Property, or DD Form 788, Private Vehicle Shipping Document for Automobile.

(b) Certain line items and commodities will not be consolidated with other line items or commodities into a shipment unit. This provision does not preclude aggregation/consolidation of shipment units in accordance with paragraph B.1.b.(5)(c) whenever possible to minimize transportation cost. Aggregation of shipment units on the same GBL or manifest for delivery to the same ultimate destination within established UMMIPS time standards is required by shippers. The following items and commodities will be documented and controlled as separate shipment units:

1 Line items subject to domestic commercial movement at significantly differing freight rates unless consolidation would result in lower overall costs to the destination.

2 Line items of hazardous material/dangerous articles. Except for line items of ammunition, explosives, and radioactive or magnetic material, consolidation is permitted if not precluded by the publications listed in front of this regulation under references.

3 Line items with different project codes. Project coded material will not be consolidated with nonproject coded material.

4 Line items with "999" in the RDD field unless they are dropped in the same supply-MRO cycle, consigned to the same ultimate consignee (customer). Intransit visibility must be maintained over each line item.

5 Items of supply *requiring expedited transportation (TP-1 or TP-2) are not normally consolidated with items of supply to be moved by routine transportation (TP-3), unless permitted by Service/Agency policy and consistent with sound traffic management. When permitted, such consolidations receive expedited transportation.*

6 Line items filling NMCS requisitions unless they are dropped in the same supply-MRO cycle, consigned to the same ultimate consignee (customer). Intransit visibility must be maintained over each line item.

7 FMS items except those with the same requisitioner address and FMS case number.

8 Items or commodities which are not compatible with other items. Such incompatibility may be due to:

a Excess size or dimensions which require special handling.

b Uneconomical consolidation costs for packing, repacking, handling, loading, etc.

c Different perishable commodities (i.e., potatoes and onions) or dissimilar keeping qualities (i.e., bananas and eggs).

d Possible contamination of subsistence items if consolidated with general cargo.

(c) Shipment units are aggregated for unitized (pallet, CONEX, SEAVAN, etc.) handling and movement whenever possible. MILSTAMP documentation for the shipment units in the aggregation is maintained. Such aggregations will conform with the rules of line item and commodity aggregations listed in paragraph B.1.b.(5)(b), except that:

1 Shipment units destined to the same intermediate breakbulk point need not be destined to the same consignee to be aggregated.

2 SEAVANs may be stuffed for more than one consignee when stopoff services are used.

¹ Line items for Navy consignees (other than Navy International Logistics Program consignees) and with project codes beginning with other than D or Z may be consolidated.

3 Shipment units of ammunition, explosives, and other hazardous materials may be loaded into one conveyance if the provisions of the applicable publications listed in the front of this regulation are met.

(6) The TCN is assigned, usually by the shipper, to each shipment unit for control from origin to ultimate consignee. The SEAVAN TCN is assigned by the WCA/OCCA at the time of clearance. Because it is a control used throughout the transportation system, the assigned TCN will not be changed except as authorized for partial or split shipments. Detailed instruction for constructing all types of TCNs is contained in appendix C.

(a) *Whenever a shipper or transshipper consolidates two or more shipment unit TCNs into a higher level consolidation, the shipper or transshipper generates a TAW transaction for routing to DAAS in accordance with figure 2-B-13. The purpose of the TAW transaction is to provide visibility for all levels of consolidation for shipments in the DTS by linking the old TCN to the new TCN assigned during the consolidation process. The TAW transaction is prepared to report new or additional TCN level consolidations; that is, any consolidation that results in another TCN beyond the TCN reported in the AS_ Shipment Status transaction.*

(b) *Whenever a transshipper receives a consolidated shipment that must be broken down for reconsolidation and onward movement, the transshipper generates a TAW for routing to DAAS in accordance with figure 2-B-13. The TAW is prepared to report the TCN assigned to new MILSTRIP requisition or other document number level consolidations.*

(7) The pieces, weight, and cube for each shipment unit must be determined. In all cases, they are expressed as whole numbers. Fractions or decimals are rounded to the next higher whole number. Numbers less than one are rounded to one.

(a) The pieces in a shipment unit are those separate segments which have not been unitized. For example, a shipment unit may have 10 separate items which will be counted as 10 pieces. However, if those 10 items are unitized, e.g., banded together on a pallet, they will be counted as one piece.

(b) The weight of a shipment unit is expressed in whole pounds. It is the total for all the pieces in the shipment unit. Certain specific variations are detailed in the applicable instructions for TCMD preparation. Any individual piece or unitized piece (other than an SEAVAN/MILVAN) that weighs 10,000 pounds or more is identified as a heavy lift.

(c) The cube of a shipment unit is expressed in whole cubic feet. It is the total for all the pieces in the shipment unit. Certain specific variations are detailed in the applicable instructions for TCMD preparation in appendix D.

(d) In MILSTAMP data formats, the space allotted for the entry of pieces, weight, and cube is limited to four, five, and four characters respectively. If any entry exceeds the capacity of the field (i.e., more than 9,999 pieces, 99,999 pounds, or 9,999 cubes), the entry will be as follows:

1 10,000 to 19,999 pieces/cubes or 100,000 to 199,999 pounds. Drop the first position "1" and for the second digit substitute a letter/character as follows: 0=&, 1=A, 2=B, 3=C, 4=D, 5=E, 6=F, 7=G, 8=H, 9=I. For example: 13,468 pieces = C468.

² See footnote 1 on page 2-B-4.

2 20,000 to 29,999 pieces/cubes or 200,000 to 299,999 pounds. Drop the first position "2." For the second position digit, substitute a letter/character as follows: 0=-, 1=J, 2=K, 3=L, 4=M, 5=N, 6=O, 7=P, 8=Q, 9=R. For example: 220,015 pounds= K0015.

3 When shipment pieces, weight and cube details exceed the above data limits for the prime TCMD record, a trailer record will be required. The prime TCMD record will indicate a W followed by zeroes in appropriate piece, weight and/or cube field. The T_9 trailer will carry specific shipment unit details.

(8) The dimensions of the individual pieces, or a unitized piece, of a shipment unit are normally a concern only if they are outsize. Whenever a piece (other than a POV, CONEX, or SEAVAN/MILVAN) measures more than 6 feet in any dimension, it is said to have outsize dimensions. The shipper must know the actual dimensions (in inches), weight and cube of any piece with outsize dimensions prior to preparing transportation documents.

(9) Determining the mode and method of shipment is generally the responsibility of the shipper.

(a) Mode refers to the general category of movement, e.g., air or surface, while method refers to the specific means of transportation, e.g., motor, rail, air freight, parcel post, etc. DoD policy for selecting the mode of shipment is contained in DoD Directive 4500.9 (reference i). Basic policies for CONUS movements are published in the DTMR (reference j); overseas, in comparable theater directives. The mode and method of transportation selected will be that which will meet DoD requirements satisfactorily at the lowest overall cost to the Government from origin to the final known destination in CONUS or overseas. When service and cost are equal, the method which uses the least fuel is selected.

(b) The normally recommended modes of shipment based on transportation priority are shown in figure 2-B-1. Additional traffic management factors considered when selecting the mode of shipment include the RDD, nature of the material, weight and cube of the shipment, distance to be shipped, and the costs of the transportation alternatives available between the consignor and consignee. The ability of the shipper, transshipper, and receiver to handle shipments by a particular mode also influences the mode selection. This handling ability is determined by reference to such publications as the Terminal Facilities Guides or by direct contact.

(c) When a shipment unit or consolidation of shipment units is of sufficient volume to effectively utilize an SEAVAN/MILVAN, selection of that method of surface shipment is arranged through coordination between the shipper and the clearance authority as detailed in paragraph B.3.b.(2).

(10) National Stock Number (NSN) data is required for all shipments by the joint deployment community for purposes of apportioning lift, tracking and monitoring cargo during peacetime, contingencies, and mobilizations. NSN data is determined by the shipper from available requisition source data or unit equipment records. When multiple items of supply are consolidated to form a single shipment unit, the NSN will be determined by the predominant weight factor. The format for providing the NSN is in appendix D.

(11) The commodity of each shipment is determined by the shipper and is usually represented on transportation documentation by a code.

(a) Separate MILSTAMP code structures are used for air and water shipments. Both of these code structures identify the commodity, with varying degrees of specificity, as well as providing information about any special handling which may be required. Complete explanation of these codes is detailed in appendix F2 for air shipments and appendix F20 for surface shipments.

(b) In addition to these MILSTAMP commodity codes, shipments between CONUS and Hawaii or Guam are also described on the TCMD using the NMFC (reference k) or the UFC (reference l) commodity descriptions. The shipper includes this clear text description in the miscellaneous information on the TCMD using document identifier T_9 as indicated in appendix D, figure D-12. The information is detailed for each shipment unit, including those in SEAVANs, but excluding hazardous materials which are already adequately detailed. Shipment units containing multiple commodities are described using the NMFC/UFC (references k and l) description of the highest rated article. An abbreviated description similar to that used in the Freight Classification Guide System discussed in the DTMR (reference j) is acceptable.

(12) The POE, either air or water, is determined by the shipper, often with the assistance of the clearance authority. Selection of the appropriate POE is normally dependent on the transportation channel of the lowest cost service which meets the delivery requirements. Except for shipments by minibridge, the POE is the actual location of loading on the vessel (military or commercial) and not merely a military port responsible for the loading operations.

(a) The APOE is indicated on transportation documents by the applicable air terminal identifier code from appendix F4. The clear text designation may be included on manual documents in addition to the required code. Guidance as to which APOE is to be used for a particular overseas destination may be obtained from the ACA listed in appendix J or from the AMC Sequence Listing for channel traffic. The latter is published by HQ AMC (TRRR) Scott AFB, IL 62225-5001, and updated periodically by message. The appropriate APOE for shipments to mobile units, including Navy fleet vessels, must be obtained from the sponsoring Service ACA.

(b) The WPOE is indicated on transportation documents by the applicable water port identifier code from appendix F21. The clear text designation may be included on manual documents in addition to the required code. Selection of the WPOE is made by the WCA/OCCA for RU shipments and certain LRU shipments (indicated in appendix H). The shipper makes the selection for most LRU shipments. For all shipments (RU and LRU) to mobile units, including Navy fleet vessels, the appropriate WPOE is obtained from the sponsoring Service ACA.

1 An RU is a shipment unit of a specific commodity, weight, size, or mode which requires an export release before shipment. For CONUS, RUs are specifically defined in the DTMR (reference j), for overseas, in applicable theater directives. An RU shipment generally includes one or more of the following characteristics:

- a Weighs 10,000 pounds or more,
- b is classified, explosive, poisonous, or requires protective or security measures;
- c occupies or is tendered as a full carload or truckload; or
- d moves to the WPOE by driveway method.

2 An LRU shipment is any shipment unit which is not an RU as described in paragraph B.1.b.(12)(b)1.

a For LRU shipments from CONUS, the shipper selects a WPOE from those listed in appendix H. For LRU shipments from an overseas location, the shipper receives WPOE selection assistance from the local WCA/OCCA. Since time is usually not the critical element for surface movements, the shipper selects the WPOE which is generally cost favorable. A table of CONUS cost favorable LRU ports which

incorporates cost to the port, port handling, and ocean transportation charges is located in appendix H. When an RDD is established, in addition to the cost, the WPOE selection considers the total transit time (including travel to the WPOE, port handling, sailing frequency, and sailing time to the WPOD). Appendix H, figure H-2, is designed to aid in selecting a WPOE based on transit time as explained in paragraph 2.c of the appendix.

b The shipper may direct a shipment to a port other than one suggested in appendix H for service or cost reasons. Such nonstandard routing is only made to ports listed in appendix H as capable of handling LRU shipments to the overseas destination. Upon request of a shipper, the WCA/OCCA may authorize other deviations for specific LRU shipments under unusual circumstances. The appropriate WCA/OCCA provides assistance for shipments to destinations not listed in appendix H.

3 Personal property shipments by DPM or Code 5 are assigned WPOEs as listed in appendix H. Primary and alternate WPOEs for POVs are determined from appendix N, of the PPTMR (reference h).

(c) The shipper may determine a shipment should be routed to a CCP instead of directly to a WPOE. The CCPs have been established throughout CONUS by the Military Services and DLA to consolidate cargo for onward movement by SEAVAN.

1 The sponsoring Services/Agencies establish the criteria for selecting shipments routed to inland CCPs instead of directly to a WPOE. These criteria are issued to the applicable shippers and generally exclude arms, ammunition, and explosives; other classified or protected items requiring signature security service; most cargo requiring refrigeration; radioactive material; items that are oversize to a 40 foot SEAVAN; and shipments which fill an SEAVAN (by weight or cube). For shipments not excluded, the shipper determines the applicable CCP from the DoDAAD (reference f). The DODAAC of the CONUS CCP serving an overseas consignee is listed in the DoDAAD entry for that consignee, under the column headed BBP.

2 Instead of the WPOE, the shipper enters the applicable CCP identifier code from appendix F5 on MILSTRIP shipment status documents.

3 The original shipper does not clear a shipment sent through a CCP. The shipper does, however, prepare a TCMD using the format for a DI T_3 or T_4 (and necessary DI T_5 through T_9 entries) as detailed in appendix D. All applicable record positions (rp) on the TCMD are completed except rp 4-8 (Van Number), rp 21-23 (POE), and rp 63 (Stop-off Indicator).³

(13) The shipper determines the POD whether the shipment moves by air or water. The POD for each consignee outside CONUS can usually be found in the DoDAAD (reference f). The code used will indicate the final destination terminal. The DoDAAD (reference f) lists the POD for air shipments under the heading ATI, and the POD for water shipments under the heading PD. If the consignee is served by a CONUS CCP, the DODAAC of the CCP is also shown in the DoDAAD (reference f) and the shipper sends applicable shipments to the CCP as explained in paragraph B.1.b.(12)(c).

(a) The APOD is indicated on transportation documents by the applicable air terminal identifier code from appendix F4. The clear text designation may be included on manual documents in addition to the required code. Additional guidance as to which APOD services a particular destination may also be obtained from the ACA listed in appendix J or from the AMC Sequence Listing for Channel Traffic. The latter is published by HQ AMC (TRRR), Scott AFB, IL 62225-5001 and updated periodically by message. The

³ The TCMD reflects the DODAAC of the overseas consignee, not the CONUS CCP. The shipper then forwards the TCMD to the CCP as detailed in paragraph B.2.a. of this chapter.

appropriate APOD for shipments to mobile units, including Navy fleet vessels, must be obtained from the sponsoring Service ACA.

(b) The WPOD is indicated on transportation documents by the applicable water port identifier code from appendix F21. The clear text designation may be included on manual documents in addition to the required code. Additional guidance as to which WPOD serves a particular destination may be obtained from the WCA/OCCA listed in appendix J. The appropriate WPOD for shipments to mobile units, including Navy fleet vessels, must be obtained from the sponsoring Service ACA. The WPOD for POVs is determined from appendix N of the PPTMR (reference h).

1 For shipments to CONUS from outside CONUS, shippers determine the WPOD by referring to appendix I. In that appendix, the appropriate WPODs are listed in order of preference for shipments to the various states. The WPODs listed are used to the extent practicable, but do not supersede existing directives or instructions issued by the Military Services. Separate guidelines are included for shipments of general cargo, personal property (DPM and Code 5), classified cargo, and explosive or other cargo requiring protective security measures.

2 When a shipment of 250 or more measurement tons from outside CONUS to a single inland CONUS destination is planned, the shipper notifies the appropriate CONUS OCCA by electrical means. The shipper includes information on the commodity, ultimate destination, and commodity/item manager so the OCCA may assist in WPOD selection and possibly negotiate favorable onward movement rates.

(14) The TAC must be determined by the shipper for every shipment. Volume II of this regulation provides detailed instructions for developing/determining the proper TAC. Since the TAC represents a funding account, its correct application is essential to valid budgeting and payment of transportation expenses.

(15) In addition to the general information listed in paragraphs B.1.b.(1) through (14) above, the shipper must also determine limited special data for certain specific commodities or types of shipments.

(a) For shipments of hazardous materials to and from surface and aerial ports, including ammunition and explosives, the shipper must determine:

1 Whether or not the shipment can be considered Government-owned military hazardous material (including ammunition and explosives) which was originally packaged prior to 1 January 1990 and remains in its original packaging.

a If yes, then a statement attesting to that fact must appear on the shipping documents accompanying the shipment to the POE and also be noted on the ATCMD (T_9 record) advanced to the MTMC Area Command or terminal. The statement will read: "GOVERNMENT-OWNED GOODS PACKAGED BEFORE 1 JANUARY 1990."

b If the material was packaged after 1 January 1990, and/or cannot be considered Government-owned for military use, then compliance with the Performance Oriented Packaging (POP) requirements of the International Maritime Dangerous Goods Code (water mode) and the International Civil Aviation Organization (air mode) technical instructions is mandatory.

Shippers note - Any and all costs incurred to bring a noncomplying shipment subject to POP standards into compliance will be borne by the shipper.

c If the shipment is hazardous including ammunition or explosives and subject to POP requirements but a Competent Authority Approval (CAA) (DOT approval to deviate) has been obtained, then the CAA number must be reflected on the shipping documentation accompanying the shipment and on ATCMD data (T_9 record) advanced to MTMC Area Commands or ports.

2 The Proper Shipping Name (PSN) including the RQ (if appropriate), hazard classification including the compatibility group for ammunition and explosives, and DOT label requirements as prescribed in 49 CFR (reference m). The DoD HMIS may be used to assist in determining the PSN and certain additional shipping data.

3 The NEW for Class 1.1, 1.2, 1.3 and 1.4 explosives.

4 The actual flashpoint for flammable liquids, usually from the container markings prescribed by MIL-STD-129 (reference n).

5 The DoDIC for shipments of ammunition and explosives. This four digit alphanumeric code is assigned to items of supply in FSG 13 (ammunition/ explosives) and 14 (guided missiles). Found listed by NSN in such publications as DoD supply catalogs or the FILDR, the DoDIC is often prefixed by the FSC and listed as the DDAC or DoDAC. For example: If the DDAC/DoDAC is 1305AO11, the DoDIC is AO11.

6 The NSN whenever possible.

7 The round/component count for each unit of issue and, by extension, the total round/component count for the shipment unit.

8 Additional data for radioactive material as required by 49 CFR (reference m).

9 The UN, NA, or ID number, class number, and, if applicable, compatibility group code from the IMDGC for water shipments.

10 *Compatibility as required by joint publication AFJMAN 24-204, et al., (reference o).*

11 The lot number on all shipments of ammunition.

(b) For shipments of Government vehicles, trailers, wheeled guns, or aircraft, the shipper determines the model, nomenclature, and serial number of the item being shipped. When shipping to Central or South America, the shipper also needs to determine the make and year of the item. All of this information is entered in the trailer data portion of the TCMD.

(c) For shipments of personal property, the shipper determines information peculiar to each shipment. The shipper includes this additional information in the trailer portion of the TCMD.

1 For unaccompanied baggage and household goods, the shipper includes the owner's name and grade on the TCMD. The complete address is included when the shipment is consigned to a civilian location. For DPM shipments to CONUS, the shipper also determines the net weight of the shipment. For shipments of unaccompanied baggage belonging to Air Force personnel (military and civilian) on TDY, the shipper determines, from the DD Form 1610, Request and Authorization for TDY Travel of DoD Personnel, the

travel order number (item 22) and the ADSN/fiscal station number (item 19). Finally, for all TGBL shipments entering the DTS, the shipper determines the origin household goods carrier.

2 For shipments of POVs, the shipper (usually a WPOE) determines the owner's name and grade as well as the POV year, make, color, and license plate number and issuing state.

(d) For shipments loaded into an SEAVAN/MILVAN at origin, the shipper determines a variety of information about the SEAVAN/ MILVAN itself. Most of the information is obtained during the booking and container loading (stuffing) process.

1 The shipper identifies the van number, the size (length in feet) of the van used, its inside cubic capacity, and who owns it. In addition, the shipper obtains from the WCA/OCCA the name of the ocean carrier which will actually move the van. Since it may directly affect the charges to the Government, the shipper maintains information on the size of van ordered in addition to that actually used.

2 When shipping in a reefer container, the shipper determines the temperature at which the cargo is to be maintained. The temperature is stated in degrees Fahrenheit as either a specific temperature or temperature range.

3 When shipping an MILVAN equipped with a mechanical bracing system, the shipper determines the number of beam assemblies in the loaded MILVAN.

(e) For shipments of arms, ammunition, generators (60 KW and above), and vehicles consigned to U.S. Forces in Turkey, the shipper obtains Turkish General Staff approval and a TDA number as detailed in appendix D, paragraph 3.c.

2. Preparing the TCMD. After the shipper has determined the many factors affecting a shipment in the DTS, the next step is preparation of the TCMD, i.e., automated record or DD Form 1384, Transportation Control and Movement Document. The TCMD lists all the data about a shipment and is prepared in one of several formats for every shipment except unaccompanied baggage (code J) shipments. For code J shipments, the carriers port agents are responsible for preparing a TCMD for each shipment delivered to the AMC aerial port in accordance with DoD 4500.34-R (reference h). Local carrier port agents are also responsible for all necessary corrective actions.

a. The TCMD provides the clearance authorities, ports, receivers, and other interested transportation personnel with advance notice of shipments and the information necessary to process the shipments through the DTS. The information on the TCMD is the basis for preparation of air and surface manifests and for compiling logistics management reports. The form itself may be used as a dock receipt, tally sheet, highway waybill, or for other transportation control purposes. A copy of the TCMD is placed in a waterproof envelope on the number one box of shipment units forwarded to a CONUS CCP and on all shipments of personal property (Baggage and Household Goods) entering the DTS.

b. The TCMD has three primary formats - the 80 column computer data record, the electrically transmitted message, and the manual or hard copy form. While all of the formats contain the same basic information about a shipment, the automated record is used whenever both the preparing and receiving activities are able to prepare, transmit, and receive automated records. Activities or segments in the DTS may use (on-line) electronic data transmission facilities provided the data exchanged is based on the same formats, contains the same information, and results in the prescribed output products.

c. The information entered on the TCMD is described as either prime or trailer data. Prime data is required for every shipment while trailer data, which is supplementary, is also required for some specific type shipments. Shipments consolidated into an SEAVAN/MILVAN, RORO, CONEX or other consolidation container also require a prime data entry for the consolidation container in addition to the prime and trailer data for each shipment unit.

d. Document Identifier (DI) codes indicate what type data is being detailed and the format in which it is presented. DIs for shipment unit prime data are T_0, T_1, T_2, and T_3. Prime data entries for shipments consolidated into an SEAVAN, MILVAN, CONEX, 463L pallet, a RORO vehicle/trailer or other consolidation container are identified by DI T_4. Trailer data entries use DIs, T_5, T_6, T_7, T_8, and T_9. Based on the type of shipment, trailer data entries must be prepared as *indicated on the following pages*:

Mandatory Trailer Format

<u>Type Shipment</u>	<u>DI code</u>
Outsized (see paragraph B.1.b.(8))	T_5
Government vehicles including trailers, wheeled guns and aircraft	T_5
Ammunition and explosives	T_6, T_7, T_9
Other hazardous materials	T_6, T_9
Personal property	T_8

e. Detailed instructions for preparing all TCMD formats are contained in appendix D.

f. In addition to other uses of the TCMD, the shipper forwards a copy (listing, *tape, diskette*, ETM), or similar documentation containing TCMD data, for each shipment unit in an SEAVAN. The shipper places the copies in a waterproofed envelope labeled "Load List" and attaches it securely to the inside of the SEAVAN loading door. Both consolidated and partial load lists are made when the SEAVAN is loaded for stopoff deliveries.

g. The shipper prepares a TCMD for SEAVAN shipments moving to a WPOE under terms of the MSC Container Agreement and Rate Guide (reference p). In accordance with Title 49 CFR (reference M) when hazardous and nonhazardous materials are listed on an SEAVAN TCMD, the hazardous material content records, i.e., T_4 records with hazardous water commodity codes and their accompanying T_6, T_7, and T_9 records must be entered first. Preparation instructions are outlined in appendix D, paragraph 3.b. The shipper, as a minimum, maintains one signed copy to record acceptance by the original inland carrier. In addition, the shipper provides the inland carrier with at least two copies of the TCMD. The inland carrier, in turn, gives one of the copies to the ocean carrier's representative (e.g., gate guard, checker) when delivering the SEAVAN to the carrier's container yard.

3. Clearing the Shipment

a. General

(1) After the TCMD is assembled, the shipper offers for clearance all cargo (including all personal property except unaccompanied baggage (Code J)⁴ and POVs) entering the DTS prior to making the shipment. The procedures for shipment clearance serve a common purpose whether the movement is by surface or air. The clearance process aids cargo receiving and the scheduling of watercraft and aircraft, as well as providing the TCMD data for manifest preparation.

(2) As exceptions or additions to the general procedures detailed below, shippers and clearance authorities may develop local agreements to satisfy clearance and documentation requirements. These local agreements are limited to regular cargo movements through normal POE/POD combinations as listed in the agreement, appendix H of this regulation, or the AMC Sequence Listing for Channel Traffic. The local agreements must result in documentation as required by this regulation. The formal agreements must be approved by the Service/Agency headquarters of both the shipper and the clearance authority.

(3) For most shipments, air or water, the clearance process is started when the shipper submits advance TCMD information to the appropriate clearance authority listed in appendix J. An exception to that general rule (for RU and certain LRU shipments) is addressed in paragraph B.3.b.(2). The contract administration office or purchasing office arranges for clearance and appropriate documentation of all vendor shipments in the same manner as a shipper. The responsibilities and general procedures for the ocean and air clearance authorities are detailed in paragraph B.3.d.

b. Surface Clearance

(1) There are two procedures for clearing surface (ocean) export cargo, one for RU shipments and one for LRU shipments. Unless specifically excluded, the procedures apply to all shipments in the DTS including personal property other than POVs, vendor originated material, and mail. Additional details for clearance of personal property are contained in DoD 4500.34-R (reference h). The primary difference between the two shipment clearance procedures is the ETR.

(2) Prior to making an RU surface export shipment (as defined above in paragraph B.1.b.(12)(b)1), the shipper must request an ETR from the WCA/OCCA. Certain LRU shipments indicated in appendix H also require an ETR. In all cases, the procedures by which the WCA/OCCA processes the request are outlined in paragraph B.3.d.(2).

(a) The content of the ETR request and the procedures for its submission in CONUS are detailed in the DTMR (reference j). Similar information for use outside CONUS is contained in theater directives.

(b) The shipper receives an ETR from the WCA/OCCA as indicated in figure 2-B-2. The OCCA will furnish an ETR within 48 hours for **expedited** (TP-1 and TP-2) shipments and within 3 working days for **routine** TP-3 shipments. If the OCCA must secure a firm booking prior to issuing the ETR, the shipper will be notified (within 48 consecutive hours from receipt of request) of the estimated date for issuance of the ETR.

(c) The content of the ETR, like the ETR request, is outlined in the DTMR (reference j) for CONUS and in theater directives for outside CONUS. For shipments to be loaded in an SEAVAN by the shipper, the ETR includes the carrier. The WPOE and WPOD will be the actual loading and unloading locations and not merely the military port responsible for the origin and destination area.

⁴ The selection of Code J as a method of movement in itself negates the need for air clearance action. The submission of ATCMDs to the ACA is not required.

(d) After receiving the ETR, the shipper makes any necessary additional entries on the TCMD and proceeds according to paragraph 3.b.(3). If the WPOE delivery date established during the clearance procedure cannot be met, the shipper telephones the WCA/OCCA for alternate instructions.

(3) The shipper clears LRU surface shipments, or shipments for which an ETR has been received, by sending advance TCMD data to the WCA/OCCA.

(a) No surface export shipment is made until the shipper submits an advance TCMD according to the timetable shown in figure 2-B-2. When a shipment is routed through a CCP, the CCP acts like a shipper and clears the shipment. The actual originator of the shipment only prepares a TCMD as described in paragraph B.1.b.(12)(c).

(b) Whenever possible, the advance TCMD data for three or more shipment units moving on a single GBL are batched and submitted to the WCA/OCCA under a GBL header card as shown in figure 2-B-4. GBL header cards are used when they do not delay transmission of the advance TCMD data to the WCA/OCCA.

(c) Complete advance TCMD data for SEAVANs (van and contents) are transmitted by the shipper or CCP to the WCA/OCCA. The date for each SEAVAN is transmitted separately.

(d) LRU shipments, and shipments for which an ETR has been received, are considered cleared if they have not been challenged by the WCA/OCCA prior to 1600 local time on the day before the day shipped entry on the advance TCMD. If the shipment is challenged, the shipper follows the instructions provided by the WCA/OCCA. The shipper will immediately call the WCA/OCCA if unable to comply with the challenge instructions.

(e) If the shipment is delayed at the origin and will not arrive at the WPOE by the ETA shown on the TCMD, the shipper will promptly notify the WCA/OCCA.

c. Air Clearance

(1) The shipper must clear all cargo shipped by Government controlled cargo air systems; i.e., AMC. The air clearance procedure is essentially the same as for water shipments. In the air systems, however, there is no requirement for an ETR and no differentiation between RUs and LRUs.⁵

(2) The shipper clears an air shipment by sending advance TCMD data to the ACA. The ACAs are designated by the Services and Agencies and listed in appendix J. Prior to making an air shipment, the shipper submits an advance TCMD to the ACA according to the timetable shown in figure 2-B-5.

(3) Except for **deferred air freight** shipments by TP-4 an air shipment is considered cleared if the ACA has not challenged it by the hour/day entered in the advance TCMD date shipped field. Challenges by the ACA are issued by telephone or message and may be made at any time prior to the estimated hour/day shipped TCMD entry. If the shipment is challenged, the shipper follows the instructions issued by the ACA.

(4) For shipments selected to move by **deferred air freight**, the shipper will submit **an** advance TCMD to the ACA as for any air shipment. The transportation priority entry will be "4." Unlike other air shipments, the shipper will not release **deferred air freight shipments** until approved by the ACA. When the ACA rejects a shipment, the shipper submits advance **TCMD data** to the WCA/OCCA.

⁵ See footnote 4 on page 2-B-12.

(5) Shipping activities will obtain airlift clearance from point of origin to destination for cargo moving from one theater to another when traversing the CONUS. Shipping activities obtain this clearance by providing complete TCMD data to the origin theater ACA.

(6) The PCCs and the ARFCOS provide appropriate TCMD data for shipment clearance according to procedures developed locally with the ACA.

(7) If appropriate, the shipper submits a request for Green Sheet action to the sponsoring Service ACA (see paragraph B.1.b.(2)(f)3).

d. Clearance Authorities

(1) General

(a) Clearance authorities do not actually handle material shipments, but do provide an important documentation link between the shipper, transshipper, and receiver. Appendix J is a complete list of both ocean and air clearance authorities, as well as booking offices for ocean cargo. In general, the clearance authorities:

1 Control the movement of cargo. That control includes furnishing TCMD data to the terminal for each shipment unit, coordinating movements of classified or courier material, and monitoring retrograde cargo from overseas to CONUS, assuring shipment to the ultimate CONUS consignee.

2 Divert cargo as required and in coordination with the sponsoring Services.

3 Trace and expedite cargo.

4 Provide lift and receipt data to the Services/ Agencies, including the USTRANSCOM, as required.

5 Correct discrepancies in shipment documentation with the assistance of the sponsoring Services. Documentation correction includes directing the TCMD Effectiveness Program (as explained in appendix E) for late, missing, or improperly prepared TCMDs.⁶

(b) Using the information on the advance TCMD submitted by the shipper, the clearance authority determines if the shipment is correctly routed. This check verifies such details as the availability of transportation service between the POE and POD indicated as well as the suitability of the mode of transportation, i.e., air versus water. These various traffic management considerations and the authority to apply them are prescribed in individual/joint Service regulations and overseas theater command directives. If the shipment is accepted as routed, the clearance authority normally does not communicate further with the shipper. When additional guidance must be provided to the shipper or if the shipment routing is to be challenged, the clearance authority immediately contacts the shipper. Details of the procedures for challenge or guidance are included in the paragraphs on air and water clearance below.

(2) Water Clearance Authority

⁶ For shipments from CONUS, HQ AMC provides sponsoring Services with receipt and lift information (within 4 hours) and with reports of late or missing TCMDs.

(a) The clearance authority for shipments moving by surface (ocean) is the WCA. The WCA works with the OCCA which is responsible for arranging the actual ocean carriage. Appendix J lists all WCAs/OCCAs along with their communications addresses. The WCA/OCCA is designated by the geographic location of the WPOE. In CONUS, the WCAs/OCCAs are the MTMC area commands. In areas outside CONUS, the WCA/OCCA is designated by area and/or sponsoring Service according to theater directives.

(b) After receiving the advance TCMD from the shipper, the WCA/OCCA determines whether cargo will be shipped in containers (SEAVANs, etc.) or by breakbulk. When the nature of the cargo and the ocean service available allows movement by either container or breakbulk service, the WCA/OCCA gives preference to the method which offers the lowest overall cost to the Government and meets sponsoring shipper Service requirements.

(c) Having determined the lowest cost method of ocean transport which meets Service requirements, the booking office contacts the appropriate ocean carrier.

(d) The information used in the offering/booking process includes the following:

1 For container offerings:

a The cargo category; i.e., general cargo (including mail and mail equipment), POV, wheeled or tracked vehicles (unboxed), or refrigerated cargo (chill or freeze).

b The size of container(s) required stated simply as large (over 32 feet long) or small (32 feet or less in length). If either large or small containers are acceptable, no size is specified. Requests for containers of a specific size (e.g., 20, 27, 35, or 40 feet) are made only when required by characteristics of the cargo or other identifiable reasons. The booking office accepts requirements for a specific length container, but not requirements which name a specific carrier, except when the specified length is rate favorable under the MSC container agreements or when the shipper submits adequate cost data to justify the size indicated.

c The consignee.

d The day the cargo will be available for stuffing.

e The stuffing point location (warehouse, street address, dock number, etc.).

f The cargo priorities including the RDD, SDD, and RAD for MAP cargo. Delivery time from the POD to the ultimate consignee is also considered in obtaining ocean service.

g The loading and discharge ports and, when using MSC through-container rates, the inland origin and destination points.

h For MAP or other air cargo, whether or not discharge costs are the responsibility of the recipient government.

2 For cargo offerings:

a The measurement tons by cargo category; i.e., general cargo, ammunition/hazardous cargo, POV, cargo carrying trailer, aircraft, special (including all other wheeled or

tracked vehicles and any commodity weighing more than 10,000 pounds or more than 35 feet in any dimension), refrigerated cargo (chill or freeze), and bulk (unpacked commodities).

b The loading and discharge ports.

c The day the cargo will be available for loading.

d The cargo priorities including the RDD, SDD, or RAD. Delivery time from the WPOD to the ultimate consignee is also considered in obtaining ocean service. If there is a shortage of a specific type of space for cargo requiring special handling or stowage, the WCA/OCCA coordinates the cargo's relative priority with the appropriate Service/Agency or theater authority.

e For MAP or other air cargo, whether or not discharge costs are the responsibility of the recipient government.

(e) In the booking process, when selecting the ocean transportation, the concerns addressed include:

1 The availability of timely and economical ocean shipping which meets the requirements for delivery of the cargo.

2 Consolidations of cargo that may be made without adversely affecting timely delivery of the shipment.

3 Best utilization of MSC controlled vessels, commercial, breakbulk, or RORO vessels.

4 Compliance with DoD policy prohibiting use of foreign flag shipping when U.S. flag shipping is available and capable of meeting the delivery requirements.

5 Acceptance, without challenge, of container-required offerings unless such bookings conflict with the prohibition on use of foreign flag vessels.

6 Equitable distribution of traffic among U.S. flag commercial carriers consistent with delivery requirements and lowest cost.

7 Movement of protected cargo by the most direct sailing possible with ocean service beginning and ending at the carrier's terminal. Containerized cargo is booked using container service code "K."

8 Movement of personal property (code 5) shipments by either container or breakbulk vessel. Those moved by containership are booked for applicable local drayage (container service code "L" or "1"- "9") between the actual WPOD and the military port activity. When the military port activity is not in the local drayage zone of the actual WPOD, the shipments are booked under container service code "M."

(f) Information necessary for ship loading and manifesting is developed during the booking process. The basic booking information includes:

1 The vessel name, type, IRCS or the hull number for towed ocean barges without an IRCS, and for SEAVAN shipments the assigned voyage number.

2 The vessel operator and local agent.

3 The day the vessel is available for loading.

4 The itinerary of the vessel including ETA at the WPOD.

5 The vessel's capability to handle specific cargo requirements, e.g., unusual size or weight.

6 The description and location of allocated stowage space aboard the vessel (provided as soon as possible, but not later than 48 hours before the vessel is available for loading).

7 The terms of carriage, i.e., who is responsible for loading and unloading; see appendix F18.

8 The vessel status, i.e., the type of shipping and payment agreement; see appendix F18.

(g) When cargo is to be transferred from one vessel to another enroute to the final WPOD, the booking office provides the manifesting activity with data to be included in the cargo traffic message and cargo manifest. This transshipping information includes:

1 The M/Ts of cargo (or number of SEAVANs) and commodity(ies) being transshipped.

2 The transshipment port(s).

3 The name of each subsequent vessel (or destination of overland mode, if applicable).

4 The ETA at each transshipment port and manifested WPOD.

5 Whether the carrier or Government is responsible for transshipment costs.

6 The letters "TBN" (to be named) if the subsequent vessels have not been identified.⁷

(h) If the booking proposed by the booking office is not acceptable to the military activity responsible for loading the cargo, the activity coordinates directly with the booking office to resolve the problems. Shipments of classified cargo or small increments of class A or B explosives for which timely and economical ocean delivery cannot be arranged may, with the approval of the sponsoring Service, be diverted to air.

(i) When an acceptable booking has been arranged by the booking office, a cargo clearance order is issued.

(3) The ACA

(a) The clearance authority for shipments moving by AMC is the ACA. Appendix J lists all ACAs and their communications addresses. Each sponsoring Service has a designated ACA for shipments

⁷ If the TBN entry is used, or the subsequent vessel(s) change(s), or the requirement for transshipment is identified after shipment, the booking office notifies all addresses of the original cargo traffic message.

exported from CONUS by AMC. The Air Force ACA also clears CONUS export shipments sponsored by any shipper other than the Army, Navy, Marine Corps, or Coast Guard. In areas outside CONUS, the ACA is designated by area and/or sponsoring Service.

(b) The ACA issues shipment challenge or consignment (APOE, APOD, and consignee) instructions as necessary. The challenge instructions are issued by telephone or message whenever the ACA determines a shipment should not be shipped as indicated on the advance TCMD. The ACA contacts the sponsoring Service ILCO to obtain confirmation of questionable airlift requirements for SAP shipments. Challenges are issued any time prior to the estimated hour/day of shipment listed on the advance TCMD.

(c) The ACA provides air terminal operators (HQ AMC for CONUS export) with complete TCMD data for shipments accepted into the DTS.

(d) When notified that a shipment weighing more than 500 pounds has been received at an aerial port without advance clearance, the ACA either clears or diverts the shipment within 36 hours. The ACA provides the terminal with a TAC for all shipments authorized air movement. A fund citation and diversion instructions are provided by the ACA for those shipments not cleared. The ACA also obtains surface clearance as required by paragraph B.3.b.

(e) Upon receipt of an advance TCMD for shipment *by deferred air freight, the ACA clears the shipment based on excess space available, maximum deferred air freight cargo levels, and coordination with the air terminal manager. For disapproved shipments, the ACA provides notification to the shipper.*

e. Holding, diverting, and tracing are all actions in which a shipper may be involved due to irregular or interrupted movement of cargo in the DTS. In addition to the instructions below, formats for documenting these actions are detailed in appendix M.

(1) The shipper may hold a shipment for a wide variety of reasons including a consolidation delay, a wait for an export traffic release, or an embargo. These and other reasons for a transportation delay are listed in figure 2-B-6. The list also contains the transportation holding delay code which, for MILSTRIP shipments, the shipper enters in 51 of the MILSTRIP shipment status card. By including this holding code or its explanation on applicable shipment planning records, the shipper is able to research the cause of any shipment delays. Except for transportation delays as mentioned above, the shipper will not hold material requisitioned under MILSTRIP unless directed to do so by the supply source. (For non-MILSTRIP shipments, the shipping activity responsible for moving the material may hold the shipment when necessary.) As an exception to blanket holds placed on shipments during mass cancellation situations, shipments with "555" in the RDD field (rp 62-64, DD Form 1348-1A) are not held, but processed by the shipper in accordance with the applicable transportation priority.

(2) A transportation diversion may be a change of mode (e.g., from air to water), a change of destination, and/or a change of route. Except for mode change, the shipper will not divert material requisitioned under MILSTRIP unless directed to do so by the supply source.

(a) A diversion between modes is a routine occurrence during the clearance process and the shipper follows the instructions issued by the clearance authority. This type of diversion may happen as a result of:

1 A change in the urgency of need. Such a change may result in a planned air shipment being moved by surface or a surface shipment by air. A change in urgency of need may occur while

the shipment is anywhere in the transportation system with the related diversion coordinated by the applicable clearance authority.

2 The challenge process during air clearance. Requisitions with UMMIPS priority *designator 01 through 08 require an entry in the RDD field of the TCMD which will normally result in shipments requiring expedited transportation (TP-1 and TP-2)*. When the actual need does not justify the additional expense normally associated with *expedited* transportation, the requisitioner may authorize the shipper or the ACA to direct diversion of the shipment for movement by *routine transportation (TP-3)*.

(b) A diversion to a different consignee or destination may result from conditions such as:

- 1** Strikes, national disturbances, or acts of God.
- 2** Supply cancellations.
- 3** Terminations of projects.
- 4** Changes in logistics buildup.
- 5** Modification of permanent change of station orders authorizing personal property shipments.
- 6** Change in the receiving locations for mobile units.

(c) A diversion in the route of a shipment normally occurs after it leaves the shipper. Such change in route is only within a particular mode (i.e., air or water) and usually directed and coordinated by the clearance authority.

(3) Shipment tracing through MILSTAMP allows the requesting or receiving activity to use modified supply system data to locate a shipment in the transportation system. While tracing assistance is normally obtained from the clearance authorities, the shipper may occasionally be asked for shipping data. The shipper responds to such requests by providing all available information. The formats used for tracing are detailed in appendix M.

4. Preparing Additional Shipper Documentation

a. In addition to the TCMD, the shipper prepares documentation which:

(1) Is applied to the shipment itself and includes addresses and most TCMD data (see figure 2-B-8).

(2) Identifies special characteristics and handling requirements for air shipments (DD Form 1387-2)(see figure 2-B-10).

(3) *Certifies hazardous materials for military airlift in accordance with joint publication AFJMAN 24-204/TM 38-250/NAVSUP PUB 505/MCO P4030.19F/DLAM 4145.3 using the form Shipper's Declaration for Dangerous Goods.*

(4) Constitutes a contract between the shipper and a carrier providing transportation service (CBL or GBL).

(5) Reports the shipment of classified and certain hazardous material or inert components (REPSHIP)(figures 2-B-11 and 2-B-12).

(6) Establishes a beginning point for reporting and collecting data on transportation performance in the movement of MILSTRIP shipments (Intransit Data).

(7) Provides a record of the condition, U.S. Customs and EPA qualifications, and complete ownership identification of POVs shipped in the DTS (DD Form 788).

b. The shipper applies address markings to each piece of a shipment unit. The DD Form 1387, 1986 edition, will be used for address markings on all shipment units of DoD cargo. The form will be completed using automated or manual capabilities. Bar coded entries of TCN, Consignee DoDAAC, and piece number are mandatory on the DD Form 1387, effective 1 January 1989. Labels prepared by automated means must be readable by humans and electronic devices. Manually prepared labels must be readable by employees responsible for the movement of cargo. If the shipping container does not lend itself to application of the label, or if the label would cover or interfere with other required markings, the label will be attached to a general purpose tag or a wooden placard. The general purpose tag or placard will be tied, wired, or otherwise fastened to the shipment unit or movement conveyance (SEAVAN or air pallet). A vendor or contractor making a shipment may apply address markings by silk screen, stencil, or alternate labels provided the procurement costs are not increased and the marking conforms with MIL-STD-129 (reference n). Substitute labels or tags must contain the same data as the DD Form 1387 and be approved by the contract administration office.

(1) Detailed procedures for applying shipment markings are specified in MIL-STD-129 (reference n). In addition, personal property shipments are marked according to MIL-STD-212 (reference t) and shipments of hazardous materials according to the 49 CFR (reference m) and other appropriate publications. The outside containers of classified or protected (sensitive) shipments are marked as specified in MIL-STD-129 (reference n) and sponsoring Service directives, but will not identify the classified or protected nature of the material being shipped.

(2) Illustrations of sample shipment markings are shown in figures 2-B-7 and 2-B-8. Shadow printing is the accepted method for indicating the TP. The TP may also be applied through the use of stick-on numerals or handwritten with waterproof marker.

c. The shipper also completes a Special Handling Data/Certification, DD Form 1387-2, for shipments of classified or protected articles moving by military controlled aircraft. The form identifies the characteristics of the material, precautionary measures, handling instructions, and other details necessary for the safe and proper handling of the shipments.

(1) Detailed procedures for completing the DD Form 1387-2 *are found in figure 2-B-10.*

(2) The shipper distributes the prepared copies of the DD Form 1387-2 as follows:

(a) When shipping unclassified *nonhazardous* material, the original signed form is attached to the number one package of the shipment. Three additional copies are forwarded to the originating air terminal in a waterproof envelope and attached to the number one shipping container. An additional copy of the form is attached to each container in the shipment.

(b) When shipments are classified, the shipper enters the degree of protection required, e.g., "Signature and Tally Record Required," in the supplemental information block. The shipper also enters the weight of the shipment, TCN, and destination DoDAAC. One copy of the DD Form 1387-2 is attached to each

container. Three additional copies are forwarded to the originating air terminal in a waterproof envelope and attached to the number one container.

d. Detailed procedures for completing and distributing the form Shipper's Declaration for Dangerous Goods are contained in joint publication AFJMAN 24-204/TM 38-250/NAVSUP PUB 505/MCO P4030.19F/DLAM 4145.3 (reference o). Only personnel trained in accordance with the joint publication are authorized to certify hazardous cargo for movement by military airlift. The shipper normally types the form, but clear, legible handwritten entries are acceptable.

e. The shipper prepares a CBL or GBL as a contract with a carrier providing transportation services to the POE. Bills of lading for movement of SEAVANs include the SEAVAN TCN, TCN for each shipment unit, and the complete van and seal numbers. The detailed procedures for completing and distributing the bill of lading are contained in the DTMR (reference i) for CONUS and in appropriate theater directives overseas.

f. The shipper sends a REPSHIP by ETM (or telephone confirmed by ETM) as soon as possible, but not later than 24 hours after shipping classified or protected (except pilferable) and certain hazardous material or release unit quantities of inert components. The shipper transmits the REPSHIP to ensure its receipt before shipment arrival. REPSHIPS containing classified information, or which indicate that shipments are classified, are safeguarded according to the shipper's security regulations.

(1) When shipping classified (TOP SECRET, SECRET, Confidential) or protected (except pilferable) material, the shipper notifies the transshipping activity (CCP or POE) and either the clearance authority for surface export shipments. The information required in the notice (REPSHIP) is detailed in the DTMR (reference j) for CONUS export shipments and in appropriate theater directives overseas. The shipper provides:

- (a)** The export release number and TCN(s).
- (b)** Carrier and routing information.
- (c)** Car or truck number(s).
- (d)** GBL number(s).
- (e)** Estimated time and date of departure.
- (f)** Estimated time and date of arrival at the transshipping activity.
- (g)** Security classification.
- (h)** Commercial, DSN, or FTS telephone number, as appropriate.

(2) When shipping ammunition, explosives, or release unit shipments of inert component parts thereof, the shipper uses the REPSHIP format outlined in figure 2-B-11 or 12 to notify:

- (a)** The transshipping activity (CCP or POE).
- (b)** Either the clearance authority for surface export shipments.

(c) The sponsoring Service accountable supply activities:

1 Army - as listed in separate publications distributed directly to shipping activities.

2 Air Force - Armament Transportation Team/LIWXD, Hill AFB, Ogden, UT 84056-5999; in addition to LIWXD, send an information copy of REPSHIP on all Air Force-sponsored FMS shipments to **HQ AFMC/LGTT**, Wright Patterson, AFB, OH 45433-5000.

3 Navy and USMC - U.S. Navy Ships Parts Control Center, Code 8534, Mechanicsburg, PA 17055-0788 with instructions for routing to "Code 735" in the heading. An additional copy will be sent to the U.S. Navy ILCO, Code 252, 700 Robbins Ave., Philadelphia, PA 19111-5000 on all Navy sponsored FMS.

4 USMC - In addition to the above, Headquarters, USMC, (Code **LFT**), Washington, DC 20380-1775.

g. The shipper also prepares the intransit data format for use in measuring transportation performance in the movement of MILSTRIP shipments. Intransit data reporting is required for supply and transportation activities of the Army, Navy, Air Force, Marine Corps, and DLA. Procedures for completing all intransit data formats are detailed in appendix L.

(1) Reports of performance are required for all supply transactions (stocked items) on inventory control point managed stocks requisitioned under MILSTRIP and shipped from U.S. Government activities (except Coast Guard) to DoD and Coast Guard activities within CONUS and to DoD activities overseas. Also included are Air Force sponsored shipments moved by AMC from overseas to CONUS. Specific exclusions are detailed in appendix L.

(2) The shipper prepares and distributes intransit data with document identifier code TK4 using the following procedures:

(a) For bill of lading shipments, all shippers except the Air Force, prepare TK4 data for each bill of lading; Air Force shippers prepare data for each shipment unit on the bill of lading, except as noted in paragraph B.4.f.(2)(a)3.

(b) For bill of lading shipments directly to a receiving activity, the shipper forwards the data, with the bill of lading to the receiving activity.

(c) For bill of lading shipments to a transshipping activity (POE), all shippers except the Air Force forward the TK4 data to the transshipping activity; Air Force shippers forward the TK4 data to the DoD MILSTEP CDCP.

(d) The shipper makes all entries on the TK4 (including consignee receipt date) when, under the provisions of guaranteed traffic agreements, electing to use the carrier delivery receipt to obtain the information. The shipper then sends the intransit data directly to the CDCP.

h. The POE, acting as a shipper, prepares a DD Form 788, Private Vehicle Shipping Document for Automobile, to provide a record of the condition, customs, and EPA qualifications and complete ownership identification data of POVs shipped in the DTS. While the shipper is technically the POV owner, the terminal prepares the DD Form 788 as detailed in the PPTMR reference h). The form may also be used instead of a

manual TCMD for processing at the POE. The TCMD data entries on the form are also detailed in appendix D of this regulation.

i. Shippers authorized to load and ship 463L air pallets prepare Pallet Header data as shown in chapter 3, figure 3-C-2 and as instructed by the APOE responsible for processing the shipment.

5. **Making the Shipment.** After preparing all the documentation and receiving appropriate clearance, the shipper makes the shipment to the transshipment point (CCP or POE). The shipper forwards appropriate delivery documentation (bill of lading, TCMD, etc.) with the shipment as outlined above for the various forms.

6. **Answering Transportation Discrepancy Report (TDR).** If a discrepancy occurs in a shipment and information is needed to process a possible claim, the shipper receives a request for information in the form of a TDR. Complete instructions on processing and distributing TDRs are contained in the joint publication AR 55-38/NAVSUPINST 4610.33C/AFR 75-18/MCO P4610.19D/DLAR 4500.15 (reference q). Additional instructions for use overseas may be contained in applicable theater publications.

7. **Maintaining Files.** After completing a shipment, the shipper maintains records detailing the actions undertaken. Various Service publications detail the length of time and method for keeping such files.

Application of Transportation Priorities

TP	Recommended Shipment Mode	Type of Shipment O/T mail	Explanation/ Exception Paragraph	Mail Shipments Paragraph B.1.b.(2)(e)
1	Air	UMMIPS 01-08	B.1.b.(2)	Registered letter mail, Command pouches, weapon system pouches, and CASREP pouches. ⁸ Letter mail. Priority parcels.
2	Air	UMMIPS 01-08	B.1.b.(2)	MOM, SAM, and PAL.
3	Surface	UMMIPS 01-15 Personal property NAF	B.1.b.(2) B.1.b.(2)(a) B.1.b.(2)(a) B.1.b.(2)(b)	Overseas mail and intercommand mail.
4	AMC uncommitted space	TP-3	B.1.b.(2)(f)	See text.

Figure 2-B-1

⁸ Enter 999 in the RDD field.

Time Standards for Issuance of an ETR

When the shipper requests an ETR for:

TP-1 and TP-2 shipments

TP-3 shipments

Any shipment with an availability date 10 or more days in the future

The OCCA provides an ETR:

Within 48 hours from time of receipt at the OCCA.

Within 3 working days from time of receipt at the OCCA.

Not later than the shipper established lead time necessary to ensure processing and transit to the port.

Figure 2-B-2

TCMD Submission for Water Shipments⁹

When the shipper makes an: ¹⁰	When transit time to the POE is:	The shipper sends data to the OCCA: ¹⁰	The method of ATCMD transmission is:
RU shipment by SEAVAN	24 hours or less	After receiving the ETR and at least 12 hours prior to shipment	DDN or ETM ¹¹
	Over 24 hours	Not later than actual time of shipment	DDN or ETM ¹¹
RU shipment by other than SEAVAN	24 hours or less	At least 18 hours prior to shipment	Telephone
	Over 24 hours	24 hours prior to shipment arrival at POE	DDN or ETM ¹¹
LRU shipment restricted by appendix H	24 hours or less	After receipt of ETR, but at least 18 hours prior to shipment	Telephone
	Over 24 hours	After receipt of ETR, but at least 24 hours prior to shipment arrival at POE	DDN or ETM ¹¹
LRU shipment, unrestricted	24 hours or less	At least 18 hours prior to shipment	DDN or telephone
	Over 24 hours	At least 24 hours prior to shipment	DDN or telephone

Figure 2-B-3

⁹ For surface shipments, the majority of U.S. Marine Corps surface shipments are forwarded to U.S. Marine Corps CCP at DDD San Joaquin, CA (DDJC) for further shipment overseas. These shipments do not require ATCMD submission. For surface shipments (RU and LRU) not transiting the CCP, U.S. Marine Corps shippers will submit the ATCMD to the OCCA via telephone/FAX transmission.

¹⁰ For shipments forwarded to a CCP for consolidation, the CCP will be defined as the shipper when using this figure.

¹¹ Telephone transmission will be used if faster and if **DDN** or capability is not available.

GBL Header Data Format for Shipments to Water Ports¹²

<u>Record Position</u>	<u>Data Element or Description</u>
1-3	Advance shipment information, always enter "GBL"
4-11	GBL Number - 8 positions - alphanumeric
12-16	Always enter - TCMDs
17-19	Total number of TCNs on this GBL
20-25	DoDAAC of shipper
26	Blank
27-30	Day of the year shipment was or is planned to be released to carrier
31-33	POE, example

Figure 2-B-4

¹² A properly formatted GBL Header Data for batch transmission of TCMDs would read as follows:
GBLA1234567TCMDS175SW3400 31113DK

TCMD Submission for Air Shipments

When the shipper makes an:	The shipper sends ATCMD data to the ACA for shipments moving by:	The ATCMD is transmitted by:
	AMC	
Expedite TP-1 (999) shipment ¹³	Not later than 2 hours prior to release to the carrier	(1)Telephone/DSN (2) DDN (3)FAX ¹⁴
All other TP-1 shipments	Not later than 6 hours prior to release to the carrier	(1) DDN (2)ETM (3)Telephone/DSN/FAX ¹⁵
All other air shipments except AMC FSS cargo ¹⁵	Not later than 14 hours prior to release to the carrier	(1) DDN (2)ETM (3)Telephone/DSN/FAX ¹⁵

Figure 2-B-5

¹³ For *air* shipments, *the U.S. Marine Corps shippers offer air-eligible shipments to the various ACAs via telephone/FAX transmission.*

¹⁴ Facsimile of clearly legible ATCMDs may be used when the computer for sending or receiving data is temporarily inoperable. To ensure accountability, the shipper must provide advance notice to the appropriate ACA of approximate transmission time and number of ATCMDs being transmitted. ACA will advise the shipper of any discrepancies. The Army ACA cannot accept FAX transmission of ATCMDs.

¹⁵ AMC FSS cargo does not require clearance. The TCMD forwarded with the FSS shipment contains a significant identifier indicating no advance documentation is required.

Transportation Holding Delay Codes

One of the following codes will be used to record and/or report a transportation delay as outlined in paragraph B.3.e.(1) of this chapter:

<u>Code</u>	<u>Explanation</u>
A	Shipment unit held for consolidation
B	Awaiting carrier equipment
C	Awaiting export/domestic traffic release
D	Delay due to diversion to surface movement resulting from challenge by Service Air Clearance Authority
E	Delay resulting from challenge by Service Air Clearance Authority/SCCO for which no diversion occurs and material was shipped by air
F	Embargo
G	Strikes, riots, civil commotion
H	Acts of God
I	Reserved
J	Shipment delayed to process customer cancellation request(s)
K	Diversion to surface movement due to characteristics of material that preclude air shipment, e.g., size, weight, in hazard classification
L	Delay requested and/or concurred in by consignee
M	Delay to comply with valid delivery dates at CONUS destination/outloading terminals
N	Delay due to diversion to air (requisition priority upgraded)
O-Y	Reserved
Z	Holding action less than 24 hours from date material available for shipment

Figure 2-B-6

Illustration of Stencil Marking

TCN FB564430907800XXX
RDD 126 PROJ 555 TP-3
FD2030 TINKER AFB OK
1GC T.O. MOTBY BAYONNE NJ
HA4 SOUTHAMPTON ENGLAND
FB5644 RAF BENTWATERS
SUFFOLK, ENGLAND
1 OF 12 WT 1200 CU 110

Explanation

First Line :	TCN
Second Line:	RDD or <i>an</i> expedited handling <i>or transportation signal of 999, N_ _ E_ _ 444, 555, or 777, and</i> project code <i>if assigned</i> , and TP.
Third Line:	DoDAAC and clear text address of the consignor.
Fourth Line:	Port identifier code and clear text name of the POE.
Fifth Line:	Port identifier code and clear text name of POD.
Sixth Line:	DoDAAC/MAPAC and clear text address of the consignee.
Seventh Line:	Piece number, total pieces, weight, and cube of the piece.

Figure 2-B-7

**Instructions for Completing the DD Form 1387, Military Shipment Label
(Other Than Mail)**

1. TCN: Enter the 17 position TCN, bar coded and in-the-clear.
2. Postage Data: Leave blank.
3. From: Enter DODAAC and in-the-clear address of the shipping activity.
4. Type Service: Enter Air Express, Blue Label, Overnight Delivery, etc.
5. Ship to/POE: Enter three digit air/water port code and in-the-clear port address.
6. Transportation Priority: Enter applicable TP.
7. POD: Enter three digit air/water POD code.
8. Project: Enter project code if applicable.
9. Ultimate Consignee/Mark For: Enter consignee DODAAC, bar coded and in-the-clear, and the complete address of the consignee.
10. Weight (this piece): Enter actual weight.
11. RDD: Enter if appropriate.
12. Cube (this piece): Enter cube.
13. Charges: Enter CONUS inland freight charges on number one piece of the shipment unit (mandatory for FMS shipments).
14. Date Shipped: Enter four position date or in-the-clear date.
15. FMS Case Number: Enter as appropriate.
16. Piece Number: Enter bar coded and in-the-clear.
17. Total Pieces: Enter total pieces in the shipment unit.

Figure 2-B-8

**Instructions for Completing the DD Form 1387, Military Shipment Label
(Mail)**

1. TCN: Enter the 17 position TCN, bar coded and in-the-clear.
2. Postage Data: Use one of the following:
 - a. Metered mail: Attach stick-on metered postage values to or near this block.
 - b. Permit Imprint mail: Enter the appropriate Service/Agency mail authorization; for example:

First Class Mail
Postage and Fees Paid
Defense Logistics Agency
Permit No. G-53
3. From: Enter the in-the-clear address of the shipping activity, including ZIP code. The phrase "Official Business, Penalty for Private Use \$300" must be printed on the bottom line of this block.
4. Type Service: Enter First Class, Express Mail, etc.
5. Ship to/POE: For CONUS mail, enter complete address of consignee, including ZIP code. For overseas mail, enter PCC code or the air/water POE code.
6. Transportation Priority: Enter the appropriate TP.
7. POD: Leave blank.
8. Project: Enter if appropriate.
9. Ultimate Consignee/Mark For: Enter DODAAC of consignee, bar coded and in-the-clear, and other address markings, if appropriate.
10. Weight (this piece): Enter actual weight.
11. RDD: Enter RDD, if appropriate.
12. Cube (this piece): Enter cube.

Figure 2-B-9

**Instructions for Completing the DD Form 1387, Military Shipment Label
(Mail)**

- 13. Charges: Leave blank.
- 14. Date Shipped: Enter four position or in-the-clear date.
- 15. FMS Case Number: Enter, if applicable.
- 16. Piece Number: Enter bar coded and in-the-clear piece number.
- 17. Total Piece: Enter number of pieces in the shipment unit.

Figure 2-B-9 (Cont.)

Instructions for Completing the DD Form 1387-2,
Special Handling Data/Certification

Unclassified Shipments

Block

1. Item nomenclature: **Enter item nomenclature.**
2. Net Quantity per Package: **Enter the gross weight of the package.**
3. Consignment Gross Weight: Total gross weight of each pallet/package shipped under the same TCN.
4. Transportation Control Number: TCN this package.
5. Destination: Address of consignee, in-the-clear.
6. Supplemental Information: For sensitive and other cargo requiring transportation protective service **or other special services while intransit, enter appropriate requirements. (See blocks 18/19.)**
7. Load Storage/Group: **Leave blank.**
8. Flash Point: **Leave blank.**
9. Mark block with "X." **Leave blank.**
10. Joint Reg. Paragraph: **Leave blank.**
11. MILSTAMP reference: If used, mark with "X." Cite MILSTAMP chapter 2, section B, paragraph 4.
12. ATA/IATA/IMCO Regulations: **Leave blank.**
13. 49 CFR: **Leave blank.**
14. Paragraph: **Leave blank.**
15. 173.7(a): **Leave blank.**
16. Exemption: **Leave blank.**
17. DOT-E 7573: **Leave blank.**
18. Address of Shipper: Complete in-the-clear address of shipping activity.
19. Typed Name, Signature, and Date: **Enter date.**

Figure 2-B-10

**Instructions for Completing the DD Form 1387-2,
Special Handling Data/Certification**

Classified Shipments

1. If the material being shipped is classified, the following procedures apply:

a. Four copies of the form will be completed in detail, as in blocks 1-19 above, provided none of the information entered on the form is classified. Distribution of the form will be in accordance with paragraph B.4.c.(2) above.

b. If the information to be entered on the form is classified, then prepare and distribute the form as follows: One copy is completed in detail (see blocks 1-19 above), including essential classified data. The completed form will be forwarded to the air terminal in accordance with appropriate security regulations and precautions and will be attached to the air manifest. Three additional copies of the form must be prepared reflecting "See Aircraft Commander's Copy" and "Protective Service Required" in block 6. Blocks 3, 4, and 5 will also be completed. The remainder of the form will be left blank. The form will be placed in a waterproof envelope and attached to the number one container of the shipment unit.

c. If any of the data entered on the DD Form 1387-2 is classified when the form is attached to the air manifest, then the air manifest takes the same degree of classification. The air manifest remains classified until the classified form is detached and handled in accordance with appropriate security regulations and precautions.

2. If the material being shipped is only classified, the following procedure applies. All four copies of the form will reflect the degree of protection.^{16/17}

Figure 2-B-10 (Cont.)

¹⁶ For shipments of classified or sensitive cargo, block 6 of the DD Form 1387-2 will include one or more of the transportation protective service categories as required by the DTMR (reference J), for example

Armed Guard Surveillance (**AGS**)
Protective Security Service (PSS)
Dual Driver Protective Service (**DDPS**)
DoD Constant Surveillance Service (**DoD CSS**)
Motor Surveillance Service (**MSS**)
Rail Surveillance Service (RSS)
Tank Surveillance Service (**TSS**)
Signature and Tally Record (**STR**)

¹⁷ For shipments requiring other special services while intransit, enter the appropriate instructions in block 6. e.g.,:

Protect From Freezing
Protect From Heat
Air Ride Equipment Required

Illustration of Report of Shipment (REPSHIP) Data Requirements for Breakbulk Shipments of Hazardous Materials and Inert Component Parts

FROM: Shipping Activity

TO: Transshipping Activity
Clearance Authority (ocean) or (air)

INFO: Sponsoring Service Accountable Supply Activity

SUBJ: MILSTAMP REPSHIP

1. CONVEYANCE NUMBER.

A. CARRIER AND ROUTING, BILL OF LADING NUMBER, NEW.

B. SEAL NUMBER(S) AND ANY OTHER SECURITY DEVICES APPLIED SUCH AS UPPER RAIL LOCKS, WIRE TWISTS, ETC.

C. TYPE OF TRANSPORTATION PROTECTIVE SERVICE (STR, CSS, RSS, NONE, ETC.) AND, WHEN APPLICABLE, SERVICE NUMBER.

D. SHIPMENT DATE WRITTEN AS A THREE DIGIT DAY OF THE YEAR.

E. ETA WRITTEN AS A THREE DIGIT DAY OF THE YEAR.

F. FOR SURFACE SHIPMENTS: ETR NUMBER AND VESSEL NAME AND/OR VOYAGE NUMBER. FOR AIR SHIPMENTS: ENTER APPLICABLE AIR RELEASE NUMBER OR N/A.

(1) TCN.

(2) NSN AND DODIC.

(3) DIMENSIONS, IN INCHES, OF UNITIZED LOADS (LENGTH, WIDTH, HEIGHT).

(4) TOTAL ROUNDS, TOTAL PIECES, TOTAL WEIGHT, TOTAL CUBE.

(5) LOT NUMBER AND NEW; FOR MORE THAN ONE LOT FURNISH THE LOT NUMBER, ROUND COUNT, PIECES, WEIGHT, CUBE, AND NEW FOR EACH LOT.

(6) PROJECT CODE, IF APPLICABLE.

(7) SECURITY CLASSIFICATION (E.G., SENSITIVE - CATEGORY 2; SECRET, NONE, ETC.).

G. COMMERCIAL, DSN, OR FTS TELEPHONE NUMBERS AS APPROPRIATE. WHEN CONTRACTORS ARE AUTHORIZED TO TRANSMIT REPSHIPS. PROVIDE TELEPHONE NUMBERS OF THE COGNIZANT ADMINISTRATIVE TRANSPORTATION OFFICE.

When the conveyance contains more than one shipment unit, repeat the data elements (1) through (7) in separately lettered paragraphs for each shipment unit. NOTE: Cargo for more than one vessel or flight, but shipped to POE in a single conveyance, is included in a single REPSHIP.

When cargo for a single vessel is moved to the WPOE in more than one conveyance, repeat all the data elements as above in separate numbered paragraphs for each conveyance.

NOTE: A separate REPSHIP is used for each mode of shipment to the POE.

Figure 2-B-11

**Illustration of Report of Shipment (REPSHIP) Data Requirements for
Containerized Shipments of Hazardous Material and Inert Component Parts**

FROM: Shipping Activity

TO: CONUS WATER TERMINAL¹⁸

INFO: Sponsoring Service Accountable Supply Activity

SUBJ: MILSTAMP REPSHIP

1. ETR AND VESSEL NAME AND/OR VOYAGE NUMBER.

A. CONVEYANCE NUMBER.

- (1) CARRIER AND ROUTING.
- (2) GBL NUMBER; TOTAL NEW.
- (3) MTX-GS SERVICE NUMBER.
- (4) TYPE OF TRANSPORTATION PROTECTIVE SERVICE (STR, CSS, DDPS, RSS, ETC).
- (5) SHIPMENT DATE WRITTEN AS A THREE DIGIT DAY OF THE YEAR.
- (6) ETA WRITTEN AS A THREE DIGIT DAY OF THE YEAR.

B. CONTAINER AND SEAL NUMBER.¹⁹

- (1) CONTAINER TCN.
- (2) TOTAL WEIGHT OF CONTENTS.
- (3) TOTAL NEW.
- (4) CONTENT TCN.
 - (a) NSN AND DODIC.
 - (b) ROUNDS, PIECES, WEIGHT, CUBE, AND LOT NUMBERS.
 - (c) PROJECT CODE, IF APPLICABLE.
 - (d) SECURITY CLASSIFICATION (E.G., SENSITIVE-CATEGORY 2, CONFIDENTIAL, ETC.).
- (5) CONTENT TCN.²⁰

C. COMMERCIAL, DSN, OR FTS TELEPHONE NUMBER, AS APPROPRIATE. WHEN CONTRACTORS ARE AUTHORIZED TO TRANSMIT REPSHIPs, PROVIDE TELEPHONE NUMBER OF THE COGNIZANT ADMINISTRATIVE TRANSPORTATION OFFICE.

Figure 2-B-12

¹⁸ Containerized (CONEX, MILVAN, SEAVAN) loads containing Hazardous Material are not eligible for airlift.

¹⁹ For a conveyance with more than one container, repeat the data in paragraph B as paragraph C, etc.

²⁰ For a container with more than one shipment unit, repeat the data in paragraph B(4) for each shipment unit as paragraph B(5), etc.

<u>Data Field</u>	<u>Procedures</u>
1-3	Shippers and transshippers, enter "TAW" to report consolidation of two or more shipment or transportation unit TCNs into a higher level consolidated TCN. CCPs also enter "TAW" to report consolidation of two or more MILSTRIP requisition or other document numbers that are broken down and reconsolidated into a new TCN for onward movement.
4-6	Enter the routing identifier of the original shipper.
7	Enter "Z" if CCP shipment; otherwise, leave blank.
8-24	Enter the TCN of the shipment that is being consolidated into a higher level of consolidation or broken down for reconsolidation.
25-29	Enter quantity, if available; otherwise, leave blank.
30-44	Enter the MILSTRIP requisition, contract number, purchase order number, or other document number for each individual line item that is being broken down and reconsolidated into a new higher level TCN.
45-50	Enter supplementary address, if available; otherwise, leave blank.
51-53	Enter date received by the transshipper. Leave blank for shipper transaction.
54-56	Enter date shipped by shipper or transshipper.
57-59	Enter project code, if available; otherwise, leave blank.
60-61	Enter priority code, if available; otherwise, leave blank.
62-77	Enter new consolidated TCN assigned to the highest level of consolidation for movement; i.e., 463L pallet, SEAVAN/MILVAN, or other consolidation configuration.
78-80	Enter the routing identifier of the POE identified for onward movement.

Figure 2-B-13

SECTION B. CONSOLIDATION AND CONTAINERIZATION POINT (CCP)

1. GENERAL

a. The consolidation and containerization points (CCPs) have evolved to make more complete use of SEAVANs, 463L pallets, and the benefits associated with reduced cargo handling. Since most shippers do not regularly generate full container or air pallet loads of cargo for shipment direct to receivers, the CCP provides a means for combining shipments from multiple shippers. These combined shipments may then be sent directly to single consignees or, by use of stopoffs or breakbulk points, to multiple consignees.

b. The Military Services and DLA have established CCPs throughout CONUS to consolidate cargo for onward movement by SEAVAN or 463L pallet. In addition, POEs usually perform CCP functions for the multitude of loose shipments arriving at the port. The minor differences between procedures at the inland CCPs and at the water port CCPs are indicated in the following paragraphs. Despite these differences, the purpose and output of all CCPs are the same.

c. The inland CCPs are listed in appendix F5.

d. Service and Agency criteria for shipping to the CCP.

(1) Defense Logistics Agency (DLA)

(a) With the exception of those items listed below, all depot, vendor, and DoD-authorized Less-than Release Unit (LRU) shipments originating within CONUS are routed to the appropriate DLA consolidation and containerization activity for transshipment to service-designated overseas activities. Those shipments that are not eligible for consolidation at a DLA consolidation and containerization activity because of project code, required delivery date, size, weight, or commodity, or that are consigned to an activity not supported by a DLA consolidation and containerization activity, are forwarded directly to the appropriate aerial or water port or other CONUS-*sponsored* service designated activity. These shipments must be packaged and *marked* in accordance with MIL-STD-129.

(b) The Defense Distribution Depot Susquehanna, PA (DDSP-W25N14) consolidates Army and Air Force material for designated activities in Europe, Middle East, Central/South America, Azores, and Africa. The Defense Distribution Depot San Joaquin, CA (DDJC-W62N2A) consolidates Army shipments for designated activities in the Pacific, Hawaii, and Alaska, and Air Force shipments for designated activities in Hawaii and the Pacific. DDJC-Sharpe facility also consolidates shipments of *Navy and* Marine Corps activities in Saudi Arabia, Okinawa, mainland Japan and Hawaii.

(c) Exclusions. The following material and/or shipments should not be routed to a DLA consolidation and containerization activity:

1 Release Unit (RU) shipments or a combination of LRUs which economically fill a SEAVAN for a single consignee or overseas breakbulk activity.

2 Single items oversize to a 20 foot SEAVAN with maximum item dimensions of height 85 inches by width 85 inches by length 228 inches; or occupying 50 percent or more of the space in a 40 foot SEAVAN, such as vehicles and construction equipment.

3 Air eligible items, as specified by individual service regulations, including special projects such as Army Air Line of Communication (ALOC) and Remote Area Support (RAS), that are outsized

to a 463L pallet (88 inches by 92 inches by 96 inches), or greater than 10,000 pounds, that have not been diverted to surface.

4 Air Force, Marine Corps or Navy expedited and high priority (TP 1 or TP 2) shipments with RDD of 999, 777, 555, N--, E--, or a Julian date less than 21 days from the date the shipper received the requirement (less than 60 days for Marine Corps shipments) that have not been downgraded to surface.

5 Parcel post eligible shipments, if more economical to ship via FPO or APO based on evaluation of both CONUS and OCONUS transportation costs.

6 Foreign Military Sales (FMS) shipments.

7 Shipments consisting of the following materials: aircraft, unboxed (water commodity codes 900-999); arms, ammunition and explosives (water commodity codes 40X-499 and 680-685); baggage/household goods (water commodity codes 360-399); boats (water commodity codes 640-642); bulk cargo, unpackaged, dry or liquid (water commodity codes 200-299); classified or intelligence material, controlled substances (water commodity codes 532, 533, 537-540 and 542); mail (water commodity codes 610-619); privately owned vehicles (water commodity codes 300-359); radioactive materials; refrigerated cargo (water commodity codes 100-199); special cargo (water commodity codes 800-899) including vehicles, oversized and overweight items; and subsistence, perishable (water commodity codes 500-529).

8 Shipments consisting of material requiring special handling with type cargo codes A-G, J-P, and R-Y and/or special handling codes 2-7.

(d) The points of contact for the DLA consolidation and containerization activities are: DDSP-New Cumberland Facility, DSN 977-6393/Commercial (717) 770-6393/ FAX (717) 770-8660; DDJC-Sharpe Facility, DSN 462-3558/Commercial (209) 982-3558/ FAX (209) 982-3986.

(2) Navy CCP

(a) Navy CCP process Navy-sponsored fleet support cargo moving from CONUS to ships and Naval overseas activities. The east coast CCP processes only air eligible cargo. The west coast CCP processes both air and surface shipments.

(b) Weight. Navy CCPs will accept all LRU cargo which meets Navy eligibility specifications. Parcel post eligible shipments must be forwarded directly to the ultimate consignee and not to a CCP.

(c) Maximum dimensions

1 Air, 88 inches, by 92 inches, by 96 inches.

2 Surface, 474 inches, by 92 inches, by 105 inches.

(d) Commodities

1 All commodities are accepted at Navy CCPs except for the following:

Class A, B, and C explosives shipments.

Shipments requiring transportation protective services.

Classified material shipments.

Perishable and subsistence items.

Personal effects or household goods shipments. This exclusion does not preclude such shipments for SEAVAN stuffing on the west coast.

Cigarette and alcoholic beverage shipments.

FMS shipments.

Radioactive materials licensed by the Nuclear Regulatory Commission.

Shipments of vehicles or boats.

Shipments approximating a truckload or with an aggregate weight of 10,000 pounds or more to a single consignee.

2 Additional exclusions for air consolidation shipments only.

Requisitions with "G" or "W" in the 11th position of the document number.

Poseidon and FBM material.

JCS designated projects.

Hazardous material shipment.

2. Procedures

a. Receiving for transshipment.

(1) Individual shipments usually arrive at CCPs accompanied by the appropriate TCMD information. At inland CCPs, a copy of the TCMD should be found in a waterproof envelope on the number one box of each shipment unit. The TCMD for shipments arriving at water port CCPs should have been provided to the port through the OCA. The CCP uses any available data and the assistance of the shipper and sponsoring Service to prepare documents for shipments arriving without TCMDs.

(2) The TCMDs the inland CCP receives from the shipper are prepared according to the DI T_3/T_4 format (with necessary DI T_5 through T_9 entries). The spaces for entry of the van number (block 2/rp 4-8), POE (block 6/rp 21-23), and stopoff indicator (block 16/43/rp 63) are left blank for completion by the CCP. The TCMDs the port CCP receives through the clearance authority are prepared according to the applicable formats for single shipment units. The CCP alters or completes the TCMDs, as necessary, after loading the shipments into containers. ***The CCP will also prepare a Consolidated Shipment Information (DI TAW) in accordance with figure 2-B-13. This transaction reports new TCNs assigned when shipments are broken down to the MILSTRIP requisition or other document number level for reconsolidation for onward movement and for consolidations of shipment unit TCNs into higher level shipment configurations performed at the CCP.***

(3) When a shipment discrepancy (overage, shortage, or damage) is discovered, the CCP documents and reports the discrepancy according to the requirements of joint regulation AR 55-38, et al. (reference q). Prior to forwarding damaged shipments, the CCP also coordinates with the shipper, receiver, and/or sponsoring Service to ensure proper disposition of the materiel. Reconditioning, remarking, repacking, and similar services necessary for safe onward movement are provided by the CCP. If the shipment was not prepared by the shipper according to military standards (except for marking), the CCP obtains either a fund citation to correct the deficiency (unless such costs are incorporated in other handling charges) or disposition instructions from the sponsoring Service. The CCP reports inadequate shipment preparation according to the requirements of joint regulation DLAR 4140.55, et al. (reference r).

(4) The water port CCP reports to the clearance authority any shipment which has not been received within 15 days following the ETA shown on the advance TCMD. Inland CCPs follow the procedures established by MILSTAMP and the Service or Agency for which they function.

b. Securing an ocean booking

(1) The CCP begins the container booking process by projecting the requirements for containers. To preclude a substantial increase in processing time and storage facilities, the cargo does not have to actually be onhand at the CCP to determine the container requirements. Instead, the CCP makes forecasts based on experience and insight into future trends.

(2) The CCP develops the container requirements for each destination stated simply by number and size (large or small, i.e., longer than 32 feet or not). The CCP submits the requirement to the OCA/booking office which books the total number of containers required with the appropriate ocean carrier. Having secured the booking, the OCA booking office then furnishes the CCP with a block of TCNs, one per container.

(3) The CCP coordinates directly with the ocean carrier's agent for spotting of empty containers. As containers are required, the CCP assigns an ETR and TCN to a specific container.

c. Loading the container

(1) Since the CCP is not required to identify in advance the SEAVAN consignee for each container requested, loading is accomplished as cargo is received and consolidated. To meet delivery requirements at lowest overall costs, the CCP usually loads ("stuffs") cargo into containers in the following descending order of preference:

(a) A full container load for a single consignee.

(b) A container load for delivery by stopoff service to multiple consignees in the same geographic area. The ocean carrier assesses an additional charge for each stopoff enroute to the final destination. Various Service/Agency publications and MTMC Pamphlet 55-13, (reference s), provide guidance on stopoff consignee selection, stowing, blocking, etc.

(c) A container load for delivery to multiple consignees through a breakbulk point (including a WPOD). The additional transshipment handling necessary at a breakbulk point usually results in additional transportation cost and time as well as providing increased potential for loss or damage.

(2) When loading the container, the CCP maintains consignor shipment unit integrity and uses a split shipment indicator (appendix C, paragraph 11.a.), as necessary.

d. Preparing shipping documentation

(1) Prior to sealing the SEAVAN, the CCP places a contents list (TCMD, listing, interpreted punch cards, ETM, etc.) in a waterproof envelope labeled "Load List". The envelope is securely attached to the inside of the SEAVAN loading door. Both consolidated and partial load lists are made when the SEAVAN is loaded for stopoff deliveries.

(2) The CCP adds necessary container information (van number, POE, and stopoff indicator) to the TCMDs received from the shipper for each shipment in the SEAVAN. (The port CCPs also convert the DI T_0/T_1 entries to T_4.) The CCP then prepares a TCMD for the SEAVAN (DI T_2/T_9) as detailed in appendix D. The SEAVAN TCMD (DI T_2/T_9), along with the content TCMDs (DI T_3 /T_4 and applicable T_5 through T_9) provide comprehensive information on the SEAVAN and its contents. Together they are the source documents for preparation of the ocean manifest.

(3) A TCMD or other document containing TCMD data is prepared by the CCP for SEAVAN shipments moving to a WPOE under terms of the MSC Container Agreement and Rate Guide (reference p). Preparation instructions are outlined in appendix D, paragraph 3.b. The CCP, at a minimum, maintains one signed copy to record acceptance by the original inland carrier. In addition, the CCP provides the inland carrier with at least two copies of the document. The inland carrier gives one of his copies to the ocean carrier's representative (e.g., gate guard, checker) when delivering the SEAVAN to the carrier's container yard.

(4) When the container must be moved to the POE by a negotiable document, the CCP prepares a CBL or GBL. Bill of lading includes the SEAVAN TCN, TCN for each shipment unit, and the complete van and seal numbers. The detailed procedures for completing and distributing the bill of lading are contained in the DTMR (reference j) for CONUS and in appropriate theater directives overseas.

(5) When a container carrying classified materiel, certain hazardous materiel, or RU quantities of inert components is shipped by an inland CCP, the CCP sends a REPSHIP to the next transshipper, e.g., WPOE. The REPSHIP is sent by ETM (or telephone confirmed by ETM) as soon as possible to ensure its receipt before the shipment. Complete details on REPSHIP procedures are contained in chapter 2, paragraph B.4.e.

(6) The inland CCP completes rp 15-17 of the intransit data format (DI TK4) received for GBL shipments. Details for completing and forwarding the intransit data are contained in appendix L. Port CCPs process the intransit data as detailed for POEs in paragraph C.2.d.(3)(b).

e. Moving the container to the POE

(1) The CCP coordinates directly with the ocean carrier's agent for pickup of full containers as indicated in the ETR instructions.

(2) The linehaul or drayage of containers is generally specified by the OCCA under the terms of the MSC Container Agreement and Rate Guide (reference p). The service is provided by ocean carriers through interline agreements with commercial linehaul carriers. Other alternatives for linehaul or drayage which may be used (when indicated in the ETR) include using organic equipment and commercial tariffs, tenders, or other contracts

(3) Upon release of the container for delivery to the POE, the CCP submits complete advance TCMDs for the container to the WCA or OCCA. The advance TCMD is the notification to the OCCA and terminal that the container is stuffed and enroute to the POE. In addition, the TCMD ties together the SEAVAN TCN, the SEAVAN serial number, and the SEAVAN contents.

f. Holding, diverting, and tracing shipments are all actions in which the CCP may be involved due to irregular or interrupted movement of cargo in the DTS. In addition to the instructions below, formats for documenting these actions are detailed in appendix M.

(1) The CCP may hold and/or divert a shipment at the request of the sponsoring Service or for such reasons as an embargo. The hold is intended to be brief and only long enough for the CCP to receive diversion/disposition instructions from the sponsoring Service or clearance authority. As an exception to blanket holds placed on shipments during mass cancellation conditions, shipments with "555" in the RDD field (rp 54-56) are not held, but processed through the POE in accordance with the transportation priority on the TCMD.

(2) A transportation diversion is normally limited by cost, but may be a change of mode (e.g., from water to air), a change of destination, and/or a change of route.

(a) Once the shipment has left the shipper, the cost of handling normally limits diversion (or hold) authorization. In addition, after leaving the shipper, only complete shipment units are diverted; i.e., individual line items are not removed from multiple line shipment units nor is a shipping container removed from a multicontainer shipment unit with one TCN.

(b) After a shipment has reached the CCP, a diversion between modes normally occurs only as a result of a change in the urgency of need. Such a change may result in a planned surface shipment being moved by air and is coordinated by the applicable clearance authority or booking office.

(c) A diversion to a different consignee or destination may result from conditions such as:

1 Strikes, national disturbances, or acts of God.

2 Supply cancellations.

3 Terminations of projects.

4 Changes in logistics buildup.

5 Modification of permanent change of station orders authorizing personal property shipments.

6 Change in the receiving locations for mobile units.

(d) A diversion in the route of a shipment occurs within a particular mode (i.e., air or water) and is usually directed and coordinated by the clearance authority or booking office.

(3) Shipment tracing through MILSTAMP allows the requesting or receiving activity to use modified supply system data to locate a shipment in the transportation system. While tracing assistance is normally obtained from the clearance authorities, the CCP may occasionally be asked for transshipping data. The CCP responds to such requests by providing all available information. The formats used for tracing are detailed in appendix M.

g. If a discrepancy occurs in a shipment after it leaves the CCP and information is needed to process a possible claim, the CCP receives a request for information in the form of a TDR. Complete instructions on processing and distributing TDRs are contained in the joint publication AR 55-38/NAVSUPINST

4610.33C/AFR 75-18/MCO P4610.19D/DLAR 4500.15 (reference q). Additional instructions for use overseas may be contained in applicable theater publications.

h. After completing a shipment, the CCP maintains records detailing the actions undertaken and including a TCN cross-reference file between shipment units and SEAVANs. Various Service publications detail the length of time and method for keeping such files.

SECTION C. PORT OF EMBARKATION (POE) INCLUDING INTRACOUNTRY AIR AND WATER DTS TRANSSHIP PORTS

1. General

a. POEs are authorized points where shipments leave a country, either the United States or a foreign country. A POE may be for shipments by either air (APOE) or water (WPOE).

b. Other ports which process DTS transshipments that do not leave the country (e.g., the theater interport portion of an international shipment) follow the same MILSTAMP requirements. For simplicity of explanation, these intracountry DTS transshipments are included with the procedures for POEs (and also PODs).

c. Common-user military water terminals (and military-sponsored shipments transshipped through commercial terminals) in CONUS and at selected overseas locations are operated or managed by MTMC. At other locations, the theater commander provides for water port operation. AMC operates or arranges operation of air terminals serving AMC channels flown by scheduled AMC aircraft. Aerial ports that are not operated by AMC are provided by the branch of Service that operates them or, in the case of the Air Force, by the major command concerned.

d. At CONUS AMC APOEs, the Customer Service Branch (CSB) works with the APOE to ease completion of the transshipment. The CSB, an element of AMC, provides the following services:

(1) Performs necessary coordinating action with AMC terminal operators to ensure orderly flow of cargo.

(2) Represents the sponsoring Services at the AMC aerial ports in CONUS.

(3) Changes precedence of movement of specific shipments as requested by sponsoring Service ACA.

(4) Responds to sponsoring Service requests for assistance in tracing, special handling, or shipment status reports.

(5) Ensures timely processing of unscheduled or frustrated traffic.

(6) Monitors cargo movement through the ports and advises the ACAs of any condition affecting the orderly and expeditious flow of cargo through the aerial ports.

(7) Reports shipment discrepancies to sponsoring Service ACAs and coordinates resolution with the ACA and AMC.

(8) Clears shipments arriving at the APOE without advance TCMD data by coordinating with the appropriate sponsoring Service ACA.

(9) Reports all FMS shipments frustrated by the air terminal to the appropriate ACA for clearance coordination.

(10) Performs, or arranges performance of, inspection and acceptance of vendor supplied materiel at the APOE in accordance with ACA direction.

(11) Arranges for diversion of cargo, including necessary repacking and certification of diverted hazardous materials, in accordance with ACA directions.

2. Procedures

a. Receiving the shipment

(1) Individual shipments arrive at POEs by land, air, or water and are usually accompanied by the appropriate TCMD documentation. This paragraph details receiving procedures for shipments arriving by land (or a non-DTS mode); DTS air and water arrivals are detailed in section D.

(2) The TCMD data for each shipment should have been provided to the POE through the clearance authority or booking office. This data is used to plan receipt and schedule processing consistent with the TP and RDD. The port uses any available data and the assistance of the shipper, sponsoring Service, and clearance authority to prepare documents for shipments arriving without TCMDs. In all cases, the sponsoring Service is notified, by the clearance authority (MTMC area command HQ AMC for CONUS export), of the late or inadequate submission of documentation, including TCMDs. (TCMD submission standards are detailed in chapter 2, figures 2-B-3 and 2-B-5.)

(3) When a shipment discrepancy (overage, shortage, or damage) is discovered, the POE documents and reports the discrepancy according to the requirements of joint regulation AR 55-38, et al. (reference q). Prior to forwarding damaged shipments, the POE coordinates with the shipper, receiver, and/or sponsoring Service to ensure proper disposition of the materiel. Reconditioning, remarking, repacking, and similar services necessary for safe onward movement are provided by the POE. If the shipment was not prepared by the shipper according to military standards (except marking), the POE obtains either a fund citation to correct the deficiency (unless such costs are incorporated in other handling charges) or disposition instructions from the sponsoring Service. The POE reports inadequate shipment preparation according to the requirements of joint regulation DLAR 4140.55, et al. (reference r).

(4) The POE completes TCMDs by correcting or entering missing information. TCMDs with estimated entries are corrected by adding actual pieces, weight, and cube. The shipment receipt date (including GMT hour at air terminals) is recorded either on the TCMD or other appropriate receiving document for ready reference. CONUS WPOEs also enter vehicle identification data on TCMDs (additional DI TV5 entries created by the terminal) for multiple vehicle shipments. ***The POE will also prepare a Consolidated Shipment Information (DI TAW) in accordance with figure 2-B-13. This transaction reports the TCN resulting from a change to higher level shipment configuration performed at the POE.***

(5) By completing receipt data and reporting it to the clearance authority or booking office, the POE clears the advance TCMD expected receipt file. Any shipment not received at (or offered for delivery to) the POE by the end of a specified period following the ETA is also reported to the clearance authority. The late or nonreceipt is reported as follows:

Type of shipment

Report if not received within

Air shipments documented for	1 day following ETA Expedited Handling
All other air shipments	5 days following ETA
All water shipments	15 days following ETA

(6) Questionable, erroneous, or missing TACS

(a) When the TAC for a shipment unit is questionable, erroneous, or missing, the POE notifies the appropriate sponsoring Service/Agency representative of the error in accordance with local procedures. The sponsoring Service/Agency is determined by the first position of the TAC for personal property and unit move shipments or the first position of the consignee DoDAAC for all other shipments.

(b) Corrections are provided by the sponsoring Service/Agency representative within 5 working days of notification. A nonsignificant TAC (_000) is assigned in accordance with DoD 4500.32-R, Volume II. For Navy-sponsored shipments, a nonsignificant TAC is only assigned in accordance with DoD 4500.32-R, Volume II, chapter 7, paragraph A.1.8.(3).

b. Planning for loading

(1) Receipt information and, at WPOEs, advance TCMD data are used for planning the loads to be lifted from POEs. In general, shipments are processed on a first-in, first-out basis within the assigned transportation priorities. Priorities may be commingled and processed according to pallet, module, conveyance.

(2) The load planning process is designed to make the most efficient use of space consistent with the safe operation of aircraft and vessels. Preload planning minimizes ground or onberth time. For both air and water, planning considers the capabilities of the conveyance, the weight and dimensions (configuration) of the individual pieces, the perishability of the cargo, and the compatibility of shipments.

(3) The port makes the necessary plans in coordination with the clearance authority/booking office and the carrier.

(a) Air terminals work with the AMC, the ACAs, and the aircraft crew to ensure planning is complete prior to loading.

(b) Water terminals work with MSC, the booking office/ clearance authority, and the representatives (including crew) of the vessel operator. Planning, called prestowage planning, is done for all breakbulk ships whether they are MSC controlled or arranged.

1 The Military activity responsible for the water terminal prepares the prestowage plan when MSC controlled shipping is used. When cargo is to be loaded on an MSC arranged commercial ship, the booking office/OCCA coordinates the preparation and implementation of prestowage plans with the commercial operator. MSC representatives resolve any problems which may arise between the booking office/clearance authority and the commercial operator in preparation of the plans.

2 The ocean terminal or booking office provides the carrier with berth space planning information at least 72 hours (excluding Sundays and holidays) before the ship's onberth date. The planning information provided also includes the specific location, dimensions, and total cube of the available stowage space as provided by the vessel operator. In turn, the commercial operator confirms the hour/day the ship will be available for loading.

c. Loading the shipment. Both aircraft and vessels are loaded according to standard practice for the type of conveyance. To assist in maintaining shipment integrity, multiple piece shipment units are stowed together, i.e., block stowed, when reasonably possible. Any split stowage necessary is documented by use of the TCN split shipment codes as detailed in appendix C, paragraph 11.

d. Preparing shipping documentation

(1) After loading, a final plan showing the location of cargo on the aircraft or ship is prepared.

(a) For air shipments, a load/sequence breakdown worksheet is prepared by the aircraft load planner. The worksheet is used to document the location of cargo/mail/passengers aboard the aircraft and as a supportive document for preparing the DD Form 365-4, Weight and Balance Clearance Form F Transport/Tactical, or civilian equivalent.

(b) For water shipments, the cargo stowage plan is prepared by the military water terminal operator for breakbulk vessels. Cargo stowage plans need not be prepared by the military when cargo is loaded and discharged at commercial terminals and transported under MSC Shipping Contract/Shipping Agreement/Container Agreement, berth term tariff, berth term reduced rates, or TGBL SEAVAN arrangements. On a LASH/SEABEE vessel, the last four digits of the barge number are considered a stow location and no internal stowage plans are required for cargo in the barge.

1 The cargo stowage plan includes:

a A graphic representation of the cargo onboard by tonnage (LT and MT), location, and WPOD. Cargo stowed in lower holds is shown in side view while that stowed on deck and between decks is shown in top view.

b A summary by hatch location of cargo to be discharged at each port.

c A summary and location of heavy lifts.

d The capacity and location of the ship's booms.

e Vessel characteristics.

f Remarks on special items of cargo such as the location and quantity of mail, cargo of unusual value, protected cargo, etc.

2 The plan is used for loading and discharge at each subsequent port. It is a cumulative plan and shows all cargo on board regardless of loading port. When vessels load or discharge at more than one port on a voyage, each terminal prepares and distributes the required number of plans to all subsequent terminals, their representative MSC activities and area commanders, and (for MTMC CONUS ports) the MTMC area command regardless of whether loading and/or discharging is planned at those ports. Complete distribution instructions are detailed in figure 3-C-11.

(2) A manifest listing the cargo loaded on each aircraft or vessel is prepared by the POE or its clearance authority. The information contained on each TCMD provides the basis for preparing the manifest with the terminal operator adding necessary loading detail. The manifest, prepared in TCMD format (either automated or on a DD Form 1384) or in the manifest format (either automated or on a DD Form 1385), is used to verify delivery of cargo, support billing for services, and to justify claims resulting from cargo discrepancies. Manifest documents are unclassified except when the sponsoring Service indicates a need for security classification. When classified, manifests are processed in a manner consistent with DoD 5200.1-R (reference b). For water shipments, the cargo traffic message indicates the security requirements.

(a) For air shipments by AMC, the air cargo manifest is prepared as detailed in this subparagraph as well as regulations and instructions issued by the air system sponsor. Specific instructions for completing document entries on AMC air manifests are detailed in figure 3-C-3.

1 When preparing air manifests, the APOE:

a Completes separate manifests for cargo and mail. Each manifest prepared is assigned a separate air cargo manifest reference code as detailed in appendix F1.

b Groups palletized (463L aircraft pallets) shipment unit data under a separate pallet header within each manifest.

c Arranges nonpalletized (463L aircraft pallets) shipment unit data in TCN sequence within each manifest.

d Lists palletized (463L) shipment unit data first when the total aircraft load consists of both palletized and nonpalletized cargo on a single manifest reference number.

e Prepares a manifest correction (automated record or manual DD Form 1384/DD Form 1385) upon discovery of a significant error (e.g., incorrect pieces, weight, or cube). A copy of the corrected manifest page(s) prominently marked "Corrected Manifest" are promptly forwarded to the destination air terminal (APOD).

2 The APOE distributes the manifest to ensure its receipt by the time of aircraft arrival. A copy of the manifest is sent with the aircraft whenever feasible and also transmitted to the APOD when communications facilities permit timely transmission and receipt. In addition, the APOE sends a copy of the manifest or other similar lift data to the ACA.

(b) For water shipments in the DTS, a manifest complete with a variety of related documents is prepared by the ocean manifesting activity and/or the loading terminal. These manifest documents include the actual manifest, manifest recapitulation, manifest summary, and the cargo traffic message. In addition, a bill of lading is prepared when DoD cargo is transported by common carrier ocean service and not arranged under a MSC Shipping Contract, Shipping Agreement, or Container Agreement.

1 The ocean cargo manifest is prepared by the WPOE or, in CONUS, by MTMC. A manifest is prepared for each WPOD and segregated according to the type of vessel or loading method. In addition, hazardous materials and dunnage/lashing gear are listed separately. These segments are described below. Complete instructions for preparing the ocean cargo manifest are provided in figure 3-C-5 with distribution outlined in subparagraph **f** below and detailed in figure 3-C-11.

a A breakbulk vessel manifest is separated by:

(1) Service or Agency (identified by the first position of the ultimate consignee).

(2) Stowage location by hatch (see appendix F16).

(3) Consignee (one per page).

b A container (SEAVAN) vessel manifest is separated by:

(1) Service or Agency (identified by the first position of the SEAVAN consignee).

(2) SEAVAN consignee (one per page).

(3) SEAVAN service code (as explained in appendix C, paragraph 10, TCN position 15 and 16).

c A LASH/SEABEE vessel manifest is separated by:

(1) Barge number (one per page).

(2) Service or Agency (identified by the first position of the ultimate consignee).

(3) Consignee (one per page).

d Hazardous Material is listed on a separate page for each WPOD. The listing is prepared by the military terminal operator for cargo transiting military terminals and by the commercial terminal operator for shipments over commercial piers.

(1) In addition to other elements of data required by MILSTAMP, this "Dangerous Cargo List (or manifest)" includes the official number (or IRCS) and nationality of the vessel as provided by the booking office. The manifest is certified as accurate in accordance with the requirements of 49 CFR (reference m).

(2) Inert component parts and, except as detailed in paragraph C.2.d.(2)(b)1d(3) of this chapter, ORM-D material are not included in the hazardous material section of the manifest. Both are manifested as general cargo using the applicable commodity codes.

(3) Consumer Commodities, ORM-D, loaded on to a vessel at a military pier are documented in a separate section of the manifest, unless other material in the SEAVAN/MILVAN requires inclusion in the hazardous material section. The ORM-D section of each copy of the manifest placed on the ship is prominently identified on the section cover sheet by the following statement: "ORM-D Hazardous Materials of Various Classes in Small Receptacles, Commodity Code 70D. IMO Competent Authority Certification(s) - USA/Numbers(s) attached."¹

e Government-owned dunnage and lashing gear, complete with distribution instructions, are listed on the recapitulation for each POD.

f The manifesting activity establishes procedures for manifest distribution to support MILSTAMP requirements.

(1) Manifests are normally distributed in automated record format. If lack of facilities for sending and/or receiving manifests in automated record format or other circumstances preclude such transmission, the manifesting activity, clearance authority, and WPOD develop alternative arrangements.

(2) Regardless of the method of transmission, the manifesting activity establishes procedures to ensure the manifest is received by the WPOD as early as possible before the vessel arrives. Manifests for destinations with the shortest sailing times are given priority.

¹ A copy of each certification is attached immediately behind the section cover sheet. The terminal operator makes provisions for providing the commercial vessel operator with a copy of the certification for SEAVANs/MILVANs loaded over a commercial pier.

If transit time to the
first WPOD is:

7 days or less

8 days or more

The manifest is forwarded within:

72 hours of vessel departure from the WPOE

5 days of vessel departure from WPOE

If distribution of the manifest is delayed so that it will not arrive before the vessel, the manifesting Agency provides the clearance authority and WPOD (by ETM), the firm date/time the manifest will be transmitted.

(3) To allow a vessel to sail without waiting for complete manifest documents including the Recapitulation and Summary, the WPOE places vessel papers onboard. Vessel papers are used to satisfy port clearance requirements and include TCMD data such as destination, commodity, TCN, pieces, weight, cube, stow location, voyage number, vessel name, and sailing date. A dangerous cargo (hazardous materials) list is also included when applicable. Neither vessel papers nor cargo manifest documents are placed on board commercial vessels engaged in common carrier trade and loaded at commercial piers.

2 The ocean manifesting activity issues a manifest adjustment whenever an error or omission is discovered in an already dispatched manifest. Changes in vessel data contained in the manifest header and additions of discharge ports are made to all manifest addressees by message instead of complete retransmission of the entire manifest. All other manifest adjustments are made by one of three methods - supplement, deletion, or correction. The type of adjustment is identified in the manifest adjustment header data as explained in paragraph C.2.d.(2)(b)2d. All adjustments are sent as soon as practicable to the same addressees and by the same method as the original manifest. Distribution instructions are detailed in figure 3-C-11 and examples of adjustments are shown in figure 3-C-6.

a Manifest supplements are issued to add to the manifest complete consolidation containers (DI T_K or T_L), with the entire contents (DI T_M), as well as individual shipment units not loaded into a consolidation container (DI T_J). (For adjustments to the contents of consolidation containers see paragraph C.2.d.(2)(b)2c.) The manifest supplement contains all prime and trailer data for the added shipment units or consolidation containers which were lifted, but not manifested. The manifest adjustment header data is prepared as detailed in paragraph C.2.d.(2)(b)2d.

b Manifest deletions are issued to remove from the manifest complete consolidation containers (DI T_K or T_L), including contents (DI T_M), as well as individual shipment units (DI T_J). The manifest deletion contains only the prime data entries for the shipment units or consolidation containers which were manifested, but not lifted. The entries are identical to those on the original manifest except for a "zero zone" overpunch in rp 53. On the manual manifest, this "zero zone" overpunch is shown in the TP entry as "/" for TP-1, "S" for TP-2, or "T" for TP-3. The manifest deletion header data is prepared as detailed in paragraph C.2.d.(2)(b)2d.

c Manifest corrections are issued to change manifested information about any shipment unit or to add/delete a shipment unit to/from a previously manifested consolidation container. The manifest correction header data is prepared as detailed in paragraph C.2.d.(2)(b)2d.

(1) For breakbulk shipment units or the prime data on a consolidation container, the correction is made by submitting the old manifest data with an "11-zone" overpunch in rp 53 followed by the new manifest data with a "12-zone" overpunch in rp 53. On the manual manifest, these overpunches are shown as follows: 11-zone, "J" for TP-1, "K" for TP-2, "L" for TP-3; 12-zone, "A" for TP-1, "B" for TP-2, "C" for TP-3.

(2) When correcting information about the contents of a consolidation container, a "dummy" entry is also made for the container itself. In this container "dummy" entry the pieces, weight, and cube

(rp 68-80) are left blank and a "C" is entered in rp 53. The change in the content information is then made in the same manner as described in subparagraph (1) above.

d Manifest header data (DI TAJ) is prepared separately for each type of adjustment and for each WPOE/WPOD voyage combination. Multiple adjustments of the same type are grouped under a single header for each WPOE/WPOD voyage combination. The types of adjustment are identified by a letter code in rp 4 followed by the last digit of the calendar year in rp 5 and the three digit day of the year code in rp 6-8. On the manual manifest, this five position identification is included before the voyage number entry in the "Voyage Document Number" block. The following table explains the entry to be made:

<u>Type of adjustment</u>	<u>rp 4</u>	<u>rp 5-8</u>
supplement	S	year/day of year
deletion	D	year/day of year
correction	C	year/day of year

3 The ocean cargo manifest recapitulation is one use of the DD Form 1386. (Its other use, as a summary, is detailed in paragraph C.2.d.(2)(b)4.) The recapitulation is a summation of all cargo tonnages loaded on one ship and is prepared for each manifest (including adjustments).

a For each WPOD, the recapitulation lists:

(1) The consignee Service/Agency.

(2) The number of long tons.

(3) The number of measurement tons.

(4) All heavy lifts (10,000 pounds or more), if any, including length, width, height, stowage location, and the ability of the ship's gear to discharge the item.

(5) Any mail including its stowage location.

(6) Any Government-owned dunnage and lashing gear, including disposition instructions.

(7) The terms of carriage explained in appendix F15.

(8) The number of SEAVANs/MILVANs grouped by:

(a) Terms of carriage.

(b) Type of SEAVAN.

(c) The Service/Agency of the SEAVAN consignee (i.e., the first position of the SEAVAN ultimate consignee DoDAAC).

b Whenever SEAVANs/MILVANs are transported in accordance with the MSC Container Agreement and Rate Guide (reference p) the following statement, signed by the designated administering

contracting officer representative, is included on the copy of the recapitulation which is furnished to the MSC Area Command:

"This certifies that based on information provided to the (insert identity of the appropriate manifesting activity) by the ocean carrier pursuant to the Military Sealift Command Container Agreement and Rate Guide, all containers summarized on the manifest cover sheets were lifted on the vessel shown on the manifest heading."

c Distribution instructions are detailed in figure 3-C-11 and complete directions for completing the recapitulation are contained in figure 3-C-7.

4 The ocean cargo manifest summary is the second use of the DD Form 1386. (Its other use, as a recapitulation, is detailed in paragraph C.2.d.(2)(b)3.) The summary is a summation by TAC, of all cargo loaded in one ship and is prepared for each manifest (including adjustments).

a For each Service/Agency responsible for paying transportation charges, i.e., sponsoring Service/Agency, the summary includes the following, separately listed for each WPOD:

(1) A summation of the measurement tons of cargo grouped by TAC, including nonsignificant TACS (see subparagraph (3) below). Within each TAC grouping, the quantities (MT) are totaled by commodity group (see figure 3-C-8). Measurement tons are rounded to the nearest whole number; i.e., greater than 0.5 is rounded up, 0.4 or less is omitted.

(2) A separate summary of cargo loaded on deck.

(3) All shipments with nonsignificant TACS (explained in MILSTAMP, Vol II) listed with the valid TACS. Cargo summarized under a nonsignificant TAC, e.g., A000, is detailed on the last page of the summary by listing the related prime TCMD data (including the shipping activity). The Service finance office or, for the Navy, the NAVMTO representative at MTMCEA or MTMCWA, reconciles the TAC discrepancy.

(4) Whenever SEAVANs/MILVANs are transported in accordance with the MSC Container Agreement and Rate Guide (reference p), the same certification shown in paragraph 3.C.2.d.(2)(b)3b is included on the summary.

b Distribution instructions are detailed in figure 3-C-11 and complete directions for completing the Summary are contained in figure 3-C-8.

5 The military activity having jurisdiction over the loading terminal also prepares a cargo traffic message for all manifested shipments. The cargo traffic message is an advance notice that cargo is enroute to a particular WPOD.

a When classified materiel is shipped, the loading terminal prepares a separate cargo traffic message identifying each classified shipment unit, its TCN, container or seal number, stowage location aboard ship, degree of classification, and any additional appropriate instructions. The message is not classified unless required by procedures implemented under DoD 5200.1-R, (reference b).

b Much of the information included in the cargo traffic message is provided to the loading terminal by the booking office/clearance authority. The information is supplied in sufficient time to allow inclusion in the message and includes:

of SEAVANs.

(1) The commodities and measurement tons of cargo or, when applicable, the number

(2) The transshipment port(s).

(3) The ETA at each transshipment port and at the manifested WPOD.

(4) The responsibility for transshipment costs, i.e., carrier or Government.

(5) The name of each on carrying vessel or designation of overland mode if not by ship.

(6) The letters TBN when the name of transshipment vessel(s) is(are) not yet known or designated. When the vessel(s) is (are) identified, or when another vessel is substituted, or when it is determined after shipping that the cargo will be transshipped, the ocean booking agency sends a supplemental message to notify all addressees of the original cargo traffic message.

c After vessel sailing, the loading terminal dispatches the cargo traffic message according to the following schedule:

When the vessel transit time is:

0 to 72 hours

3 to 12 days

12 days and over

The Cargo Traffic Message is dispatched within:

24 consecutive hours²

48 consecutive hours³

3 workdays

d Complete instructions for preparing the cargo traffic message and the information the message includes are detailed in figure 3-C-9. Distribution instructions are shown in figure 3-C-11.

e While not part of the cargo traffic message, the loading terminal also provides sailing information to household goods (Code 5) carriers or their agents. The notification is made as soon as possible after vessel departure and prior to vessel arrival at the WPOD. The loading terminal provides the following information:

(1) Sponsoring member's name and grade

(2) Shipment unit TCN

(3) SEAVAN number, if applicable

(4) Vessel name and voyage document number

(5) Sailing date

² May be sent by telephone or other means mutually accepted by the POE.

³ When a weekend or nonworkday is involved, the cargo traffic message may be dispatched the next workday if its receipt by the affected ports is assured 3 days prior to the ETA of the vessel.

(6) WPOD

6 A bill of lading (either a GBL or CBL) is prepared to document ocean transportation of DoD cargo by common carrier ocean service which is not arranged and paid for under an MSC Shipping Contract, Shipping Agreement, or Container Agreement.

a The bill of lading is a contract document between the Government and the carrier and provides a means for the carrier to be paid for the service performed while accounting for the cargo shipped.

(1) Ocean transportation by common carrier is normally limited to movement of the cargo from the ocean terminal (or end of the ship's tackle) at the WPOE to the similar point at the WPOD. Movement to the loading terminal or delivery beyond the discharge terminal is usually excluded from the common carrier ocean transportation contract. If the ocean carrier is to perform such additional service, as indicated in the cargo clearance order issued by the booking agency, the activity preparing the bill of lading includes the statement: "Through shipment from (insert origin point) to (insert destination point) by ocean carrier." Stevedoring and terminal services may or may not be included in the ocean freight rate depending on the shipment terms and the custom of the port. Other entries included on the bill of lading are indicated in figure 3-C-10 and subparagraph **(2)**.

(2) For SEAVAN shipments made under the MSC Container Agreement, the MSC Form 4612/1, Clearance/Shipping Order, together with the DD Form 1385, Cargo Manifest, form the contract of carriage and incorporate the provisions of the container agreement. No bill of lading is prepared for such shipments unless part of the movement is arranged or paid for by the Government directly (not by the ocean carrier). This responsibility for payment is indicated by the SEAVAN service code in position 15 of the SEAVAN TCN (see appendix C, paragraph 10).

(a) If the origin service code (position 15) is "K," indicating the ocean carrier's responsibility begins at the ocean terminal, the activity responsible for shipping the SEAVAN issues a bill of lading for the inland linehaul or drayage of the SEAVAN. The preparing activity includes in the bill of lading: the SEAVAN TCN (assigned by the clearance authority or booking office), the TCN of each shipment unit in the SEAVAN, and the full van and seal numbers. The bill of lading is distributed as detailed in the DTMR (reference j) or applicable theater directives.

(b) If the origin service code (position 15) is L, M, or 1-9, indicating the inland movement to the WPOE is the responsibility of the ocean carrier, the activity responsible for the SEAVAN does not issue a bill of lading. Instead of a bill of lading, the activity prepares a manual TCMD (DD Form 1384) or (from vendors) similar nonnegotiable document. The document includes the SEAVAN prime data with seal and van number and is prepared/forwarded as detailed in chapter 2, paragraph B.2g. The activity retains a signed copy to record acceptance by the origin carrier.

(3) Regulations applicable to the use of GBLs, conversion of CBLs to GBLs, and issuance of certificates in lieu of lost GBLs are contained in Title 41 Code of Federal Regulations (reference u), chapter 101-41 and Federal Property Management Regulation 101-41 (reference w).

b When a bill of lading is required, the GBL is the usual document prepared. (The GBL addressed here is for ocean shipments charged directly to the Government by the ocean carrier. Not included in this explanation are shipments arranged by and paid through freight forwarders or any party other than the Government, i.e., shipments arranged with other than an ocean carrier for through movement under a through service tender.)

(1) The activity offering the cargo to the booking office ensures the GBL is prepared. The information included on the GBL is detailed in subparagraphs **(2)** and **(3)** below and in figure 3-C-10. The

preparing activity provides the original GBL to the carrier or his agent and annotates all copies (including the original) with the statement "Original furnished ocean carrier." Complete distribution instructions are shown in figure 3-C-13.

(2) When cargo is booked for transportation at the carrier's tariff rate, as used by the general public, the GBL must contain a precise description of each item to ensure application of the correct rate. This detail is also necessary when the rates charged are based on the carrier's tariff, e.g., "Carriers tariff rates less %." In either case, the complete noun nomenclature for each commodity shipped is included on the GBL (or continuation sheet). MILSTAMP manifests are also prepared and distributed for such shipments, but are not substituted for the required full noun description on the GBL (or continuation sheet).

(3) When cargo is booked for transportation at MSC negotiated rates (e.g., on the basis of terms in the MSC Shipping Contract, Shipping Agreement, Container Agreement, or other basis not requiring a detailed description of cargo), MILSTAMP manifest data is adequate for movement and payment. In this case, the GBL contains the description of cargo provided by MILSTAMP documents. The MILSTAMP manifest is prepared and a copy of it, identified with the GBL number and cross-referenced on the GBL, may be substituted for the GBL continuation sheet.

(4) The carrier requests payment for transportation services 30 days after the cargo is loaded at the WPOE or when the vessel arrives at the WPOD, whichever is earlier. The carrier uses the SF 1113, Public Voucher for Transportation Charges, for billing and annotates, on its face, either the date that the shipment was loaded at the WPOE or arrived at the WPOD. For payment and accounting control, the carrier complies with any reasonable numbering system established by each involved agency.

(5) When processing GBLs for payment, the Government does not require the carriers to support their billing with a consignee certificate of delivery nor is payment subject to prior receipt of the cargo outturn message or report. However, the Government will not waive the right of preaudit of charges where such action is in the best interest of the Government. GBL shipments are subject to the terms and conditions printed on the reverse side of the GBL and payments may be adjusted when cargo is lost, damaged, or not delivered to the address on the GBL.

c A CBL is prepared when a bill of lading is required and when a GBL is not available, an overseas activity is not authorized to prepare a GBL, or a U.S. flag ship is not available and a foreign carrier refuses to accept a GBL.

(1) The ocean carrier issues the CBL on a basis of either freight prepaid (charges payable upon loading at the WPOE) or freight collect (charges payable upon cargo delivery). In either case, unless the CBL is convertible to a GBL, the ocean charges are earned and payable once the cargo is loaded aboard the vessel. The information included on the CBL is detailed in subparagraphs (2) and (3) below and in figure 3-C-10. Complete distribution instructions are shown in figure 3-C-12. The carrier also endorses all copies of the CBL with the following statement:

"In witness whereof, the master or agent of said vessel has signed (insert number) bills of lading as of this tenure and date, and if one is accomplished the others shall be void."

(2) Unless the CBL is used because a foreign carrier refuses to accept a GBL, the carrier endorses the CBL (original and all copies) with the statement "To be converted to a Government Bill of Lading." The CBL is then processed as follows:

(a) The carrier forwards the convertible CBL, whether prepaid or collect, to the clearance authority serving the WPOE unless directed otherwise during the booking process.

(b) The clearance authority, in turn, verifies and certifies (on the CBL) the accuracy of the information ensuring it is complete, prepares and distributes MILSTAMP manifest documents, and forwards the CBL to the receiving activity at the WPOD.

(c) The receiving activity at the WPOD prepares the GBL, securely attaching it to the first original CBL, and cross-referencing both to indicate the conversion has been made. After ensuring the rates, terms, and conditions of ocean shipment, shipping order number, and MSC paying command are cited on the GBL; the receiving activity surrenders the unaccomplished original to the ocean carrier (or their agent). In addition, the WPOD sends one copy of the GBL, with the converted CBL, to the MSC paying command.

(3) When a CBL is used because a foreign carrier refuses to accept a GBL, the shipment is booked on a freight collect basis if possible. If the foreign carrier desires prepayment of ocean charges, the carrier annotates the CBL with the statement "Shipped on board." Whether collect or prepaid, the carrier prepares the CBL and, as directed by the booking activity, surrenders the CBL to the WPOE shipping activity for distribution. The booking office also instructs the carrier on the procedures for submitting invoices on the freight charges. The CBL is then processed as follows:

(a) The booking office or WPOE receiving the CBL from the carrier verifies and certifies (on the CBL) the accuracy of the information ensuring it is complete, prepares and distributes MILSTAMP manifest documents, and forwards the CBL to the receiving activity at the WPOD.

(b) The receiving activity at the WPOD accomplishes the first original CBL if the shipment is collect or the second original CBL if prepaid. The accomplished CBL is then returned to the carrier or their agent.

(c) The carrier or their agent either itemizes on the CBL any cargo discrepancies or annotates on the CBL that discrepancies exist and will be detailed by the DoD activity preparing the cargo outturn reporting documents.

7 The final manifest document the WPOE prepares is the CORM.

a The WPOE receives the CORM from the WPOD. (The content of the CORM is detailed in paragraph D.2.b.(1)(b)1.) If the WPOE has not received the CORM within 22 calendar days following the vessel's ETA, the WPOE sends a message to the WPOD requesting the CORM.

b Within 10 days of the date of the CORM, the WPOE reconciles any discrepancies shown then prepares and sends the CORMR to the discharge activity that originated the CORM and to all addressees of the CORM.

c The CORMR contains the following information in the order indicated:

(1) Message subject: CORM REPLY.

(2) Line 1: Ports of loading and discharge in code and clear text; e.g., "1GC MOT BAYONNE JF1 BREMERHAVEN."

(3) Line 2: Vessel name(s) and voyage number as indicated in the CORM.

(4) Line 3 and as many additional lines as necessary, in columns with the following headings:

(a) ITEM (enter the item number from the CORM).

(b) TCN (enter the TCN from the CORM).

(c) DISPOSITION (Indicate the status of items reported in the overage or shortage section of the CORM; e.g., "SHIPPED ON VOY A1266," "INCLUDED IN MANIFEST SUPP NO 3," etc.).

(3) The POE also submits intransit data for use in measuring transportation performance in the movement of MILSTRIP shipments. The responsibilities for intransit data preparation vary at different types of POEs. General requirements are listed below with specific instructions detailed in appendix L.

(a) Other intracountry airlift terminals:

1 Complete intransit data with DI TK4 for shipments received on GBLs for onward movement.

2 Initiate or complete intransit data with DI TK1/TK2, as applicable, for each shipment unit received.

(b) MTMC area commands/WPOEs and HQ AMC:

1 Prepare receipt and lift data with DI TK7 for all shipment units (except mail from postal concentration centers) manifested from CONUS to overseas destinations. Reports on MSC shipments include the date the vessel arrived at the overseas WPOD as determined from the CORM.

2 For materiel received, enter on intransit data formats with DI TK4/TK7 the day the shipment was received or offered for delivery by the carrier, whichever is earlier.

e. Holding, diverting, and tracing shipments are all actions in which the POE may be involved due to irregular or interrupted movement of cargo in the DTS. In addition to the instructions below, formats for documenting these actions are detailed in appendix M.

(1) The POE may hold and/or divert a shipment at the request of the sponsoring Service or for such reasons as an embargo. The hold is intended to be brief and only long enough for the POE to receive diversion/disposition instructions from the sponsoring Service or clearance authority. As an exception to blanket holds placed on shipments during mass cancellation situations, shipments with "555" in the RDD field (rp 54-56) are not held, but processed through the POE in accordance with the transportation priority on the TCMD.

(2) A transportation diversion is limited by cost, but may be a change of mode (e.g., water to air), a change of destination, and/or a change of route.

(a) Once the shipment has left the shipper, the cost of handling normally limits diversion (or hold) authorization. In addition, after leaving the shipper, only complete shipment units are diverted, i.e., individual items are not removed from multiple line shipment units nor is a shipping container removed from a multicontainer shipment unit with one TCN.

(b) After the shipment has reached the POE, a diversion between modes normally occurs only as a result of a change in the urgency of need. Such a change may result in a planned surface shipment being moved by air and is coordinated by the applicable clearance authority.

(c) A diversion to a different consignee or destination may result from conditions such as:

1 Strikes, national disturbances, or acts of God.

2 Supply cancellations.

3 Terminations of projects.

4 Changes in logistics buildup.

5 Modification of permanent change of station orders authorizing personal property shipments.

6 Change in the receiving locations for mobile units.

(d) A diversion in the route of a shipment normally occurs within a particular mode (i.e., air or water) and is usually directed and coordinated by the clearance authority or booking office.

(3) Shipment tracing through MILSTAMP allows the requesting or receiving activity to use modified supply system data to locate a shipment in the transportation system. While tracing assistance is normally obtained from the clearance authorities, the POE may occasionally be asked for shipping data. The POE responds to such requests by providing all available information. The formats used for tracing are detailed in appendix M.

f. After completing a shipment, the POE maintains records detailing the actions undertaken. Various Service publications detail the length of time and method for keeping such files.

Air Manifest Header Data Entries

<u>Record Position</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
1-3	(9)	Enter TAA.
4-8	(1)	Enter carrier abbreviation; e.g., AMC, etc. Precede carrier abbreviations with zeros. On automated formats, the APOD enters hour/day cargo is received in rp 6-8 (appendix F7).
9-14	(2)	Enter the aircraft tail number.
15-17	--	Enter GMT hour/day code to indicate time/date of flight departure (appendix F7).
18-21	(3)	Enter aircraft model and series number, e.g., 141B, 005B (for A C5), and 0080 (for DC 8).
22-23	--	Leave blank.
24-26	(4)	Enter air terminal code (appendix F4).
27	--	Mode Code (appendix F13).
28-29	(5)	Enter manifest reference code (appendix F1).
30-44	(6)	Enter in-the-clear destination.
45-47	--	Enter GMT hour/day code (appendix F7).
48-59	(7)	Enter mission number assigned by aircraft controlling agency in rp 48-56 and enter the julian date of rp 57-59.
60-62	(8a)	Enter air terminal code for manifesting station (appendix F4). APOD enters hour/day cargo received.
63	(8b)	Enter last digit of fiscal year.
64	(8c)	Enter type manifest; e.g., "C" for cargo, "M" for mail.
65-69	(8d)	Enter last five digits of manifest number, if less than five numbers precede with zeros.
70-75	--	Enter total cargo weight.
76-80	--	Enter total cargo cube.

Figure 3-C-1

Air Cargo Pallet Header Entries DD Form 1385 or Automated Format

<u>Record Position</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
1-3	(9)	Enter TAB.
4-5	(10)	The air terminal enters a two digit alphanumeric pallet designator. The letters I and O and the numeral 0 will not be used in these record positions.
6-8	(11)	Enter GMT hour/day of oldest piece of cargo on the pallet (appendix F7).
9-12	--	Air terminal enters local bay location. Otherwise leave blank.
13-14	--	Leave blank.
15-17	(12)	Enter GMT hour/day code pallet leaves APOE (appendix F7).
18-19	(13)	Leave blank.
20	(14)	Enter the air dimension code (appendix F3).
21-23	--	Enter air terminal identifier code (appendix F4).
24-26	(15)	Enter air terminal identifier code (appendix F4).
27	(16)	Enter mode/method for pallet from APOE (appendix F13).
28-29	--	Enter manifest reference code from manifest header entry.
30-35	(17)	Enter DoDAAC of activity that loaded the pallet if other than air terminal.
36-39	--	Enter four digit date code (appendix F7).
40	--	Enter "L" to indicate 463L pallet.
41-43	--	Enter serial number assigned by pallet loading activity other than air terminal.
44-45	--	Enter one of the following: BC = belly cargo LS = loose cargo PC = palletized cargo RS = rolling stock SD = cargo on skid T_ = pallet train (second digit = number of pallets in the train)
46	--	Enter one of the following: G = general cargo M = mixtures of G and S S = cargo requiring special handling U = mail

Figure 3-C-2

Air Cargo Pallet Header Entries DD Form 1385 or Automated Format

<u>Record Position</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
47-52	(18)	Enter DoDAAC of ultimate consignee. Leave blank if more than one consignee.
53	(19)	Enter highest priority on the pallet.
54		Enter special priority, when applicable, otherwise leave blank: <i>E = Anticipated NMCS</i> F = FSS - Forward Supply System G = Green Sheet N = NMCS/CASREP 4 = 444 5 = 555 7 = 777 9 = 999
55-57		Pallet height in inches.
58-60		Center of balance or pallet train.
61		Tiedown: C = Chain S = Straps N = Net M = Mixture
62-63		Number of equivalent pallet positions with assumed decimal point, e.g., 25 equals 2.5 pallet positions.
64		Overhang direction A, F, or B, or blank.
65		Enter personal property code: B = personal baggage H = household goods J = personal baggage - ITGBL K = household goods - ITGBL P = POV T = household goods
66		Enter protected cargo code (appendix F2) if applicable, otherwise leave blank.
67		Leave blank.
68-71	(24)	Enter total number of pieces on the pallet.
72-76	(25)	Enter total weight of cargo on the pallet.

Figure 3-C-2 (Cont.)

Air Cargo Pallet Header Entries DD Form 1385 or Automated Format

<u>Record Position</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
67		Leave blank.
68-71	(24)	Enter total number of pieces on the pallet.
72-76	(25)	Enter total weight of cargo on the pallet.
77-80	(26)	Enter total cube of cargo on the pallet.

Figure 3-C-2 (Cont.)

Prime Data Entries For Shipment Units on Air Manifests

<u>Record Position</u>	<u>DD Form 1385 block</u>	<u>DD Form 1384 block</u>	<u>Procedures</u>
1-3	(9)	1	Enter three digit code as follows: First position: Always "T." Second position: Same as second position of the TCMD. Third position: "A" for a loose shipment and "D" for a shipment loaded on a 463L pallet.
4-5	(10)	2	Enter pallet number on which shipment is loaded.
6-8			Enter hour/date received (appendix F7).
9-14	(11)	21	For nonpalletized mail, enter the registry number. For all other shipments, enter the DoDAAC of the consignor.
		3	For all other shipments, enter the DoDAAC of the consignor.
15-17	(12)	15	Enter GMT hour/day code shipment leaves APOE (appendix F7).
18-19	(13)	4	Enter air commodity code (appendix F2).
20	(14)	5	Enter air dimension code (appendix F3).
21-23	--	6	Enter air terminal identifier code (appendix F4).
24-26	(15)	7	Enter air terminal identifier code (appendix F4).
27	(16)	8	Enter mode/method code (appendix F13).
28-29	--	9	Enter manifest reference code from manifest header entry.
30-46	(17)	10	Enter TCN from shipment unit TCMD.
47-52	(18)	11	Enter DoDAAC of ultimate consignee.
53	(19)		Enter TP from shipment unit TCMD.
54-56	(20)	13	Enter RDD <i>or expedited handling or transportation signal</i> from <i>the</i> shipment unit TCMD. If none, leave blank.
57-59	(21)	14	Enter project code from shipment unit TCMD. If none, leave blank.
60-62	(22)	16	Enter hour/day code shipment arrived at APOE (appendix F7).
63	--	--	For Services internal applications.
64-67	(23)	17	Enter TAC from shipment unit TCMD.
68-71	(24)	22	Enter total number pieces in the shipment unit.
72-76	(25)	23	Enter total weight of the shipment unit.

Figure 3-C-3

Prime Data Entries For Shipment Units on Air Manifests

<u>Record Position</u>	<u>DD Form 1385 block</u>	<u>DD Form 1384 block</u>	<u>Procedures</u>
77-80	(26)	24	Enter total cube of shipment unit.

Figure 3-C-3 (Cont.)

Ocean Manifest Header Data Entries

<u>Record Position</u>	<u>TCMD Manifest DD Form 1384 block</u>	<u>ATCMD as Manifest page DD Form 1384 block</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
1-3	1	--	--	Enter TAJ.
4-8	21	21	(3)	Original manifest, no Government dunnage/ lashing gear used, enter NODUN. Supplemental manifest, enter type of adjustment and date as explained in chapter 3, paragraph C.2.c.d.(2)(b)2d. For all others, leave blank.
9-11	6	25a	(1)	Enter water port code (appendix F21). For LASH/ SEABEE shipments, show port that loaded cargo on the barge.
12-14	--	--	--	Leave blank.
15-18	15	25d	(2)	Enter four position date (appendix F7).
19-23	19	25f	(3)	Enter voyage document number (appendix F18).
24-26	7	26a	(4)	Enter water port code for final WPOD (appendix F21).
27	20	20	(5)	Enter voyage manifest reference code (appendix F19).
28-29	--	--	--	Leave blank.
30-46	21	25k	(6)	Enter vessel name, if unnamed, enter vessel class and hull number.
47	--	--	--	Leave blank.
48-49	18	25e	(7)	Enter two position code assigned by the OCCA. If a LASH/SEABEE barge is loaded with cargo booked under different terms of carriage, a separate manifest section is prepared for each term of carriage.
50	--	--	--	Enter L for LASH vessels, S for SEABEE vessels; otherwise, leave blank.
51	18	25e	(8)	Enter MSC assigned code.
52-59	21	21	(9)	Enter assigned IRCS. For barges without an IRCS, enter the hull number.

Figure 3-C-4

Ocean Manifest Header Data Entries

<u>Record Position</u>	<u>TCMD Manifest DD Form 1384 block</u>	<u>ATCMD as Manifest page DD Form 1384 block</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
60-80	31	31	(9)	Enter additional required data, e.g., actual loading activity if other than the WPOE, transshipping data, etc.

Figure 3-C-4 (Cont.)

Ocean Manifest Data Entries

<u>Record Position</u>	<u>TCMD Manifest DD Form 1384 block</u>	<u>ATCMD as Manifest page DD Form 1384 block</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
1-3	32	1	(10)	Enter DI code from TCMD, but convert third position as follows: 0=&, 1=J, 2=K, 3=L, 4=M, 5=N, 6=O, 7=P, 8=Q, 9=R. For Government-owned dunnage or lashing gear, enter TLJ for prime and TLR for trailer entries (C.2.d.(2)(b)1e). See special instructions below.
4-19	33-35	--	(11)	Enter prime and trailer data from TCMD.
20-23	36	--	(12)	Enter last four digits of the voyage document number from the manifest header.
24-26	37	--	(13)	Enter code from manifest header.
27	--	--	--	Enter code from manifest header.
28-59	39-43b	--	(14)	Enter prime and trailer TCMD data.
60-63	43c,d	25h	(15)	For prime data entries, enter the vessel stowage location code (appendix F16). For dunnage/lassing gear, see special instructions below. For all others, leave blank.

Special Instructions

<u>Record Position</u>	<u>TCMD Manifest DD Form 1384 block</u>	<u>ATCMD as Manifest page DD Form 1384 block</u>	<u>DD Form 1385 block</u>	<u>Procedures</u>
64-80	43e,44	--	(16)	Enter prime and trailer TCMD data.
1-3	32	--	(10)	Enter TLJ for prime entries and TLR for trailer entries.
59-79	43-44	--	(17)	Enter clear text disposition instructions.
80	44c	--	--	For trailer entries, enter a sequence number.

Figure 3-C-5

Instructions for Preparing Manifest Adjustments

<u>Supplements</u>	<u>DI Entry</u>	<u>Record Position 4</u>	<u>Record Position 53</u>	<u>Entry in TP block of DD Form 1384</u>		
				<u>TP-1</u>	<u>TP-2</u>	<u>TP-3</u>
1. To add shipment unit lifted but not manifested, prepare:						
a. Manifest header:	TAJ	S	No overpunch		No change	
b. Shipment unit entries:						
Prime data:	T_J		"			"
Trailer data:	T_N-R		"			"
2. To add consolidated containers and shipment units in containers, prepare:						
a. Manifest header:	TAJ	S	"			"
b. Container entries:						
Prime data:	T_K/L		"			"
Trailer entries:	T_R		"			"
c. Shipment unit entries:						
Prime data:	T_M		"			"
Trailer entries:	T_N-R		"			"
Deletions						
1. To delete shipment unit manifested but not lifted, prepare:						
a. Manifest header	TAJ	D	None		None	
b. Shipment unit entries:						
Prime data only:	T_J		Zero	/	S	T
2. To delete a complete consolidation container manifested but not lifted, prepare:						
a. Manifest header:	TAJ	D	None		None	
b. Prime container:	T_K/L		Zero	/	S	T
c. Shipment unit entries:						
Prime data only:	T_M		Zero	/	S	T
Corrections						
1. To change shipment units not containerized, prepare:						
a. Manifest header:	TAJ	C	None		None	
b. To delete old shipment unit:						
Prime data:	T_J		11	J	K	L
Trailer data:	T_N-R		11	J	K	L

Figure 3-C-6

Instructions for Preparing Manifest Adjustments

<u>Supplements</u>	<u>DI Entry</u>	<u>Record Position 4</u>	<u>Record Position 53</u>	<u>Entry in TP block of DD Form 1384</u>		
				<u>TP-1</u>	<u>TP-2</u>	<u>TP-3</u>
2. To change a consolidated container, prepare:						
a. Manifest header:	TAJ	C	None		None	
b. To delete old container:						
Prime data:	T_K/L		11	J	K	L
Trailer data:	T_R		11	J	K	L
c. To add new container:						
Prime data:	T_K/L		12	A	B	C
Trailer data:	T_R		12	A	B	C
3. To change shipment units in consolidation, prepare:						
a. Manifest header:	TAJ		None		None	
b. Dummy entry:	T_K/L		12	A	B	C
c. To delete old shipment unit:						
Prime data:	T_K/L		11	J	K	L
Trailer data:	T_N-R		11	J	K	L
d. To add new shipment unit:						
Prime data:	T_M		12	A	B	C
Trailer data:	T_N-R		12	A	B	C

Figure 3-C-6 (Cont.)

Ocean Cargo Manifest Recapitulation Data Entries

**DD Form 1386
block**

Procedure

- (1) Enter "X" in recapitulation box.
- (2) Enter "X" in the appropriate box. If the recapitulation is for a manifest adjustment, see special instructions below.
- (3) Enter vessel name. If unnamed, enter vessel class and hull number.
- (4) Enter two position vessel status/terms of carriage code (appendix F15).
- (5) Enter voyage document number (appendix F18).
- (6) Enter vessel sailing date code (appendix F7).
- (7) Enter water port code for actual port of loading (appendix F21).
- (8) Enter the number of heavy lifts (10,000 pounds or more, other than SEAVANs).
- (9) Enter the number of pieces, other than SEAVANs, with outsize dimensions (any dimension of 72 inches or more).

For each WPOD list, on separate lines, the data required by paragraph C.2.d.(2)(b)3a as follows:

- (10) Enter the water port code for the final POD to which the cargo is booked (appendix F21). If booked for transshipment follow the WPOD with "BY T/S."
- (11) Enter abbreviated commodity description(s) (appendix F20).
- (12) Enter length, width, and height, in inches, of each heavy lift, other than SEAVANs (indicate L, W, H).
- (13) Enter "X" if heavy lift can be discharged by vessel's gear; otherwise, leave blank.
- (14) Enter "X" if heavy lift cannot be discharged by vessel's gear; otherwise, leave blank.
- (15) Enter "X" if discharge costs are payable by the vessel operator, terms of carriage 2 or 3; otherwise, leave blank.
- (16) Enter "X" if discharge costs are payable by the Government, terms of carriage 1 or 4; otherwise, leave blank.
- (17) Enter vessel stowage location code for cargo being described (appendix F16).
- (18) Enter in long tons, the weight of the cargo, other than SEAVANs, being described.

Figure 3-C-7

Ocean Cargo Manifest Recapitulation Data Entries

For each WPOD and consignee Service list, on separate lines, the data required by paragraph C.2.d.(2)(b)3a as follows:

DD Form 1386

block

Procedure

- | | |
|------|--|
| (19) | Enter water port code for the cargo's final WPOD (appendix F21). |
| (20) | Enter first position of the consignee DoDAAC. |
| (21) | Enter, in long tons for each WPOD, the total cargo onboard for each Service/Agency identified in block (20). |
| (22) | Enter in measurement tons, the total volume of cargo included in block (21). |

If a DD Form 1384 is used, follow the above instructions and include a note to indicate the terms of carriage (appendix F15).

Special Instructions

If the recapitulation is being prepared for a manifest adjustment, the data listed in blocks (10) through (22) is separated as follows:

List exactly as on the original manifest, all items to be deleted, under the heading "Delete." List all items to be added under the heading "Add." For original manifest items which must be corrected, include both a delete entry and an add entry.

Figure 3-C-7 (Cont.)

Ocean Cargo Manifest Summary Data Entries

**DD Form
1386 block**

Procedure

- (1) Enter "X" in the summary box.
- (2) Enter "X" in the appropriate box. If the summary is for a manifest adjustment.⁴
- (3) Enter the vessel name. If unnamed, enter the vessel class and hull number.
- (4) Enter two position vessel statute/terms of carriage code (appendix F15).
- (5) Enter voyage document number (appendix F18).
- (6) Enter year and day code for vessel sailing date (appendix F7).
- (7) Enter water port code for actual port of loading (appendix F21).
- (8) Leave blank.
- (9) Leave blank.

For each WPOD list, on separate lines for each commodity category and TAC, the information required by paragraph C.2.d.(2)(b)4a as follows:

- (10) Enter the water port code for the final WPOD to which the cargo is booked. If booked for transshipment, enter BY T/S after the WPOD (appendix F21).
- (11) Enter the clear text commodity category from the following list:

<u>Category</u>	<u>Code</u>
Reefer, Chill	100-149
Reefer, Freeze	150-199
Bulk, NOS	200
Asphalt	210
Cement	220
Coal	230
Coke	231
Fertilizer	240
Grain, heavy	250

Figure 3-C-8

⁴ If the summary is being prepared for a manifest adjustment, the data listed in blocks (10) through (17) is separated as follows: List exactly as on the original manifest, all items to be deleted under the heading "Delete". List all items to be added under the heading "Add". For items on the original manifest that must be changed, include both a delete entry and an add entry.

Ocean Cargo Manifest Summary Data Entries

<u>Category</u>	<u>Code</u>
Grain, light	260
Oils, edible	270
Ore	280
POVs, unboxed (except 310 and 340)	300-359
Ammunition, Explosives, and Hazardous Materials	40X-489
Radioactive devices, materials and waste	490-499
General, NOS (unless listed below)	500-799
Mail (all classes except 612)	610-619
Empty mail sacks	612
POVs, boxed	310 and 340
Baggage, hold	360 and 370
Household goods	390-399
CONEX, empty	690
Empty containers, other than CONEX, SEAVAN, MILVAN, wood or metal, space required.	691
Empty containers, other than CONEX, SEAVAN, MILVAN, wood or metal, space available.	692
Empty SEAVAN, MILVAN, MSCVAN, space required	693
Empty SEAVAN, MILVAN, MSCVAN, space available	694
Scrap or salvage, space required	727
Scrap or salvage, space available	726
Low value surplus, space required	738
Low value surplus, space available	739
Special, NOS (unless listed below)	800-899
Low value surplus, space required	838
Low value surplus, space available	839

Figure 3-C-8 (Cont.)

	Trailers, RORO ⁵	
	Loaded ⁶	
	Empty	888
	Vehicles, wheeled or tracked, unboxed 10,000 pounds or less per unit ⁷	
	Exceeding 10,000 per unit ⁷	
	Aircraft, unboxed	990-999
(12)	Leave blank.	
(13)	Enter the TACS for each commodity category to be summarized. For each category, a TAC is listed no more than twice, once for under deck cargo stowage and once for cargo stowed on deck.	
(14)	Enter "X" on the same line as the TAC for any cargo stowed on deck.	
(15)	Enter the number of pieces of mail or POVs that are summarized for that TAC. For all other cargo, leave blank.	
(16)	Leave blank.	
(17)	Enter the number of measurement tons rounded to the nearest whole number for each TAC entry.	

Figure 3-C-8 (Cont.)

⁵ Applies only to RORO trailers on MSC-operated or controlled RORO vessels.

⁶ Regardless of commodity, all loaded RORO trailers are listed separately. Except for retrograde trailers loaded with empty containers, enter in M/T the overall volume of the entire trailer and its load. To allow for reduced MSC billing rates, the cubic volume of trailers loaded with empty containers is listed separately; i.e., the empty container and the empty trailer.

⁷ Includes vehicles with commodity codes 813, 816, 829, 864, 867, 870, 873, 876, 879, 882, 885, 891, and 894 summarized into the two weight groups shown to support MSC's revenue/lift reports.

Cargo Traffic Message Data Entries

The following provides details of the information included in the CTM.

From: Preparing Activity
To: Addressees (see figure 3-C-11)

SUBJ: MILSTAMP CARGO TRAFFIC MESSAGE

- (1) Paragraph 1. Enter vessel identification as follows:
 - a. Ship prefix (USS, USNS, USCG, SS, MS, etc.).
 - b. Ship name and number.
 - c. Voyage document number (appendix F18).
 - d. Vessel status/terms of carriage code (appendix F15).
 - e. IRCS (commercial ships only).
 - f. Type of commercial ship (C1, C2, LASH, RORO, etc.).
- (2) Paragraph 2. Enter movement data for the vessel as follows:
 - a. Departure port name, in-the-clear.
 - b. Departure day and hour (Zulu date/time group).
 - c. Next port of call, in-the-clear.
 - d. Estimated date of arrival, next port of call.
 - e. Subsequent port of call, in-the-clear.
- (3) Paragraph 3. Enter operational and handling data as follows:
 - a. Ship discharge capability (self-sustaining/non self-sustaining).
 - b. Special berthing requirements, if any.
 - c. Special information for the port area host nation or theater commander (expected arrival draft, overall length, beam, and capacity in M.T., cu. m. (include L/T and M/T in parentheses)).
 - d. Enter manifest onboard or manifest forwarded separately by (enter method, e.g., DDN, mail, etc.).
 - e. If applicable, enter cargo for transshipment at WPOD.
- (4) Paragraph 4. Total cargo loaded in M.T. and cu. m. (include L/T and M/T in parentheses, e.g., (40 L/T, 10 M/T).)
- (5) Paragraph 5. A separate paragraph for each port of discharge to include the following subparagraph as appropriate. Each subparagraph shall identify by columns the number of wheeled and the number of tracked vehicles, M.T., cu. m. and in parentheses, L/T and M/T. Stowage location is identified by the first three positions of the stow location code; for LASH/SEABEE barges, the last four positions of the barge number. The Military Service will be identified by the TAC for breakbulk cargo and by the consignee for containerized cargo.
 - a. Total cargo loaded (mandatory).

Figure 3-C-9 (Cont.)

Cargo Traffic Message Data Entries

- b. Deck load of breakbulk cargo by Military Service, by location, excluding ammunition and explosives.⁸
 - c. Hatch load of breakbulk cargo by Military Service, by location, excluding ammunition and explosives.⁸
 - d. Total number of reefer containers for each Military Service.
 - e. Total number of other containers for each Military Service excluding those in subparagraph f., below.
 - f. Total number of containers containing ammunition and explosives for each Military Service. Include NEQ, by IMDGC UN class, UN classes to include decimal fraction (1.1, 1.2), IMDGC compatibility group code, and stow location (four positions).
 - g. Description of bulk ammunition and explosives for each Military Service. Include additional data described in subparagraph f., above.
 - h. Heavy lift cargo exceeding capacity of ships' boom.
 - i. Protected (except pilferable) and/or classified cargo, number of pieces, stow location, and TCN.
 - j. For LASH/SEABEE shipments, list each barge by barge number and by Military Service.
- (6) Final paragraph. Transshipment data as required:
- a. Port of transshipment in-the-clear.
 - b. Information specifying responsibility for transshipment.
 - c. Name of on-carrying vessel. Enter TBN if unknown.
 - d. Cargo data required by instruction (5) for each port of discharge.
 - e. For LASH/SEABEE shipments, the port of transshipment is the port of discharge of the vessel. For movement of the barge to an inland port of discharge, indicate towed in lieu of name of on-carrying vessel. Summarize cargo data by barge number and barge port of discharge.

Figure 3-C-9 (Cont.)

⁸ Identified by first three positions of the vessel stowage location code; for LASH/SEABEE vessels, use the last four positions of barge number.

Information to be Listed on the Ocean Bill of Lading (GBL or CBL)

The following information is entered on the GBL/CBL whenever used for ocean transportation.

1. Name of ocean carrier, vessel, WPOE, and WPOD.
2. Rates, terms, and conditions of shipment, including responsibility for loading and unloading.
3. Appropriation chargeable.
4. Dollar rate of exchange as of booking date if ocean charges are based on, but not payable in, a foreign currency.
5. Voyage document number and MSC clearance order number.
6. The MSC paying command.
7. Weight and cube of each commodity and measurements of any cargo with any dimensions exceeding 30 feet.
8. SEAVAN TCN and TCN of each shipment unit.
9. Consignee.
10. U.S. Government activity or representative at the WPOD responsible for receiving the cargo and submitting the cargo outturn message and report.
11. Enter, "Unless otherwise indicated, all cargo to be stowed under deck."
12. Actual or estimated sailing date, as appropriate.

Figure 3-C-10

Distribution of Ocean Cargo Manifest

The following table provides instructions for distribution of ocean cargo distribution, i.e., stow plan, cargo traffic message, manifest, recapitulation and summary. Manifest adjustments are distributed to the same addresses as the original manifest. The GBL and CBL distribution is shown in figure 3-C-13.

This figure must be used in conjunction with figure 3-C-12 which explains the letter codes used in the distribution method and remarks columns.

<u>Distribution to:</u>	<u>Cargo Stowage Plan</u> No. of <u>Dist</u> <u>Re-</u> <u>Copies</u> <u>Method</u> <u>marks</u>	<u>Cargo Traffic Message</u> No. of <u>Dist</u> <u>Re-</u> <u>Copies</u> <u>Method</u> <u>marks</u>	<u>Cargo Manifest and</u> <u>Recapitulation</u> No. of <u>Dist</u> <u>Re-</u> <u>Copies</u> <u>Method</u> <u>marks</u>	<u>Cargo Manifest</u> <u>Summary</u> No. of <u>Dist</u> <u>Re-</u> <u>Copies</u> <u>Method</u> <u>marks</u>
<u>For all cargo:</u> Commanding Officer or Master of the vessel ⁹	3 V --	-- -- --	3 V A,G	-- -- --
Port of debarkation and next port of call	3 X --	1 E C,D	6 X B, C, L	6 M C
Port of embarkation (POE) for files	1 -- --	1 E --	1 H,M --	1 H or M --
Clearance authority for POD if different than POD	1 M N	1 E --	1 X --	1 M --
MSC area and subarea Command for POE ¹⁰	1 X --	1 E C	3 X --	3 X --
MSC area and subarea Commanders on the vessel itinerary ¹⁰	1 X --	1 X D	1 X B,Z	-- -- --

Figure 3-C-11

⁹ Neither vessel papers nor cargo manifest are placed onboard commercial vessels engaged in common carrier trade and loaded at commercial piers.

¹⁰ The addresses for MSC area and subarea Commanders are listed in appendix F16.

Distribution of Ocean Cargo Manifest

<u>Distribution to:</u>	Cargo Stowage Plan			Cargo Traffic Message			Cargo Manifest and Recapitulation			Cargo Manifest Summary		
	<u>No. of Copies</u>	<u>Dist Method</u>	<u>Re-marks</u>	<u>No. of Copies</u>	<u>Dist Method</u>	<u>Re-marks</u>	<u>No. of Copies</u>	<u>Dist Method</u>	<u>Re-marks</u>	<u>No. of Copies</u>	<u>Dist Method</u>	<u>Re-marks</u>
MSC port representatives for ports on vessel itinerary unless same as area and subarea Command	1	X	--	1	Z	--	1	X	B,I	--	--	--
Local agent of carrier (unclassified only)	5	X,M	--	--	--	--	5	H,N	--	--	--	--
Clearance authority for POE if different than POE	1	M	N	1	X	--	1	M	--	--	--	--
COMSC (Headquarters)	--	--	--	--	--	--	1	X	F	1	X	F
For MSC-controlled ships scheduled to transit Hawaii enroute to CONUS. All U.S. ports, including Hawaii, for customs: NAVSEACAR-COR Pearl Harbor, HI COMM RI RUHHLA	--	--	--	--	--	--	1	E	--	--	--	--
For Navy-sponsored cargo exported from CONUS: NAVMTO representative at MTMCEA or MTMCWA	--	--	--	--	--	--	1	H	--	--	--	--

Figure 3-C-11 (Cont.)

Distribution of Ocean Cargo Manifest

<u>Distribution to:</u>	Cargo Stowage Plan			Cargo Traffic Message			Cargo Manifest and Recapitulation			Cargo Manifest Summary		
	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>
<u>For Navy-sponsored cargo loaded on per diem ships at overseas terminals:</u> Commanding Officer NAVMTO ATTN: Code 06 Naval Station Building Z133-5 Norfolk, VA 23511-5000	--	--	--	--	--	--	1	M	--	--	--	--
<u>For all Marine Corps-sponsored shipments:</u> Commanding Officer MCLB Albany (Code A470) Albany, GA 31704-5000	--	--	--	--	--	--	1	E,M	K	1	E,M	K
CG, FMF Atlantic U.S. Naval Base Norfolk, VA 23511-5000 (Atlantic Ocean area discharge only)	--	--	--	--	--	--	1	M	--	--	--	--
CG, FMF Pacific FPO AP 96601 (Pacific Ocean area discharge only)	--	--	--	--	--	--	1	M	--	--	--	--
<u>For all U.S. Coast Guard-sponsored shipments:</u> Commandant (FA/71) U.S. Coast Guard Washington, DC 20591	--	--	--	--	--	--	1	M	--	--	--	--

Figure 3-C-11 (Cont.)

Distribution of Ocean Cargo Manifest

<u>Distribution to:</u>	Cargo Stowage Plan			Cargo Traffic Message			Cargo Manifest and Recapitulation			Cargo Manifest Summary		
	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>	No. of <u>Copies</u>	Dist <u>Method</u>	Re- <u>marks</u>
<u>For security assistance program cargo:</u> MAAG or Mission in the recipient country	3	X	--	1	E	C, D, E	10	X	B, C	10	M	C
Consignee TAC B address (MAPAD DoD 4000.25-8M) for FMS/Grant Aid classified shipments	--	--	--	1	E	--	--	--	--	--	--	--
<u>For vessels from MTMC-EA to MTMC-TTCE terminals:</u> Commander, MTMC-TTCE Rotterdam, Netherlands ATTN: MTC-TMD-O	--	--	--	1	E	--	--	--	--	--	--	--
<u>For all shipments of conventional ammunition:</u> HQ AMCCOM Rock Island, IL COMM RI RUCIHMA ILO RUCIAFP content indicator DKAZ	--	--	--	--	--	--	1	E	J	--	--	--

Figure 3-C-11 (Cont.)

Distribution of Ocean Cargo Manifest

Distribution to:	Cargo Stowage Plan			Cargo Traffic Message			Cargo Manifest and Recapitulation			Cargo Manifest Summary		
	No. of Copies	Dist Method	Re- marks	No. of Copies	Dist Method	Re- marks	No. of Copies	Dist Method	Re- marks	No. of Copies	Dist Method	Re- marks
<u>Shipment to</u> <u>CONUS ports with</u> <u>indicator codes</u> <u>beginning with 1 or</u> <u>2:</u> Commander, MTMC-EA ATTN: MTE-ITT Military Ocean Terminal Bayonne, NJ 07002-0001	--	--	--	--	--	--	1	M	M	--	--	--
<u>Shipment of</u> <u>CONUS ports with</u> <u>indicator codes</u> <u>beginning with 3 or</u> <u>4:</u> Commander, MTMC-WA ATTN: MTW-ITD Oakland Army Base Oakland, CA 94626-0001	--	--	--	--	--	--	1	M	--	--	--	--

Figure 3-C-11 (Cont.)

Explanation of Codes for Ocean Cargo Manifest Distribution

a. Method of distribution

<u>Code</u>	<u>Meaning</u>
E	Electrically transmitted message.
H	Hand delivery.
M	Regular mail.
V	On the ship carrying the cargo.
X	By fastest available means following vessel departure.

b. Remarks

- A Vessel papers may be substituted.
- B When prepared manually, the loading port distributes advance hard copy manifest data. When manifest data are transceived, the receiver distributes advance hard copy manifest data. For CONUS loading, MTMC distributes hard copy in addition to transceived manifest data to the overseas Army and Navy activities listed below. Any changes in hard copy requirements will be referred to MTMC.

Army WPOD

Navy WPOD

Bangkok, Thailand

NAVSTA Roosevelt Roads, P.R.

Sattahip, Thailand

NSA Naples, Italy

Vayama, Thailand

NAVSTA Argentia, Newfoundland
(hard copy only)

Manila, P.I.

NAVSTA Guantanamo Bay, Cuba
(hard copy only)

Inchon, Korea

Chinhae, Korea

Pusan, Korea

- C For WPODs or Agencies listed below, forward by distribution method X, the number of copies indicated:

Chief, MILTAG, Indonesia - 15 copies

JUSMAG, Thailand - 15 copies

MTMC UK Terminal - 3 copies

MAG or Mission in Turkey - 6 copies of recapitulation and 2 copies of the stow plan.

Figure 3-C-12

Explanation of Codes for Ocean Cargo Manifest Distribution

- C For all shipments destined to PODs JF_ (Germany), JG_ (Netherlands), JH_ (Belgium), and JM_ (Rhine), forward one additional manifest and cargo traffic message via DDN to HQ, 4th TRANSCOM, Oberursel, Germany//AEUTR-MOV//; DDN COMM RI RUFTACC, content indicator code DKAZ for ocean manifest; COMM RI RUFTACA for cargo traffic message.
- C For all shipments destined to PODs in Turkey, forward 12 copies of the ocean cargo manifest by air mail to the responsible Turkish WCA. Also forward a copy of the manifest by DDN to TUSLOG DET 10 INCIRLIK INSTL TURKY//LGT/ADP//. On all Atlantic, Gulf, or European sailings, manifests will be dispatched NLT 72 hours after vessel departure from last WPOD.
- C For all Navy-sponsored FMS shipments of arms, ammunition, and explosives, and RUs of inert component parts, send one copy of the manifest to the U.S. Navy International Logistics Control Office, Code 252, 700 Robbins Ave., Philadelphia, PA 19111-5000.
- C For cargo consigned to JUSMAG Spain/U.S. Navy resident Officer-in-Charge of Construction, forward one copy by air mail to OINCC, Contracts, Naval Facility Engineering Command, Spain.
- C For all export shipments of Navy ammunition containing N, M, P, R, V, or Z as the first digit of the TCN, forward one copy of the manifest to the Ships Parts Control Center, Code 8534, P.O. Box 2020, Mechanicsburg, PA 17055-0788.
- C For shipments of Army ammunition to Pacific WPODs, forward one copy of the manifest via DDN to Central Ammunition Management Office - Pacific, ATTN: SARCA-OP, Ft Shafter, HI. DDN COMM RI RUHHHMK.
- C For shipments of all ammunition to central European and UK area WPODs, forward a copy of the manifest by DDN to CDR 200TH TAMMC ZWEIBRUECKEN GERMANY//AEAGD-MMC-VP//. DDN COMM RI RUFTFDA.
- C For all shipments destined to Korea, forward a copy of the manifest by DDN to 25th Transportation Group, Korea. DDN COMM RI RUAGDPA.
- D Send one copy to MTMC Field Office - Pacific (for PACOM loading and discharge).
- D Send one copy to MSC Office Honolulu for cargo destined to consignees in CINCPAC area.
- D For shipments of Army ammunition to Pacific area WPODs, forward a copy of the CTM via DDN to Central Ammunition Management Office - Pacific, Ft. Shafter, HI// SARCA-OP//. DDN COMM RI RUHHHMK.
- D For shipments of Navy ammunition to Pacific area WPODs, forward one copy by DDN to COMSERVPAC.

Figure 3-C-12 (Cont.)

Explanation of Codes for Ocean Cargo Manifest Distribution

- E MAG copy for shipments to Taipei not required.
- F DDN COMM RI RUEOBED and content indicator code DKAZ is used to provide COMSC with ocean cargo manifest data. MTMCEA and MTMCWA transceive manifest data to COMSC by direct line. Activities without DDN capability forward hard copy manifests to MSC Area Commands, but not to COMSC Headquarters.
- G Provide five copies of the manifest to Masters of USNS and time charter vessels (terms of carriage codes 1 or 8) loading cargo overseas for discharge in CONUS.
- H This distribution is made only if the vessel's remaining itinerary calls for it to call at an MTMC CONUS terminal.

Distribution is made to the responsible MTMC OCCA. Mailing addresses are:

HQ MTMC Eastern Area	HQ MTMC Western Area
ATTN: MTE-ITEB	ATTN: MTW-ITX
Military Ocean Terminal	Oakland Army Base
Bayonne, NJ 07002-5000	Oakland, CA 94626-5000

- I For hazardous cargo shipments on MSC controlled ships to WPODs: H__(British Isles), J__(Northern Europe), K__(Western Mediterranean), and L__(Eastern Mediterranean), forward one copy of the complete hazardous cargo portion of the ocean cargo manifest to facilitate overseas port clearance of controlled vessels.
- J Forward one copy of the manifest via DDN. Overseas manifesting activities that do not have access to ADP/DDN support should mail a hard copy of the manifest to Commander, **AMSMC-TM**, Rock Island, IL 61299-5000.
- K Forward manifest data to Marine Corps Logistics Base, Albany, GA, using DDN COMM RI RUCLWAA, content indicator code AKAA. If manifests are normally prepared manually, mail a copy of the Marine Corps section as soon as possible.
- L When cargo manifest documents cannot be sent to CONUS WPODs by DDN or other electronic means, use appropriate mailing address from the following list:

<u>Port</u>	<u>Mailing Address</u>
1B1 - 1D6	Commander Portsmouth Naval Shipyard Portsmouth, NH 03804-5000
1ED	Commanding Officer Naval Air Station Quonset Point, RI 02819-5000

Figure 3-C-12 (Cont.)

Explanation of Codes for Ocean Cargo Manifest Distribution

<u>Port</u>	<u>Mailing Address</u>
All ports beginning with 1E_, except 1ED (<i>activity closed</i>) and 1EF	Commanding Officer Naval Construction Battalion Center Davisville, RI 02854-5000
1EF	FISC DET. NEWPORT 63 Chandler Street Naval Supply Depot Newport, RI 02841-5000
1G5	Commanding Officer Naval Weapons Station , Earle Colts Neck, NJ 07722-5000
1F_	Commander Military Ocean Terminal, Bayonne MTMC Eastern Area Bayonne, NJ 07002-5000
1L1	Commander MTMC 1301st Major Port Command Baltimore Det. Dundalk Marine Terminal Baltimore, MD 21222-5000
1M_	Commanding Officer Ocean Terminal Code 302 FISC 1868 Gilbert Street., Suite 600 Norfolk, VA 23512-5000
1N1 through 1N4	Commanding Officer 1303rd Major Port Command Southport, NC 28461-5000
1P_	MTMC 1304th Major Port Command 1050 Remount Road North Charleston, SC 29406-3500
1R1	MTMC Cape Canaveral Bldg. 1063 Cape Canaveral Air Station Cape Canaveral, FL 32920-4499
2A1	MTMC New Orleans 1314th Medium Port Command Bldg. 601A 4400 Dauphine Street New Orleans, LA 70146-7200

Figure 3-C-12 (Cont.)

Explanation of Codes for Ocean Cargo Manifest Distribution

<u>Port</u>	<u>Mailing Address</u>
2B1	Commander MTMC Mobile Detachment Gulf Outport P.O. Box 2725 Mobile, AL 36652-2725
2E1	<i>MTMC Beaumont Detachment 1314th Medium Port Command Beaumont Headquarters 1255 Main Street Beaumont, TX 77701</i>
3A1	<i>1302nd Major Port Command Oakland Army Base Oakland, CA 94626-5000</i>
3CD	Commanding Officer Naval Weapons Station Concord, CA 94520-5000
3DC	Commanding Officer Naval Air Station Alameda, CA 94501-5000
3G1	Naval Construction Battalion Center <i>Code 65/651 Bldg. 543</i> Port Hueneme, CA 93041-5000
3H_	<i>1312th Medium Port Command 1620 S. Wilmington Avenue Compton, CA 90220-5115</i>
3J_	<i>Receiving Officer Defense Distribution Depot Bldg. 3304 Naval Station San Diego San Diego, CA 92136</i>
4A1	<i>1313th Medium Port Command 4735 East Marginal Way South Seattle, WA 98134-5000</i>

M For shipments from the Azores to east coast points, forward a copy of the manifest to COMSCEUR, DOE Complex, Block 1, East Cote Road, Ruislip, Middlesex, HA48BS, England.

Figure 3-C-12 (Cont.)

Distribution of Ocean Bill of Lading

This figure must be used in conjunction with figure 3-C-12 which explains the letter codes used in the distribution method column.

Activity or Agency	Government Bill of Lading		Commercial Bill of Lading-Collect convertible to GBL		Commercial Bill of Lading - Collect nonconvertible to GBL		Commercial Bill of Lading - Prepaid nonconvertible to GBL	
	Copies	Dist Method	Copies	Dist Method	Copies	Dist Method	Copies	Dist Method
Receiving activity at POE designated on the Bill of Lading or the consignee	2 memos	X	1st orig & 2 memos	X	2d orig & 2 memos	X	1st orig & 2 memos	X
Ocean Carrier	Orig. & 2 memos	X	Orig. GBL & 1st orig. CBL ¹¹	X				
Activity offering the cargo for booking	1 memo signed by carrier's agent	X	3d orig	X	3d orig	X	3d orig	X
MSC paying command ¹²	3 memos	X	2d orig & 1 memo plus 1 GBL with converted CBL	X	1st orig & 2 memos	X	2d orig & 1 memo	X
Booking office	1 memo	X	1 memo	X	1 memo	X	1 memo	X
MSC port representative unless the same as the MSC paying command ¹²	1 memo	X	1 memo	X	1 memo	X	1 memo	X

Figure 3-C-13

¹¹ Distribution made by the receiving activity at the POD.

¹² The addresses for MSC area and subarea commands are listed in appendix F16.

SECTION D. PORTS OF DEBARKATION (POD) INCLUDING INTRACOUNTRY AIR AND WATER DTS TRANSSHIP PORTS

1. General

a. PODs are authorized points where shipments enter a country, either a foreign country or the United States. A POD may be either an APOD or WPOD.

b. Other ports which process (receive) DTS transshipments from within the country (e.g., the theater interport portion of an international shipment) follow the same MILSTAMP requirements. For simplicity of explanation, these intracountry DTS transshipments are included with the procedures for PODs.

c. Common user military water terminals (and military-sponsored shipments transshipped through commercial terminals) in CONUS and at selected overseas locations are operated or managed by MTMC. At other locations, the theater commander provides for water port operation. AMC operates or arranges operation of air terminals serving AMC channels flown by scheduled AMC airlift. Aerial ports that are not operated by AMC are provided by the branch of Service that operates them, or, in the case of the Air Force, by the major command concerned.

2. Procedures

a. Receiving for transshipment:

(1) Shipments arrive at PODs by either air or water and are usually preceded or accompanied by the appropriate TCMD data in manifest format. Water PODs initiate inquiries seeking corrective action when manifests are late or incorrectly prepared. (Repeated failures are reported to the DoD MILSTAMP System Administrator through Service/TCC channels.)

(2) The POD uses the manifests (received in either automated or manual format) to plan for arrival of the cargo, assemble discharge tallies and clearance forms, produce forwarding documents, expedite shipments, and notify consignees (including breakbulk points) or personal property carriers of cargo arrival. With approval of the consignee, the POD may provide the manifests in automated instead of manual format. In addition, in CONUS, the manifest data is provided to all activities specified by the sponsoring Service.

(a) Military terminals use manifest data to prepare documentation for use by the Military activity and to provide commercial carriers documentation for informational use only. The Military terminal gives customs clearance forms to the ocean carrier for vessels discharging at Military ports, but furnishes clearance forms only on request for vessels discharging at commercial facilities. Terminal operators coordinate with local customs officials and provide the documentation prescribed by DoD 5030.49-R (reference v), in CONUS or applicable area requirements overseas. Commercial carriers are directly responsible for manifesting, accounting, reporting, and customs clearance requirements on TGBL shipments.

(b) The Military activity responsible for the POD notifies household goods (Code 5 or T) and baggage (Code 8 or J) carriers or their agents of the impending or actual arrival of personal property shipments. To ensure prompt pickup and delivery, the notification is made as soon as possible, but not later than 48 hours after receipt of the manifest. The carrier or agent is provided the following information:

1 Sponsoring member's name and grade.

2 Shipment unit TCN.

3 POD.

4 Actual or estimated time of arrival.

5 Vessel name and voyage number, if by surface.

(c) Terminal activities also use the manifest to plan security and prompt onward movement of all shipments and especially for safeguarding hazardous, classified, and protected cargo.

(d) Water PODs establish a vessel register or file to document the status of each ship scheduled to arrive for unloading. The register or file contains information and documents such as the cargo traffic message, CORMs and CORMRs, stowage plans, and manifests. The WPOD establishes procedures and followup action to ensure information in the register is complete.

(3) The discharging activity documents actual receipt of cargo from aircraft or vessels and maintains an audit trail using the manifest, TCMDs, or locally produced discharge tallies. Whenever cargo is to be discharged by a Military activity or its designated agent, every reasonable effort is made to inspect the cargo for damage or pilferage prior to removal from the vessel or aircraft. The inspection is always accomplished not later than the first point of rest after discharge.

(a) Air PODs annotate cargo/mail manifests with:

1 The GMT hour/day the cargo/mail is received.

2 A circle around the entry for any line item manifested, but not on the aircraft. A short shipment report is forwarded to the manifesting station, each stopoff point, and the destination terminal.

(b) Water PODs ensure the discharge documents include:

1 The vessel name (or class and number, if unnamed) and voyage document number.

2 The WPOD.

3 The berth or pier identification.

4 The TCN of the individual shipment unit if loose; otherwise, the TCN of the major consolidation container (SEAVAN, CONEX, etc.).

5 The stowage location for breakbulk cargo or SEAVAN and seal numbers.

6 The commodity code.

7 The type pack code.

8 The checker's tally of actual pieces.

9 The weight and cube from either the manifest or checker's tally.

10 Remarks by the checker (e.g., over, short, damaged).

etc.).

11 Cargo disposition (e.g., to warehouse designation; truck, railcar, or barge number;

12 Signature of checker.

13 Date of the tally.

(c) All PODs prepare a complete tally for cargo discharged, but not manifested (sometimes called overlanded). Such cargo is reported to the POE and/or intermediate stops on the itinerary, then processed for onward movement to the consignee by the appropriate method as detailed in paragraph D.2.c. Discrepancy information is prepared as detailed in paragraph D.2.b.

(d) Discharge documents are not classified, do not identify the classification of cargo, and contain only that information necessary to properly identify the materiel for accurate piece count and processing. Classified and protected cargo is, however, discharged as soon as possible after aircraft or vessel arrival.

b. Reconciling discharge discrepancies:

(1) The POD reports cargo damage and reconciles discrepancies between manifested shipments and those actually discharged. The POD eliminates many of the differences by comparison with previous overage or shortage reports, and by communicating with the POE and any other stops on the aircraft or vessel itinerary.

(a) APODs report discrepancies within the period designated by the major command (e.g., AFMC, AMC). Overages are recorded by the activities which processed the shipment. Unreconciled shortages are reported by the APOD to the requisitioner to allow reordering.

(b) WPODs report discrepancies (or the absence of discrepancies) within 14 calendar days using the CORM.

1 The CORM consists of two parts.

a Part I, the advisory, is the WPOD's report to MSC, the WPOE, activities with jurisdiction over the cargo movement beyond the WPOD, and other selected addressees. It reports the vessel arrival and discharge dates and whether the manifested cargo has or has not changed in quantity or condition while under the control of the ocean carrier. It also advises of any variance from the contract terms that may affect payment of freight charges and permits MSC to promptly process for payment all invoices submitted by commercial steamship operators.

b Part II, the reconciliation, is the WPOD's report to the WPOE and intermediate ports. It reports apparent damage or pilferage (if any), specifies overages and shortages, and requests verification of shipment details to reconcile any discrepancies. Consolidation containers, including SEAVANs, RORO trailers, CONEXs, etc., are reconciled on a one-for-one basis. Breakbulk cargo, however, is reconciled only when there is an overage or shortage in total manifest lines or if individual variances are significant due to value, commodity, etc.

2 The activity responsible for vessel discharge prepares the CORM as detailed in figure 3-D-1 and forwards it by ETM to the following:

a The activity responsible for the WPOE (for CONUS see figure 3-C-12).

b MSC areas/subareas where cargo is/was loaded or discharged (appendix F18).

c For cargo loaded in CONUS, the MTMC area command for the WPOE (appendix J).

d As information addressees, the OCCA that booked the cargo and the activity responsible for each port on the vessel itinerary where Government cargo is/was discharged.

3 In answer to the CORM, the WPOD receives the CORMR from the WPOE. The use and content of the CORMR are detailed in paragraph C.2.d.(2)(b)Z.

4 The WPOD reports unreconciled discrepancies, and discrepancies to Government-owned dunnage and lashing gear, according to the requirements of joint regulation AR 55-38 (reference q).

(2) The POD forwards shipments received (onhand), but not manifested for discharge at that activity, as soon as possible. Those shipments for consignees serviced by the POD are forwarded, with documentation produced by the POD, according to the procedures detailed in paragraph D.2.c. Shipments for consignees not serviced by the POD are forwarded according to the following procedures.

(a) The APOD reports the unmanifested shipment to the APOE within 24 hours of receipt. To preclude further delay, the APOD processes the cargo as an intransit shipment and forwards it to the correct destination terminal by the first available aircraft. The APOD also prepares any necessary documentation for manifesting and further cargo accountability.

(b) The WPOD reports, as soon as possible, cargo which has been discharged prior to reaching the destination port (shortlanded) or cargo for a previous port found still onboard the vessel (overcarried). The report is made by priority ETM to the consignee, the WPOD shown on the cargo, the WPOE, the appropriate booking activity, and (when prescribed by the theater commander or sponsoring Service) the supply management activity.

1 If the cargo was shortlanded due to a diversion, the WPOD forwards the cargo as detailed in paragraph D.2.f.(2)(d). If the cargo is shortlanded for any other reason, the discharging WPOD determines the reason for early discharge and coordinates with the activities/Agencies indicated in subparagraph (b) above to ensure shipment to the consignee. Disposition action is reported on the CORM and the cargo is usually forwarded on the next available vessel which has proper routing and timely delivery. The terminal forwarding the cargo provides manifest documentation at the time of reshipment.

2 When a WPOD discovers overcarried cargo, the vessel's itinerary is reviewed (before discharge, if possible) to determine the best port at which the cargo should be discharged. The WPOD doing the review considers the ports at which the vessel will call as well as the shipping available between those ports and the intended destination of the cargo. To preclude unnecessary handling and backhauls, the shipper, consignee, or WPOD to which the cargo was originally manifested provides disposition instructions prior to actual reshipment. Finally, if the ocean carrier is responsible for the overcarriage, the discharging terminal takes action with MSC through the booking office to ensure the Government is reimbursed for any additional handling or transportation costs incurred.

c. Clearing cargo from the POD. After cargo is discharged from the aircraft or vessel, the shipments are forwarded to the consignee. At APODs the ITO/TMO usually arranges the onward movement,

while at WPODs the Military activity responsible for the port arranges onward movement. SEAVANs, regardless of where discharged, are forwarded, as manifested, to the SEAVAN consignee including breakbulk points, either directly or via stopoffs.

(1) When shipments arriving at air terminals are to continue movement by air in the DTS, the air terminal coordinates transshipment arrangements (including necessary air clearances). All other onward movement, including local surface delivery or reentry into the DTS at a different air terminal, is arranged by the responsible transportation office (ITO, TMO, etc.). The APOD provides the applicable manifest and intransit data to allow timely onward movement. The responsible transportation office, in turn, secures necessary clearances and forwards the shipment using a DD Form 1385 (manifest) for Government trucks, a GBL/CBL for commercial delivery, or other applicable documentation. After movement, the responsible transportation office advises the air terminal (by TCN, carrier, bill number, and hour/day) how and when the onward movement was made. Local procedures are established to ensure cargo leaving the APOD is actually received by the consignee.

(2) The Military terminal activity responsible for the WPOD begins arranging onward movement of cargo upon receipt of the vessel manifest. These arrangements include planning for necessary port clearance transportation, reviewing the compatibility and other pertinent characteristics of hazardous materials, and (when possible) preparing movement documents in advance of vessel discharge. After discharge, the WPOD reports cargo availability to the consignee, either directly or through an established MCA.

(a) When notified that delivery can be accepted, the Military terminal or MCA coordinates the onward movement within priorities on a first-in/first-out basis unless the RDD or advice by the consignee or sponsoring Service indicates an overriding urgency for (a) particular shipment(s). Actual onward movement is documented according to local procedures on a DD Form 1384, DD Form 1385, GBL/CBL, or similar applicable document containing essential TCMD data (TCN, WPOD, consignee, pieces, weight, and any applicable SEAVAN and seal numbers).

(b) Inland (local) drayage or linehaul movement of SEAVANs contracted under the MSC Container Agreement and Rate Guide (reference p) is not documented on a bill of lading unless part of the movement is arranged or paid for by the Government directly (not by the ocean carrier). This responsibility for payment is indicated by the SEAVAN service code in rp 16 of the SEAVAN TCN (see appendix C, paragraph 10.).

1 If the destination service code (rp 16) is "K," indicating the ocean carrier's responsibility ends at the ocean terminal, the activity responsible for the WPOD issues a bill of lading for the inland linehaul or drayage of the SEAVAN. The preparing activity includes in the bill of lading: the SEAVAN TCN (from the manifest), the TCN of each shipment unit in the SEAVAN, and the full van and seal numbers. The bill of lading is distributed as detailed in the DTMR (reference j), or applicable theater directives.

2 If the destination service code (rp 16) is L, M, S, T, or 1-9, indicating the inland movement from the WPOD is the responsibility of the ocean carrier, the terminal activity does not issue a bill of lading. Instead of a bill of lading, the activity issues a manual TCMD (DD Form 1384) or similar nonnegotiable document according to local procedures. The document includes the SEAVAN prime data with the seal and van number and the activity retains a signed copy to record acceptance by the carrier.

3 The terminal activity coordinates with the theater commander or (in CONUS) MTMC to ensure the consignee receives, as a minimum, advance manifest data and anticipated delivery date. The terminal activity also establishes procedures to enable complete records of receipt, detention, and accountability of SEAVANs. If notified by the consignee that a SEAVAN has not been received, the terminal activity takes

action to trace the SEAVAN including notifying the clearance authority/booking office and security authorities, if appropriate.

(c) Security of cargo, especially protected or classified cargo, is ensured by the Military terminal responsible for the WPOD. To further enable accountability and timely movement of cargo from the port, the terminal or (in CONUS) MTMC maintain a detailed inventory of cargo onhand. This inventory includes such details as:

- 1 TCN.
- 2 For applicable shipments, the SEAVAN number and owner's identification.
- 3 Consignee.
- 4 Cargo/SEAVAN location in the terminal area.
- 5 Vessel name and voyage number from which the cargo was discharged.
- 6 Cargo/SEAVAN discharge date and age.
- 7 Pieces, weight, and cube for each consignee (with a separate list for protected and classified cargo).
- 8 TP and RDD.

(d) The owners (or owners' agent) of all POVs discharged by the WPOD and cleared by customs are promptly notified their vehicles are available. Further requirements, including documentation, are contained in applicable personal property regulations.

(e) Local procedures are established to document forwarding of cargo from the WPOD to the consignee. Shortages and pilferages are reported to the appropriate security authorities. While similar, these procedures do not replace those required by joint regulation AR 55-38, et al. (reference q).

d. The POD may also submit intransit data for use in measuring transportation performance in the movement of MILSTRIP shipments. The responsibilities for intransit data preparation vary at different types of PODs. General requirements are listed below with specific instructions detailed in appendix L.

(1) Final intratheater airlift terminals submit intransit data with DI TK3 for shipments received unless the shipments are intended for onward movement overseas. If the consignee is not located on the same installation as the terminal and there is no local agreement for the terminal to make the delivery entry, the APOD sends the DI TK3 to the consignee.

(2) AMC APODs submit intransit data with DI TK6 for shipments received. The APOD may also enter the consignee receipt date (rp 15-17) when it can be determined and an appropriate local agreement has been reached with the consignee.

(3) WPODs do not complete intransit data since the discharge date is reported by the WPOE as determined from the CORM.

e. The WPOD also accomplishes CBLs or prepares GBLs for cargo which moved over ocean on a CBL. The requirements are detailed in paragraph C.2.d.(2)(b)6c(2) and (3).

f. Holding, diverting, and tracing shipments are all actions in which the POD may be involved due to irregular or interrupted movement of cargo in the DTS. In addition to the instructions below, formats for documenting these actions are detailed in appendix M.

(1) The POD may hold and/or divert a shipment at the request of the sponsoring Service or for such reasons as an embargo. The hold is intended to be brief and only long enough for the POD to receive diversion/disposition instructions from the sponsoring Service or clearance authority. As an exception to blanket holds placed on shipments during mass cancellation situations, shipments with "555" in the RDD field (rp 54-56) are not held, but processed through the POD in accordance with the transportation priority on the TCMD.

(2) A transportation diversion is normally limited by cost, but may be a change of mode (e.g., theater truck to theater air), a change of destination, and/or a change of route.

(a) Once a shipment has left the shipper, the cost of handling normally limits diversion (or hold) authorization. In addition, after leaving the shipper, only complete shipment units are diverted; i.e., individual items are not removed from multiple line shipment units nor is a shipping container removed from a multicontainer shipment unit with one TCN.

(b) After the shipment has reached the POD, a diversion between modes normally occurs only as a result of a change in the urgency of need. Such a change may result in a planned surface shipment being moved by air and is coordinated by the applicable theater or CONUS clearance authority.

(c) A diversion to a different consignee or destination may result from conditions such as:

- 1 Strikes, national disturbances, or acts of God.
- 2 Supply cancellations.
- 3 Terminations of projects.
- 4 Changes in logistics buildup.
- 5 Modification of permanent change of station orders authorizing personal property shipments.
- 6 Change in the receiving locations for mobile units.

(d) Diversion in the route of a shipment normally occurs within a particular mode (i.e., air or water) and is usually directed by the clearance authority. Such a diversion may result in some or all of the cargo onboard an aircraft or vessel being discharged at other than the originally manifested POD.

1 The command authorized to request a diversion notifies, by ETM or automated format, all concerned parties; i.e., POEs, all PODs (old and new) on the itinerary, and (for surface) the MSC area/subarea commands having cognizance over the old and new WPODs. When cargo or an entire aircraft or vessel is diverted, the new POD assumes the responsibility for cargo discharge, documentation, discrepancy reporting, and disposition of the cargo.

2 Whenever possible, the old WPOD provides the new WPOD with cargo manifests and supporting documents for all shipments to be discharged. The old WPOD retransmits the manifest as originally prepared instead of remanifesting to indicate the diversion. In the air system, the cargo manifest documents and/or cards are usually onboard the aircraft. When not possible for the old WPOD to retransmit the manifest, or when the aircraft is not carrying the manifest, the new POD prepares a manifest based on the discharge tallies. Required customs documentation not accompanying the shipment is forwarded from the old POD to the new POD by the fastest means available. Diversion instructions account for all cargo aboard a diverted aircraft or vessel.

(3) Shipment tracing through MILSTAMP allows the requesting or receiving activity to use modified supply system data to locate a shipment in the transportation system. While tracing assistance is normally obtained from the clearance authorities, the POD may occasionally be asked for shipping data. The POD responds to such requests by providing all available information. The formats used for tracing are prescribed in appendix M.

g. After completing a shipment, the POD maintains records detailing the actions undertaken. Various Service publications detail the length of time and method for keeping such files.

Cargo Outturn Advisory and Reconciliation Message

FROM: Vessel discharging activity
TO: Activity responsible for WPOE
MSC area/subarea command of the WPOE MTMC area
command for CONUS loaded cargo
INFO: Activity responsible for each port of call Booking office that
booked the cargo

SUBJ: Cargo Outturn Advisory and Reconciliation Message

1. PART 1 - ADVISORY.

2. Enter the WPOD in code and clear text as well as the three position day-of-the-year of vessel arrival and discharge completion. If cargo has been diverted from another port, indicate the port from which it is diverted following the discharge data. For example:

POD - JF1 BREMERHAVEN 278/281
POD - JF1 BREMERHAVEN 278/281 DIVERSION FROM JG1 ROTTERDAM

3. Enter name, voyage number, and vessel status/terms of carriage for the vessel on which the cargo was manifested. If the cargo is received on a different vessel, indicate the delivering vessel in parentheses following the basic entry. For example:

SS NEVERSINK A1234 61 (SS LEAKS ALOT)

4. Enter an indicator of manifest receipt, the number of supplements received, and the ocean bill of lading number, if applicable. For example:

MANIFEST RECEIVED NO SUPP
MANIFEST AND SUPP 1 RECEIVED GBL X7654321

5. Determine the agency responsible for each discharge element:

- a. The agency that discharged the cargo
- b. Agency responsible for discharge costs.
- c. Agency responsible for paying port charges.

Figure 3-D-1

Cargo Outturn Advisory and Reconciliation Message

	(a)	(b)	(c)
		Paying	Paying
		Discharge	Port
<u>Agency</u>	<u>Discharging</u>	<u>Costs</u>	<u>Costs</u>
U.S. Army	DISARM	REARM	PCUS
U.S. Navy	DISNAV	RENAV	PCUS
U.S. Air Force	DISAF	REAF	PCUS
Commercial operator	DISOP	REOP	PCOP
Foreign government (MAP)	DISGOV	REGOV	PCGOV

Select and enter codes from the above table as per the following example:

DISARM/REARM/PCUS

6. Enter the WPOE and indicate whether all cargo manifested was received in apparent good order (CAGO) or with discrepancies including overages, shortages, or damages (OSOD). For example:

IGC CAGO or IGC OSOD

7. Enter "PART II -- RECONCILIATION."

8. a. If the entry for cargo condition (paragraph 6) was CAGO, enter "NEGATIVE." No further entries are necessary.

b. If the entry for cargo condition (paragraph 6) indicates an overage and/or shortage, detail the discrepancies by line entries for each WPOE under the following column headings:

<u>Heading</u>	<u>Data Indicated</u>
ITEM	Item number. Enter sequentially starting with 1 for each WPOE
TCN	Transportation Control Number
CNTR NO	Container number (SEAVAN, MILVAN, RORO, CONEX)
OWNER	Container owner code (SEAVAN/MILVAN only)
COMMOD	Commodity/special handling code
PACK	Type pack code
MANIF	Number of pieces manifested
DISCH	Number of pieces discharged

Figure 3-D-1 (Cont.)

SECTION E. BREKbulk POINT

1. General

a. Breakbulk points are transshipping activities which receive multiple consignee shipments which have been unitized, usually in a SEAVAN or MILVAN. The breakbulk point separates the unitized shipments into individual shipment units and forwards the individual shipment units to the ultimate consignee.

b. A breakbulk point may be located at inland sites or at WPODs or APODs.

c. Shipments are consigned to a breakbulk point when sufficient volume is not available for direct shipment to the ultimate consignee. Since the additional handling at the breakbulk point increases costs and the opportunity for loss or damage, shipments are routed through a breakbulk point only when a single consignee shipment or use of stop-off service (for SEAVANs) is not economically feasible.

2. Procedures

a. Receiving for transshipment

(1) Shipments arrive at breakbulk points accompanied by appropriate TCMD data for both the unitized shipment and the individual shipment units which it contains. Documentation for the unitized shipment may be a bill of lading, TCMD, or other document containing appropriate movement data. Documentation for the contents of the unitized shipment, i.e., the individual shipment units, may be in the form of manual TCMDs (DD Form 1384), a cargo load list, manifest, *automated records* or other documents sufficient to allow accountable transshipping. Breakbulk points which receive shipments without documentation initiate inquiries seeking corrective action.

(2) The breakbulk point reports to the POD that the unitized shipment has been received. Local reporting procedures are established and, for surface shipments, require the breakbulk point to return to the WPOD a copy of the receiving document. The signed document contains the day of receipt and condition of the cargo or SEAVAN, including the SEAVAN seal (if applicable). The breakbulk point sends the receipt to the WPOD within 10 calendar days of receiving the unitized shipment. Similarly, the breakbulk point notifies the WPOD when a SEAVAN is not received within 10 calendar days of its anticipated delivery.

(3) Breakbulk points coordinate with the POD to ensure timely receipt of SEAVANs, customs examination if necessary, and prompt release to the carrier after unloading the SEAVAN contents. The breakbulk point makes every reasonable effort to unload (unstuff) the SEAVANs during the free time allowed by the ocean carrier. Failure to release the empty SEAVANs within that free time results in detention charges. These detention charges are billed separately from the ocean charges and are assessed against the activity considered responsible for causing the costs to be incurred.

b. Unloading (unstuffing) the unitized shipment

(1) The breakbulk point unloads the unitized shipment, tallies the cargo, and segregates the individual shipment units for onward movement to the ultimate consignee. The load list accompanying the unitized shipment (in some format) is used to ensure all cargo loaded is actually received and to provide the basis for an audit trail.

(2) When a discrepancy (overage, shortage, or damage) between the load list and the actual discharge tally is discovered, the breakbulk point documents and reports the discrepancy according to the requirements of joint regulation AR 55-38 et al. (reference q). Receiving, remarking, repacking, and similar

services necessary for safe onward movement of the shipment are provided by the breakbulk point. If the shipment was not prepared by the shipper according to military standards (except for marking), the breakbulk point obtains either a fund citation for correction of the deficiency (unless such costs are incorporated in other handling charges) or disposition instructions from the sponsoring Service. The breakbulk point reports inadequate shipment preparation according to the requirements of joint regulation DLAR 4140.55, et al. (reference r).

(3) Breakbulk points also use the load lists and discharge tallies to plan security and prompt onward movement of all shipments and especially for safeguarding hazardous, classified, and protected cargo.

(4) The breakbulk point maintains a cargo of onhand inventory according to local procedures. This inventory enables accountability and timely movement of cargo from the breakbulk point. This inventory normally includes such details as:

(a) TCN.

(b) Consignee.

(c) Cargo location in the breakbulk point area.

(d) Vessel name and voyage number and/or SEAVAN number (including the owner abbreviation) from which the cargo was discharged.

(e) Cargo and SEAVAN receipt date and age at the breakbulk point.

(f) Pieces, weight, and cube for each consignee (with a separate list for protected and classified cargo).

(g) TP and RDD *or expedited handling/transportation signal*.

c. Forwarding cargo to the consignee. After separating the cargo into individual shipment units, the breakbulk point arranges for onward movement.

(1) Most shipments are forwarded by surface direct to the ultimate consignee. The breakbulk point forwards shipments, within priorities, on a first in-first out basis unless the RDD or advice by the consignee or sponsoring Service indicates an overriding urgency for a particular shipment. When possible, the breakbulk point prepares the movement documents in advance of actual cargo receipt to permit rapid transshipment. This movement is arranged and documented according to local procedures. The documentation may be a DD Form 1384, DD Form 1385, GBL, CBL, or similar document containing essential TCMD data (TCN, breakbulk point, consignee, pieces, weight, and cube).

(2) The breakbulk point notifies household goods (code 5 or T) and baggage (code 8 or J) carriers or their agents when personal property is available for pick up. Similarly, POV owners or their agents are notified when the vehicles are available. Further requirements, including documentation, are contained in applicable personal property regulations.

(3) Local procedures are established to ensure cargo leaving the breakbulk point is actually received by the consignee. When the breakbulk point is operated in conjunction with a WPOD, these receipt procedures are as detailed in paragraph D.2.c.(2)(e). Inland breakbulk points establish their own procedures and/or use those detailed in joint regulation AR 55-38, et al. (reference q), or applicable theater publications overseas.

d. The breakbulk point does not normally prepare intransit data. However, if the breakbulk point is operated in conjunction with a POD, preparation may be required as detailed in paragraph D.2.d., of this chapter.

e. Holding, diverting, and tracing shipments are all actions in which the breakbulk point may be involved due to irregular or interrupted movement of cargo in the DTS. In addition to the instructions below, formats for documenting those actions at breakbulk points operated by a POD are detailed in appendix M.

(1) The breakbulk point may hold and/or divert a shipment at the request of the sponsoring Service or for such reasons as an embargo. The hold is intended to be brief and only long enough for the breakbulk point to receive diversion/disposition instructions from the sponsoring Service or clearance authority. As an exception to blanket holds placed on shipments during mass cancellation situations, shipments with "555" in the RDD field (rp 54-56) are not held, but processed through the breakbulk point in accordance with the TP on the TCMD.

(2) A transportation diversion may be a change of mode, a change of destination, and/or a change of route.

(a) Only complete shipment units will be diverted, i.e., individual line items will not be removed from multiple line shipment units, nor will a shipping container be removed from a multicontainer shipment unit under one TCN.

(b) After the shipment has reached the breakbulk point, a diversion between modes normally occurs only as a result of a change in the urgency of need. Such a change may result in a planned surface delivery being moved by air and is coordinated by the applicable theater Traffic Management/MCA or CONUS clearance authority.

(c) A diversion to a different consignee or destination may result from conditions such as:

- 1 Strikes, national disturbances, or acts of God.
- 2 Supply cancellations.
- 3 Terminations of projects.
- 4 Changes in logistics buildup.
- 5 Modification of permanent change of station orders authorizing personal property shipments.
- 6 Change in the receiving locations for mobile units.

(3) Shipment tracing through MILSTAMP allows the requesting or receiving activity to use modified supply system data to locate a shipment in the transportation system. While tracing assistance is normally obtained from the clearance authorities, the breakbulk point may occasionally be asked for shipping data. The breakbulk point responds to such requests by providing all available information. The formats used for tracing are detailed in appendix M.

f. After completing a shipment, the breakbulk point maintains records detailing the actions undertaken. Various Service publications detail the length of time and method for keeping such files.

Appendix A

DEFINITIONS

This appendix is a compilation of definitions for words and terms used in MILSTAMP, Volume I.

Accessorial Services:

FMS: Separate charges added to the standard price of materiel for each FMS case. The charges cover expenses of packing, handling, crating, transportation, and supply operations associated with preparation and delivery of FMS materiel.

Land: Charges by a carrier for rendering service in addition to the linehaul. Such services may include sorting, packing, cooling, heating, switching, delivering, storage, reconsigning, etc.

Ocean: Those services for which the ocean carrier is not responsible under the terms of the applicable commercial tariff or MSC contract rate, but which are required to complete the receipt and delivery of freight between common carriers and consignors or consignees.

Address Marking: Applying data, obtained from shipping documents, to a shipment unit. The data identifies the shipment and directs its movement to the ultimate consignee.

Air Charter Service: Air transportation procured from commercial carriers for the exclusive use of one or more aircraft between points in the United States for periods of less than 90 days.

Airlift Clearance Authority (ACA): A Service activity which controls the movement of cargo (including personal property) into the airlift system.

Airlift Services: The performance or procurement of air transportation and services incident thereto required for the movement of persons, cargo and mail.

Allocation: Apportioning available transportation capability to users.

Ammunition/Explosives: A device charged with explosives, propellants, pyrotechnics, initiating composition, or nuclear, biological, or chemical materiel for use in connection with defense or offense, including demolitions. Ammunition which can be used for training, ceremonial, or nonoperational purposes is included.

Army or Air Force Post Office (APO): A military post office, numerically designated as a branch of a U.S. Post Office, activated, manned and operated by the Army or the Air Force to provide postal services to authorized organizations and personnel.

Baggage: Includes, but is not limited to, personal clothing; professional equipment; essential dishes, pots, pans, linens, and other light housekeeping items; and other items necessary for the health, welfare, and morale of the member.

Accompanied Baggage: Baggage which accompanies the passenger while traveling.

Unaccompanied Baggage: That portion of a member's authorized weight allowance of personal property which does not accompany the passenger and is normally shipped separately from the bulk of his personal property by expedited transportation.

Hold Baggage: Baggage stowed in the hold of a ship.

Basic Issue Item: Accessories and tools necessary to operate an end item, i.e., vehicle.

Berth Term: Shipments by commercial common carriers operating on established routes at commercial tariff rates. Commercial carriers are normally responsible for loading and unloading cargo. Heavy lifts beyond certain weights are specified in most tariffs as subject to a heavy lift charge in addition to the prescribed freight rate.

Bill of Lading:

Commercial (CBL): A contract between the shipper and the carrier whereby the carrier agrees to furnish transportation service subject to the conditions printed on the reverse side of the bill of lading. The face of the CBL designates such pertinent information as the route, delivering carrier, name of shipper, consignee, date, description of articles, number of packages, weight, signature of the carrier's agent for receipt of the freight, and signature of the shipper's representative responsible for releasing the shipment to the carrier.

Government (GBL): Same as CBL, plus the GBL contains the name (with or without a signature) and title of the issuing officer, name of the issuing office, name of the Government agency against which charges are billed, appropriation chargeable, GBL number and departmental symbol, authority for the shipment, and a showing as to actual delivery and extent of loss and damage.

Block Stowage Loading: A method of loading whereby all cargo for a specific destination is stowed together. The purpose is to facilitate rapid offloading at the destination, with the least possible disturbance of cargo intended for other points.

Breakbulk Point: A transshipping activity to which unitized shipments for various consignees are consigned and from which the shipments are distributed as separate shipment units to the ultimate consignees.

Bulk Cargo: Dry or liquid cargo, such as oil, coal, grain, ore, sulfur, or fertilizer which are shipped unpackaged in large quantities.

Cargo: Supplies, materials, stores, baggage, or equipment transported by land, water, or air.

Carrier: Any individual, company, or corporation commercially engaged in transporting cargo or passengers.

Carrier Tariff Rates: Rates charged the general public by surface, air, or water carriers engaged in the transportation of property.

Case Designator: A unique code used with a country identification code to identify a particular foreign military sale. It is a three character designation.

Civil Post Office: A U.S. Post Office, branch, station, or moneyorder unit operated by employees of the USPS or under contract with that Service.

Classification, Freight: (1) A system of grouping and rating similar commodities for use in applying class rates. (2) A publication (Freight Classification Guide) listing articles by class for use in applying rates.

Classified Matter: Official information or matter in any form or of any nature which requires protection in the interest of national security.

Clearance Authority: The activity which controls and monitors the flow of cargo into the airlift or water transportation system. (See Airlift Clearance Authority and Ocean Cargo Clearance Authority.)

Code 5 (International Door-to-Door Container Surface Government): Defined in DoD 4500.34-R, Personal Property Traffic Management Regulation, chapter 2.

Code J (International Land-Air (AMC)-Land Baggage): Defined in DoD 4500.34-R, chapter 2.

Code T (International Door-to-Door Container-AMC): Defined in DoD 4500.34-R, chapter 2.

Commodity Category: Grouping commodities with similar characteristics for purposes of manifesting, billing, cost accounting, contractor payment, and special handling.

Common Servicing: That function performed by one Military Service in support of another Military Service for which reimbursement is not required from the Service receiving support.

Common-User Water Terminal: A facility which regularly provides (for two or more Services) the terminal functions of receipt, transit storage or staging, processing, and loading or unloading of cargo or passengers on ships. It may be a Military installation, part of an installation, or a commercial facility operated under contract or arrangement of the MTMC.

Container Express (CONEX): A controlled, reusable, serially numbered, metal shipping container 8'6" long, 6'3" wide and 6'10-1/2" high or 4'3" long, 6'3" wide and 6'10-1/2" high used for shipping cargo.

Continental United States (CONUS): The 48 contiguous states and the District of Columbia, i.e., excluding Alaska and Hawaii.

Controlled Cargo: See Protected Cargo.

Country Code: A two position code indicating the country, international organization or account which is the recipient of materiel or services under the Security Assistance Program.

Country Representative/Freight Forwarder Code: A code employed to identify the designated individual or organization authorized to receive documentation, reports, and shipments for a particular country's FMS transactions. A designated country representative may also be authorized by a foreign government to negotiate, commit, and sign contractual agreements.

Courier Transfer Station: A collection and control point for carrying on the mission of the Armed Forces Courier Service.

Dangerous Cargo: See Hazardous Material.

Day-of-the-Year: A three position number indicating the day of the year (e.g., 001 would indicate January the first; 261 would indicate (non-leap year) 18 September. See also Day of Year as defined in DoD 5000.12-M, DoD Manual for Standard Data Elements.

Defense Transportation System (DTS): *That portion of the nation's transportation infrastructure that supports DoD transportation needs in peace and war. The DTS consists of those common-user*

military and commercial assets, services, and systems organic to, contracted by, or controlled by the DoD.

Delivery Term Code (DTC): A code (prescribed in FMS cases) identifying the point at which the responsibility for moving an FMS shipment passes from the United States DoD to the purchasing nation or international organization.

Department of Defense Activity Address Code (DoDAAC): A six position alphanumeric code assigned to identify specific activities which are authorized to ship or receive materiel and to prepare documentation or billings.

Department of Defense Ammunition Code (DDAC or DoDAC): An eight position alphanumeric code composed of the four position Federal Supply Classification followed by the four position DoD Identification Code.

Department of Defense Identification Code (DoDIC): A four position alphanumeric code assigned to items of supply in Federal Supply Groups 13 (ammunition/explosives) and 14 (guided missiles).

Direct Procurement Method (DPM): A method of personal property shipment in which the Government manages the shipment throughout packing, drayage, storage, linehaul, overseas movement, etc. For additional details see DoD 4500.34-R, chapter 2.

Diversion: Changing the mode, route, or destination of a shipment from that shown on the original transportation documentation while the shipment is intransit. A diversion between modes may occur during the clearance process before the shipment actually moves.

Dunnage: Lumber or other material used to brace and secure cargo to prevent damage.

Electrically Transmitted Message (ETM): Messages prepared on DD Form 173 (series), Joint Message Form and dispatched by **DDN** or teletype.

Electronic Data Interchange (EDI): Computer to computer exchange of data using standards jointly developed and established by standard groups, i.e., ANSI, EDIA, and EDIFACT.

Electrostatic Sensitive Device (ESD): Any electrical or electronic part, assembly, or equipment that is sensitive to electrostatic discharge of 15,000 volts or less. ESD items are classified as:

Class 1 - Those sensitive to 1000 volts or less.

Class 2 - Those sensitive to more than 1000 volts, but not more than 4000 volts.

Class 3 - Those sensitive to more than 4000 volts, but not more than 15,000 volts.

Exception Material: Security Assistance Program materiel which, due to its peculiar nature and increased transportation risks, requires special handling in the transportation cycle and deviation from normal shipping procedures. This includes classified materiel, sensitive materiel, firearms, explosives, lethal chemicals and other dangerous and hazardous materiel that requires rigid movement control and air cargo of such size that the item exceeds commercial capability.

Expedited Handling Shipments: Items *and/or shipment units with an entry of N__ , E__ , 999, or 777* in the RDD field of MILSTRIP requisition *and/or the MILSTAMP TCMD normally require expedited*

transportation. Items and/or shipment units with 555 or 444 in the RDD field may also require expedited transportation.

Explosives: See Hazardous Material.

Export Traffic Release (ETR): Shipping instructions, issued by a clearance authority in response to an offering, which specify the mode of shipment and the means by which an export shipment will move.

Flashpoint: The minimum temperature at which the substance gives off flammable vapors which will ignite in contact with spark or flame (49 CFR 173.115d).

Fleet Post Office (FPO): A Navy activity established within the CONUS collocated with the postal concentration center for the purposes of providing a standard mail address for forces afloat, mobile shore-based units and activities overseas, directory assistance for Navy mail and maintaining liaison with and furnishing mail routing and dispatching instructions to appropriate civil and Military postal authorities.

Freight Forwarder (FMS)/International Freight Forwarder: A private firm which serves as a contractual agent for the FMS customer. These companies, as a minimum, receive, consolidate, and stage materiel within the United States for onward shipment to the purchasing country.

Fuse, Fuze, Fusee: In this regulation the term Fuse includes Fuze and Fusee. For transportation handling, loading, and movement, the definitions of fuse, fuze, and fusee are applied as specified in 49 CFR, ICAO regulations, and related publications.

General Agency Agreement (GAA): Pertains to Government-owned ships operated under cost plus fixed fee contracts by commercial ocean carriers acting as general agents for the Maritime Administration, U.S. Department of Commerce, with whom MSC has entered into agreements for the exclusive use of such ships.

Green Sheet Procedures: A procedure whereby specifically identified cargo in the airlift system may gain movement precedence over other priority cargo, including 999 shipments, of the requesting shipper Service.

Gross Weight: The combined weight of a container and its contents, including packaging material.

Hatch: An opening in the deck of a ship through which cargo is loaded and unloaded.

Hatch List: A list showing, for each hold section of a cargo ship, a description of the items stowed, their volume and weight, the consignee of each, and the total volume and weight of materiel in the hold.

Hazardous Material (Dangerous Goods): A substance or material which has been determined to be capable of posing an unreasonable risk to health, safety, and property when transported. This materiel includes explosives, gases (compressed, liquified, or dissolved under pressure), flammable liquids, flammable solids or substances, oxidizing substances, poisonous and infectious substances, radioactive substances, corrosives, and miscellaneous dangerous substances presenting real or potential hazards to life and property. Procedures for handling this material are specified in applicable publications of the Department of Transportation, the Interstate Commerce Commission, Federal Aviation Agency, U.S. Coast Guard, U.S. Agriculture Department, U.S. Public Health Service, Intergovernmental Maritime Organization, the International Civil Aviation Organization, and in Federal or military documents. Dangerous goods is the term applied to hazardous material in international movement.

Hazardous Substance: A material, and its mixtures or solutions, that is identified in 49 CFR or AFR 71-4, et al., when offered for transportation in one package (or in one transport vehicle if not packaged) and when the quantity of the material equals or exceeds the reportable quantity (RQ).

Hold: The interior of a vessel below decks where cargo is stowed.

Inter-Service Support: Action by one Military Service or element thereof, to provide logistic and/or administrative support to another Military Service, or element thereof. Such action can be recurring or nonrecurring in character, on an installation, area, or worldwide basis.

Intertheater: Movement of materiel from a point in one theater to a point in another theater. Movements between CONUS and overseas are not considered intertheater.

Intratheater: Movement of materiel from a point in a theater to another point within the same theater.

Joint Servicing: That function performed by a jointly staffed and financed activity in support of two or more Military Services.

Lashing: Ropes, wires, chains, steel straps, or other special devices used to secure cargo.

Less Than Release Unit (LRU): A shipment unit that can be shipped without requiring an export release from the appropriate authority.

Linehaul: Transportation of freight from one point to another excluding local pickup, delivery, and switching.

Lowest Over-All Cost: The aggregate of shipment costs known or reasonably estimated, i.e., transportation rate(s), accessorials, drayage, storage intransit, packing and crating, unpacking, and port handling costs.

Manifest: A document specifying, in detail, the items carried on a transportation conveyance for a specific destination. Usually refers to a ship or aircraft manifest.

Marking: Numbers, nomenclature, or symbols imprinted on items or containers for identification during handling, shipment, and storage.

Military Assistance Program (MAP): That portion of the United States security assistance authorized by the Foreign Assistance Act of 1961, as amended, which provides defense articles and services to recipients on a nonreimbursable (grant) basis.

Military Assistance Program Address Code (MAPAC): A six position alpha-numeric code constructed from the MILSTRIP requisition number and the MILSTRIP supplemental address for Security Assistance Program shipments. The MAPAC is used to identify the consignee in transportation documents and to obtain clear text address and other shipment information from the MAPAD.

Military Assistance Program Address Directory (MAPAD): A sole source directory for use of the Military Services and Agencies, containing the addresses of freight forwarders, country representatives, or customers in country required for releasing FMS and Grant Aid shipments and related documentation.

Military Sealift Command Negotiated Rates: Rates negotiated by MSC at the time of booking based on terms and conditions of the MSC shipping contracts, shipping/container agreements, or other basis.

Military Services: The U.S. Army, U.S. Navy, U.S. Air Force, U.S. Marine Corps and the U.S. Coast Guard.

Military Van (MILVAN): Military owned demountable container, conforming to United States and international standards, operated in a centrally controlled fleet for movement of Military cargo.

Miscibility: The composition of a substance which allows that substance to be easily mixed with another substance.

Missing TCMD: An air or water terminal reports a TCMD as missing if cargo is received by a terminal without a TCMD being available for processing.

MSCVAN (See SEAVAN/MILVAN): A SEAVAN or MILVAN leased/controlled by MSC.

National/NATO Stock Number (NSN): Replaces the Federal Stock Number and is composed of the FSC in rp 54-57 (DD Form 1348-1), NATO Country Code (US-00 or 01) in rp 58-59, and FIIN in rp 60-66.

Net Explosive Quantity (NEQ): The total quantity of propellant in a tank, drum, cylinder, or other container expressed in kilograms.

Net Explosive Weight (NEW): The total weight of all explosive Class A and B components of an explosive which includes primary explosives, secondary explosives, pyrotechnics, and propellants in a tank, drum, cylinder, or other container expressed in pounds.

Net Weight: The weight of an item being shipped, excluding the weight of packaging material or container (does not apply to household goods).

Notice of Availability (NOA): The DD Form 1348-5, Notice of Availability/Shipment, by which the U.S. shipping installation will provide advance notification to the designated FMS country representative or freight forwarder that the materiel is ready for shipment.

Ocean Cargo Clearance Authority (OCCA): The MTMC activity which books DoD-sponsored cargo and passengers for surface movement, performs related contract administration, and accomplishes export/import surface traffic management functions for DoD cargo moving within the DTS.

Offering: The submission of shipment documentation to a clearance authority for release instructions and to the booking office for ocean transportation to effect shipment or transshipment.

Offer or Release Options: Methods by which countries participating in the FMS program advise supply sources, by coded entry in rp 46 of the requisition, whether materiel shipments should be released without prior notice to the country representative or freight forwarder. The type of offer or release option will be determined as a result of negotiations between the country representatives and the U.S. Services at the time the case agreement is reached.

Organizational Equipment: Equipment, other than individual equipment, which is used in the furtherance of the common mission of an organization or unit.

Outsize(d) Dimensions: Any dimension of a shipment greater than 6 feet; a shipment with such a dimension.

Pallet:

Aircraft (463L): Aluminum air cargo pallet, 88" x 108" or 54" x 88", on which shipments are consolidated for movement by AMC.

Warehouse: A two deck platform, usually wooden, about 42" wide, 42" long and 5" high, used for handling several packages as a unit.

Palletized Unit Load: Packaged or unpackaged item(s) arranged on a pallet and handled as a unit.

Partial Shipment Unit: A shipment unit separated at the origin shipping activity into two or more increments with each increment identified and documented separately.

Personal Property: Household goods, baggage and privately owned vehicles of DoD-sponsored personnel.

Pilferable Cargo: See Protected Cargo.

Port of Debarkation (POD): An authorized point of entry into a foreign country or the United States.

Port of Embarkation (POE): An authorized point of departure from a foreign country or the United States.

Postal Concentration Center (PCC): A Post Office or Agency of the USPS at which mail for Armed Forces on maneuvers, afloat or overseas, is concentrated for sorting and delivery or dispatch.

Prime Data (entries): That data which is mandatory for all shipments. It is usually listed in the upper portion of the TCMD (DD Form 1384) and in all formats is identified by document identifiers T_0, T_1, T_2, T_3, or T_4.

Priority Designator: A two digit numeric code which indicates the priority for handling materiel based on the mission and need of the requiring activity. The priority designator is developed as detailed in UMMIPS (DoD Directive 4410.6, Uniform Materiel Movement and Issue Priority System).

Proper Shipping Name: The name of a hazardous material as shown in 49 CFR and related publications.

Protected Cargo: Those items designated as having characteristics which require that they be identified, accounted for, secured, segregated or handled in a special manner to ensure their safeguard or integrity. Protected cargo is subdivided into controlled, pilferable and sensitive cargo as defined below:

Controlled Cargo: Items which require additional control and security as prescribed in various regulations and statutes. Controlled items include money, negotiable instruments, narcotics, registered mail, precious metal alloys, ethyl alcohol, and drug abuse items.

Pilferable Cargo: Items which are vulnerable to theft because of their ready resale potential. Pilferable items include cigarettes, alcoholic beverages, cameras, electronic equipment, etc.

Sensitive Cargo: Items such as small arms, ammunition, and explosives which have a ready use during civil disturbances and other types of domestic unrest or for use by criminal elements and which, if in the hands of militant or revolutionary organizations, present a definite threat to public safety.

Small arms include:

1. Grenade launchers, rifle and shoulder-fired.
2. Handguns.
3. Individually operated weapons which are portable or can be fired without special mounts or firing devices.

4. Light automatic weapons up to and including .50 caliber.
5. Mortars up to and including 81 mm.
6. Recoilless rifles up to and including 106 mm.
7. Rocket launchers.
8. Shoulder-fired weapons.

Ammunition and explosives include:

1. Ammunition for weapons listed above.
2. Anti-tank and anti-personnel land mines.
3. Boosters.
4. Bulk explosives.
5. Demolition charges and related items, e.g., blasting caps, detonating cord, safety fuzes, detonators, destructors, primers, firing devices, squibs, ignitors, demolition kits, explosive kits, etc.
6. End items of conventional and guided missile ammunition (except artillery rounds, bombs and torpedoes) which have an individual unit of issue, container or package weight of 50 pounds or less.
7. Explosive bolts, cartridges, and related items.
8. Fuel thickening compound.
9. Fuzes.
10. Hand grenades.
11. Incendiary destroyers.
12. Missiles and rockets (unpackaged weight of 50 pounds or less).
13. Riot control agent, bulk, 50-pound package or less.
14. Safety and arming devices.
15. Supplementary charges not assembled to end items.
16. Warheads and rocket motors (unpackaged weight of 50 pounds or less).

Receiver: The activity or agency at which a DTS shipment terminates. The activity is usually the ultimate consignee, but may also be an agent for the ultimate consignee, e.g., a central receiving point or a temporary storage point for the ultimate consignee.

Reconsignment: A change from the original consignee to another consignee while the shipment is enroute.

Reefer Cargo: Perishable commodities which require refrigerated (chill and freeze) stowage at prescribed temperatures while intransit (excludes cargo authorized for storage in ventilated holds).

Release Unit (RU): A shipment unit of a specific commodity, weight, size, or mode which requires an export release from the appropriate authority before shipment.

Reportable Quantity (RQ): The amount of material (as listed in 49 CFR or AFR 71-4, et al.) which results in its designation as a hazardous substance. Hazardous substances (in reportable quantities) are significant if they are discharged (accidentally or intentionally) into or upon navigable waters or adjoining shorelines.

Required Availability Date (RAD): The date that end items and concurrent spare parts are committed to be available for transportation to an SAP recipient.

Required Delivery Date (RDD): The day materiel is actually required by a requisitioner and always a date earlier or later than the Standard Delivery Date.

Retrograde Cargo: A movement of materiel opposite of the normal flow, e.g., cargo returned from overseas to CONUS.

Roll On/Roll Off (RORO): Loaded on or discharged from a vessel by rolling or driving instead of lifting. Can be either cargo on trucks or trailers, or the vehicles themselves.

Routing Authority: An activity which designates modes and/or provides routing instructions for shipments requiring clearance prior to movement.

SEAVAN: Commercial or Government-owned (or leased) shipping containers which are moved via ocean transportation without bogie wheels attached, i.e., lifted on and off the ship. In this regulation, the term SEAVAN includes MILVAN and MSCVAN unless specifically excluded.

Security Assistance (SA): The combination of the FMS and MAP/GA.

Sensitive Cargo: See Protected Cargo.

Shipment Planning: Concurrent and coordinated decisions between the warehousing, consolidating, packing, and transporting functions of shipping activities as to the composition of shipment units and their method of transportation.

Shipment Unit: One or more items assembled into one unit which becomes the basic entity for control throughout the transportation cycle.

Shipment Units in Consolidation: Two or more shipment units placed in one container (palletized unit load, SEAVAN, CONEX or RORO) which is moved to a breakbulk point or ultimate consignee as one shipment unit.

Shipper: A Service or Agency activity (including the contract administration or purchasing office for vendors) or a vendor that originates shipments. The functions performed include planning, assembling, consolidating, documenting, and arranging for movement of materiel.

Shipper Service Control Office: See Sponsoring Service Control Office.

Shipping Agreement (Surface): A nonexclusive contract between MSC and various commercial ocean carriers for unlimited cargo quantities to be lifted at competitively derived rates on scheduled vessels of participating carriers.

Shipping Contract (Surface): An exclusive contract between MSC and a commercial ocean carrier to provide for the shipment of cargo at negotiated rates to locations not served by berth term carriers.

Special Assignment Airlift Mission (SAAM): A mission by AMC (other than the 89th Military Airlift Wing) at the request of the Department of Army, Navy, or Air Force only. SAAMs cover four categories of operation.

1. Traffic originating for airlift at other than an APOE and terminating at any location.
2. Traffic originating for airlift at an APOE and terminating at other than an APOE.
3. Traffic originating at an APOE and terminating at an APOE but requiring singular or unusual consideration not available if moved as normal channel traffic.
4. Traffic originating at an APOE and terminating at a destination in the proximity of a channel route, channel extension, or flag stop.

Split Shipment Unit: A whole or partial shipment unit separated at a transshipment point into two or more increments with each increment identified and documented separately.

Sponsoring Service: The Military Service authorizing payment for the movement of materiel.

Sponsoring Service Control Office/Shipper Service Control Office (SSCO): An activity established by a Military Service or Agency to perform logistics management functions such as serving as an airlift clearance authority for CONUS export shipments, determining air eligibility, responding to tracing and status queries, expediting, and providing consignment instructions for mobile units.

Stowage Diagram: A scaled drawing included in the loading plan of a ship for each deck or platform showing the exact location of all cargo. The diagram also contains pertinent items of the following data for each cargo space and deck stowage area; i.e., overall dimensions, location of obstructions, dimensions of the overhead hatch opening, dimensions of bow door or stern gage opening, minimum clearances to the overhead, bale cubic capacity, square feet of deck area, and the capacity of booms.

Stowage Plan: A completed stowage diagram showing cargo that has been loaded and its stowage location in each hold, between-deck compartment, or other space in a ship, including deck space. Each POD is indicated by colors or other appropriate means. Deck and between-deck cargo normally is shown in top view, while cargo stowed in the lower hold is shown in sideview, except that vehicles usually are shown in top view regardless of stowage.

Tare Weight: The weight of a container which, when deducted from the total weight of a shipment, provides the weight of the contents.

Terminal:

Air: A facility for loading and unloading aircraft and the intransit handling of traffic (passengers, cargo, and mail) moved by air.

Water: A facility for loading and unloading vessels and the intransit handling of traffic (passenger, cargo, and mail) moved by water.

Theater: The geographical area outside CONUS for which a commander of a unified or specified command has been assigned military responsibility.

Through Government Bill of Lading (TGBL): A bill of lading that is issued by a U.S. Government activity to document overseas, intermodal, through movement of cargo from initial point of origin to final destination.

Ton: A unit of measurement or weight as follows:

Short Ton (S/T): 2,000 pounds.

Long Ton (L/T): 2,240 pounds.

Measurement Ton (M/T): 40 cubic feet.

Metric Ton (M.T.): 1,000 kilograms (2,204.6 pounds).

Traffic Management: The direction, control, and supervision of all functions incidental to the effective and economical procurement and use of transportation services.

Transportation Account Code (TAC): A four digit code which identifies the appropriate Service, Agency, or contractor account to be charged for transportation.

Transportation Component Command (TCC): The AMC, MSC, or MTMC.

Transportation Control Number (TCN): A 17 position alphanumeric data element assigned to control a shipment unit throughout the transportation pipeline.

Transportation Officer (TO): Person(s) designated to perform traffic management functions.

Transportation Priority (TP): A number assigned to a shipment which establishes its movement precedence by air, land, or sea within the DTS.

Transshipper: Any transportation activity, other than the shipper or receiver, which handles or documents the transfer of a shipment between conveyances. A transshipper is usually a CCP, air or water POE, air or water POD, or breakbulk point. A transshipper may perform more than one type transshipment.

Unit Load: A pallet, module, or vehicle.

Unitized Load: One or more packaged items placed in a container or on a pallet and banded together as a unit.

Vessel Papers: Abbreviated manifest showing TCNs of breakbulk shipments loaded aboard a vessel. It can be generated electronically or manually. If the cargo includes hazardous cargo (dangerous goods), a dangerous cargo list must accompany the abbreviated manifest. Vessel papers are given to the vessel master in lieu of the manifest.

Water Clearance Authority (WCA): An activity which controls and monitors the flow of cargo into ocean terminals (see Ocean Cargo Clearance Authority).

Appendix B

ACRONYMS

MILSTAMP contains many acronyms to reduce extensive repetition of lengthy terms or titles. The acronyms and their meanings are listed below:

<u>Acronym</u>	<u>Definition</u>
A	
AAFES	Army/Air Force Exchange Service
AAFM	Army/Air Force Motion Picture Service
AALPS	Automated Air Load Planning System
AB	Air Base
ACA	Airlift Clearance Authority
ACP	Asset Capitalization Program
ADPE	Automatic Data Processing Equipment
ADSN	Accounting Disbursing Station Number
AF	Air Force
AFB	Air Force Base
AFCCP	Air Force Consolidation and Containerization Point
AFLC	Air Force Logistics Command
AFMC	Air Force Materiel Command
AGS	Armed Guard Service
AID	Agency for International Development
AIG	Address Indicator Group
ALOC	Air Lines of Communication
AMC	Air Mobility Command
AMCL	Approved MILSTAMP Change Letter
AMT	Aerial Mail Terminal
APO	Army/Air Force Post Office
APOD	Aerial Port of Debarkation
POE	Aerial Port of Embarkation
ARFCOS	Armed Forces Courier Service
ASA(I&L)	Assistant Secretary of the Army (Installations and Logistics)
AUSD(L)	Assistant Under Secretary of Defense (Logistics)
ASI	Amended Shipping Instruction
ASO	Aviation Supply Office
ATA	Air Transport Association
ATAC	Advanced Traceability and Control
ATCMD	Advance Transportation Control and Movement Data/Document
AUEL	Automated Unit Equipment List
B	
BCN	Bureau Control Number
BII	Basic Issue Item
C	
CAA	Competent Authority Approval

<u>Acronym</u>	<u>Definition</u>
CAGO	<i>Cargo Manifest Apparent Good Order</i>
CALM	Computer Aided Load Manifest
CANUS-ILOC	Canada-United States Integrated Lines of Communication
CASREP	Casualty Reporting
CBL	Commercial Bill of Lading
CCP	Consolidation and Containerization Point
CDCP	Central Data Collection Point
CEO	Certificate of Equivalency
CFDC	CONUS Freight Distribution Center
CFR	Code of Federal Regulations
COMM RI	Communications Routing Indicator
COMSCEUR	Commander, Military Sealift Command, Europe
COMSCFE	Commander, Military Sealift Command, Far East
COMSCLANT	Commander, Military Sealift Command, Atlantic
COMSCMED	Commander, Military Sealift Command, Mediterranean
COMSCPAC	Commander, Military Sealift Command, Pacific
CONEX	Container Express
CONUS	Continental United States
CORM	Cargo Outturn Advisory and Reconciliation Message
CORMR	Cargo Outturn Advisory and Reconciliation Message Reply
CORS	Cargo Outturn Reporting System
CPO	Civil Post Office
CPP	Central Processing Point
CTO	Commercial Transportation Office
CTS	Courier Transfer Station
CU	Cube
cu.m	Cubic Meter
D	
DA	Department of the Army
DAAS	Defense Automatic Addressing System
DAR	Defense Acquisition Regulation (replaced by FAR)
DBOF	Defense Business Operating Fund
DCA	Defense Communications Agency
DDAC	Department of Defense Ammunition Code
DDN	Defense Data Network
DDPS	Dual Driver Protective Service
DFAS	Defense Finance and Accounting Service
DI	Document Identifier
DIA	Defense Intelligence Agency
DLA	Defense Logistics Agency
DLMSO	Defense Logistics Management Standards Office
DLR	Depot Level Repairables
DLSS	Defense Logistics Standard Systems
DNA	Defense Nuclear Agency
DoD	Department of Defense
DoDAAC	Department of Defense Activity Address Code
DoDAAD	Department of Defense Activity Address Directory
DoDAC	Department of Defense Ammunition Code

Acronym

Definition

DoD CSS	DoD Constant Surveillance Service
DoDDs	DoD Dependent Schools
DoDIC	Department of Defense Identification Code
DOT	Department of Transportation
DPM	Direct Procurement Method
DRI	Data Routing Indicator
DRMO	Defense Reutilization and Marketing Office
DSN	Defense Switched Network
DTC	Delivery Term Code
DTMR	Defense Traffic Management Regulation
DTPPM	Defense Transportation Program Policy Memorandum
DTS	Defense Transportation System

E

EDI	Electronic Data Interchange
ESD	Electrostatic Sensitive Device
ETA	Estimated Time of Arrival
ETM	Electrically Transmitted Message
ETR	Export Traffic Release
ETRR	Export Traffic Release Request

F

FAR	Federal Acquisition Regulation
FAS	Free Along Side
FAX	Facsimile
FDT	First Destination Transportation
FILDR	Federal Item Logistics Data Record
FMS	Foreign Military Sales
FOB	Free on Board
FPO	Fleet Post Office
FR	Federal Register
FSC	Federal Supply Classification
FSG	Federal Supply Group
FSS	Forward Supply Support
FTS	Federal Telecommunications System

G

GA	Grant Aid
GAA	General Agency Agreement
GBL	Government Bill of Lading
GMT	Greenwich Mean Time
GS	Greater Security
GSA	General Services Administration

H

HHG	Household Goods
HL	Heavy Lift
HMIS	Hazardous Material Information System

<u>Acronym</u>	<u>Definition</u>
I	
IC	Interim Change
ICAO	International Civil Aviation Organization
ILCO	International Logistics Control Office
ILP	International Logistics Program
IMCO	Intergovernmental Maritime Consultative Organization
IMDGC	International Maritime Dangerous Goods Code
IRCS	International Radio Call Sign
ITGBL	International Through Government Bill of Lading
ITO	Installation Transportation Officer
J	
JCS	Joint Chiefs of Staff
JDC	Joint Deployment Community
JLIN	Joint Line Item Number
JS	Joint Staff
JTB	Joint Transportation Board
K	
KW	Kilowatt
L	
LASH	Lighter Aboard Ship
LIN	Line Item Number
LPG	Liquified Petroleum Gas
LRU	Less Than Release Unit
L/S	Loading and Storage Group
L/T	Long Ton
M	
MAAG	Military Assistance Advisory Group
MAP	Military Assistance Program
MAPAC	Military Assistance Program Address Code
MAPAD	Military Assistance Program Address Directory
MASM	Military Assistance and Sales Manual
MCA	Movement Control Agency
MCI	Military Customs Inspector
MCN	Military Construction Navy
MILSTAMP	Military Standard Transportation and Movement Procedures
MILSTEP	Military Supply and Transportation Evaluation Procedures
MILSTRAP	Military Standard Transaction Reporting and Accounting Procedures
MILSTRIP	Military Standard Requisitioning and Issue Procedures
MILVAN	Military Van
MIPR	Military Indepartmental Purchase Request
MOM	Military Ordinary Mail
MRE	MEAL, Ready-to-eat
MRO	Material Release Order
MRT	Military Rate Tender
MS	Motor Ship

Acronym

Definition

MSC	Military Sealift Command
MSCVAN	An MSC leased/controlled SEAVAN or MILVAN
MSS	Motor Surveillance Service
M/T	Measurement Ton
M.T.	Metric Ton
MTMC	Military Traffic Management Command
MTMCEA	Military Traffic Management Command, Eastern Area
MTMCWA	Military Traffic Management Command, Western Area
MV	Motor Vessel
MWR	Morale, Welfare and Recreation

N

NA	North American
NAF	Nonappropriated Fund
NARO	Naval Air Routing Order
NASA	National Aeronautics and Space Administration
NATO	North Atlantic Treaty Organization
NAVMTO	Navy Materiel Transportation Office
NAVSEACARCOORD	Naval Sea Cargo Coordinator
NAVSUPSYSCOM	Naval Supply Systems Command
NCF	Naval Construction Force
NEQ	Net Explosive Quantity
NEW	Net Explosive Weight
NLT	Not Later Than
NMCS	Not Mission Capable Supply
NMF	National Motor Freight
NMFC	National Motor Freight Classification
NNSN	No National Stock Number
NOA	Notice of Availability
NOS	Not Otherwise Specified
NRFI	Not Ready for Issue
NRSO	Navy Resale Systems Office
NS	Nuclear Ship
NSN	National/NATO Stock Number

O

OASD	Office of Assistant Secretary of Defense
OCBO	Ocean Cargo Booking Office
OCCA	Ocean Cargo Clearance Authority
OD	Outsize Dimensions
OFFNR	Official Number (of a vessel)
OJCS	Organization of the Joint Chiefs of Staff
O&MNR	Operational and Maintenance, Naval Reserve
ORM	Other Regulated Material
ORMD	Other Regulated Material-D
OSD	Office of the Secretary of Defense
OSOD	Overages, Shortages, or Damages

P

<u>Acronym</u>	<u>Definition</u>
PAL	Parcel Airlift Mail
PCC	Postal Concentration Center
PC&H	Packing, Crating and Handling
PCS	Permanent Change of Station
PD	Priority Designator
PDD	Priority Delivery Date
PMCL	Proposed MILSTAMP Change Letter
POD	Port of Debarkation
POE	Port of Embarkation
POL	Petroleum, Oil, and Lubricants
POP	Performance Oriented Packaging
POPS	Paperless Order Processing (Entry) System
POV	Privately Owned Vehicle
PP&A	Prepay and Add
PPCIG	Personal Property Consignment Information Guide
PPTMR	Personal Property Traffic Management Regulation
PSN	Proper Shipping Name
PSS	Protective Security Service
R	
RAD	Required Availability Date
RDD	Required Delivery Date
RDT&E	Research, Development, Test and Evaluation
REAL	Routine Economic Air Lift (Army)
REEFER	Refrigerated Shipping Container
REPSHIP	Report of Shipment
RFI	Ready for Issue
RG	Rate Guide
RI	Routing Indicator
ROD	Report of Discrepancy
RORO	Roll On/Roll Off
RP or rp	Record Position
RQ	Reportable Quantity
RSS	Rail Surveillance Service
RU	Release Unit
S	
SA	Security Assistance
SAAC	Security Assistance Accounting Center
SAAM	Special Assignment Airlift Mission
SAM	Space Available Mail
SAMM	Security Assistance Management Manual
SAP	Security Assistance Program
SCAC	Standard Carrier Alpha Code
SDD	Standard Delivery Date
SDT	Second Destination Transportation
SEABEE	Sea Barge
SEALNO	Seal Number
SEAVAN	Commercial/Government-owned/leased shipping container

<u>Acronym</u>	<u>Definition</u>
SEVS	Security Escort Vehicle Service
SII	Special Instruction Indicator
SN	Seal Number
SPCC	Ships Parts Control Center
SS	Steam Ship
SSCO	Sponsoring/Shipper Service Control Office
SSS	Signature Security Service
S/T	Short Ton
STANAG	Standard NATO Agreements
STR	Signature and Tally Record
STS	Scheduled Truck Service
T	
TAC	Transportation Account Code
TBN	To Be Named
TC AIMS	Transportation Coordinators' Automated Information Management System
TC ACCIS	Transportation Coordinator Automated Command and Control Information System
TCC	Transportation Component Command
TCMD	Transportation Control and Movement Document/Data
TCN	Transportation Control Number
TDA	Turkish Defense Affairs
TDR	Transportation Discrepancy Report
TDY	Temporary Duty
TGBL	Through Government Bill of Lading
TGS	Turkish General Staff
TMO	Traffic Management Officer
TO	Transportation Officer
TP	Transportation Priority
TP-4	Deferred Air Freight
TSS	Tank Surveillance Service
U	
UFC	Uniform Freight Classification
UIC	Unit Identification Code
UIN	Unit Line Number
UMMIPS	Uniform Materiel Movement and Issue Priority System
UN	United Nations
USA	United States Army
USAF	United States Air Force
USCG	United States Coast Guard
USMC	United States Marine Corps
USN	United States Navy
USNS	United States Navy Ship
USPS	United States Postal Service
USTRANSCOM	United States Transportation Command

<u>Acronym</u>	<u>Definition</u>
V	
VN	Van Number
W	
WCA	Water Clearance Authority
WPLO	Water Port Liaison Office
WPOD	Water Port of Debarkation
WPOE	Water Port of Embarkation
WRALC	Warner Robbins Air Logistics Command
WT	Weight
Z	
ZIP	Zone Improvement Plan

APPENDIX C

TRANSPORTATION CONTROL NUMBER (TCN)

1. **General.** The TCN is a 17 character data element assigned to control and manage every shipment unit throughout the transportation pipeline. The TCN for each shipment is unique and not duplicated. For shipments other than SEAVANs and personal property, the 17 digit TCN is essentially a four part number composed of a DoDAAC, Julian date, serial number, and suffix. The first three parts of the TCN for MILSTRIP shipments are normally the requisition number, found on such documents as the DD Form 1348-1A, DD Form 1149, or a contract. For most other shipments, the TCN is constructed in the same standard four part format. The SEAVAN TCN (assigned by the WCA/OCCA) differs from the standard by inclusion of a voyage number instead of a Julian date and by using the suffix to identify container service payment responsibility and the container type. The personal property TCN has a totally unique construction derived from the sponsoring member's Service, social security number, shipment pickup/turn-in date, and the type of personal property being shipped. TCN construction for the various types of shipments is detailed in the paragraphs listed below.

<u>Type of Shipment</u>	<u>Paragraph</u>
a. Shipments in response to MILSTRIP requisitions (other than Security Assistance)	2
b. Security Assistance (FMS/MAP) shipments	3
c. Nonappropriated Fund Activity shipments	4
d. Unit move shipments	5
e. Shipments by the Armed Forces Courier Service (ARFCOS)	6
f. Shipments of mail from postal activities	7
g. Cargo shipments (except personal property) not detailed previously	8
h. Personal property shipments	9
i. Shipment of a SEAVAN/MILVAN (TCN assigned by the clearance authority)	10

2. Shipments in Response to MILSTRIP Requisitions (other than security assistance)

<u>TCN rp</u>	<u>TCMD rp</u>	<u>Explanation</u>
1-14	30-43	Enter the 14 position (rp 30-43) MILSTRIP requisition document number. If the shipment unit contains multiple requisitions, use any of the document numbers, but ensure the earliest RDD (if any) is reflected on the shipment label (DD Form 1387) and TCMD (DD Form 1384).
15	44	Enter the suffix code; if none, enter "X."
16	45	Enter the partial shipment code (see paragraph 11., this appendix).
17	46	Enter the split shipment code (see paragraph 11., this appendix).

3. Security Assistance (FMS/MAP) Shipments

<u>TCN rp</u>	<u>TCMD rp</u>	<u>Explanation</u>
1-14	30-43	Enter the 14 position (rp 30-43) MILSTRIP requisition document number. If the shipment unit contains multiple requisitions (permitted by chapter 2, paragraph B.1.b(5)(b)Z), use any of the document numbers, but ensure the earliest RDD (if any) is reflected on the shipment label (DD Form 1387) and TCMD (DD Form 1384).
15	44	Enter the suffix code; if none, enter "X."
16	45	Enter the partial shipment code (see paragraph 11.).
17	46	Enter the split shipment code (see paragraph 11.).

4. Nonappropriated Fund Activity Shipments

<u>TCN rp</u>	<u>TCMD rp</u>	<u>Explanation</u>
1-6	30-35	Enter the DoDAAC of the consignee/ordering activity, if assigned; if not, enter the DoDAAC of the facility where the consignee/orderer is located.
7	36	Enter the last digit of the calendar year shown on the purchase order or in which the shipment is made.
8-10	37-39	Enter the day-of-the-year shown on the purchase order, or when the TCN is constructed.
11	40	Enter the type shipment code from the following list: M - Service clubs and messes. W - Welfare and recreation (Special Services). N - All other non-AAFES/NRSO NAF shipments. 0-9 - AAFES/NRSO purchase orders or any alpha except I, L, M, N, O, V, or W.
12-14	41-43	Enter the last three digits of the purchase order number or any alphanumeric, except I or O, for AAFES/NRSO shipment identification.
15	44	Enter the letter "X" unless the shipment unit must be shipped from multiple plant or warehouse locations. For multiple locations, identify each shipping point alphabetically as indicated below: A - First location B - Second location C - Third location D-Z - Fourth through 23d locations (do not use the letters I, O, or X).
16	45	Enter the partial shipment code (see paragraph 11.).
17	46	Enter the split shipment code (see paragraph 11.).

5. Unit Move Shipments. TCNs for unit moves will be constructed as described in appendix G, paragraph 5.

6. Shipments by the Armed Forces Courier Service (ARFCOS)

TCN rp	TCMD rp	Explanation
1-3	30-32	Enter the letter "CTS."
4-6	33-35	Enter the identifier code (from appendix F, paragraph (6)) for the air terminal at which the origin Courier Transfer Station (CTS) is located. If not collocated, enter the identifier code for the air terminal nearest the origin CTS.
7	36	Enter the last digit of the calendar year.
8-10	37-39	Enter the day-of-the-year.
11	40	Enter the letter "X."
12-14	41-43	Enter a serial number without any duplication on the day shown in positions 8-10 (rp 37-39). Use the numbers 001 through 999 in sequence. Additional numbers, if needed, should use alphanumeric, e.g., A01, A02, ...A99, B01, B02, etc.
15-17	44-46	Enter the letters "XXX."

7. Shipments of Mail from Postal Activities

TCN rp	TCMD rp	Explanation
1-6	30-35	Enter the abbreviation or ZIP code (preceded by an 0) of the postal activity making the shipment; e.g., NYCPCC, FRFAMT, 009633.
7	36	Enter the last digit of the calendar year.
8-10	37-39	Enter the day-of-the-year.
11	40	Enter the letter "X."
12-14	41-43	Enter a serial number without any duplication on the day shown in positions 8-10 (rp 37-39). Use the numbers 001 through 999 in sequence. Additional numbers, if needed, should use alphanumerics; e.g., A01, A02, ...A99, B01, etc.
15-17	44-46	Enter the letters "XXX."

8. Cargo Shipments (except personal property) Not Detailed Previously

TCN rp	TCMD rp	<u>Explanation</u>
1-6	30-35	Enter the DoDAAC of the activity assigning the TCN.
7	36	Enter the last digit of the calendar year.
8-10	37-39	Enter the day-of-the-year the TCN is assigned.
11	40	Enter the type shipment code from the following list: R - Red disk, unit moves. S - Subsistence, resale. T - Subsistence, issue. X - Miscellaneous (not otherwise listed here). Z - Unit organizational equipment other than red or yellow disk (unit moves).
12-14	41-43	Enter a serial number without any duplication on the day shown in positions 8-10 (rp 37-39). Use the numbers 001 through 999 in sequence. Additional numbers, if needed, should use alphanumerics; e.g., A01, A02, ...A999, B01, B02, etc.
15	44	Enter the letter "X" unless the shipment unit must be shipped from multiple plant or warehouse locations. For multiple locations, identify each shipping point alphabetically as indicated below: A - First location B - Second location C - Third location D-Z - Fourth through 23d locations (do not use the letters I, O, or X).
16	45	Enter the partial shipment code (see paragraph 11.).
17	46	Enter the split shipment code (see paragraph 11.).

9. Personal Property Shipments

TCN rp	TCMD rp	<u>Explanation</u>
1	30	Enter the code for the Service or Agency sponsoring (paying for) the shipment as indicated by the first position of the TAC (see appendix J, paragraph 7.a.).
2	31	Enter the last digit of the fiscal year in which the member/employee officially leaves his/her current duty station. If the shipment is not a result of transfer orders (e.g., early return of dependents, deserters), use the last digit of the fiscal year of shipment.

TCN rp	TCMD rp	Explanation
3-5	32-34	For POVs, enter the day-of-the-year of delivery to the original POE. For all other personal property, enter the day of the year the shipment is to be picked up from the member/employee or storage. ¹
6-14	35-43	Enter the member's/employee's social security number.
15	44	Enter the type shipment code from the following list: B - Unaccompanied baggage (DPM) J - Unaccompanied baggage (TGBL) H - Household goods (DPM) K - Household goods (TGBL) P - POV
16	45	Enter the partial shipment code (see paragraph 11.).
17	46	Enter the split shipment code (see paragraph 11.).

10. Shipment of a SEAVAN/MILVAN

TCN rp	TCMD rp	Explanation										
1-6	30-35	Enter the DoDAAC of the activity loading shipments into the SEAVAN/MILVAN.										
7-10	36-39	Enter the last four positions of the voyage document number assigned during booking. Once assigned, do not change even if the SEAVAN actually moves on a different voyage (see appendix F18, paragraph 2).										
11	40	Enter the letter "V."										
12-14	41-43	Enter the serial number assigned by the clearance authority or booking office.										
15-16		Enter SEAVAN service codes, origin service code in rp 15 and destination service code in rp 16. List is as follows:										
		<table><tr><th>Code</th><th>Definition</th></tr><tr><td>K</td><td>At carrier's terminal (pier service)</td></tr><tr><td>L</td><td>In the commercial zone of the U.S. port city or, outside the United States within 10 miles of the port city limits. Certain port cities are divided into modified zones as listed in the MSC Container Agreement and Rate Guide (reference p) are assigned codes 1-9 instead of code L (local drayage).</td></tr><tr><td>M</td><td>At any point not covered by codes K, L, or 1-9 (line haul).</td></tr><tr><td>P</td><td>Same as code M, except one or more stop-offs enroute to final destination have been booked with the ocean carrier.</td></tr></table>	Code	Definition	K	At carrier's terminal (pier service)	L	In the commercial zone of the U.S. port city or, outside the United States within 10 miles of the port city limits. Certain port cities are divided into modified zones as listed in the MSC Container Agreement and Rate Guide (reference p) are assigned codes 1-9 instead of code L (local drayage).	M	At any point not covered by codes K, L, or 1-9 (line haul).	P	Same as code M, except one or more stop-offs enroute to final destination have been booked with the ocean carrier.
Code	Definition											
K	At carrier's terminal (pier service)											
L	In the commercial zone of the U.S. port city or, outside the United States within 10 miles of the port city limits. Certain port cities are divided into modified zones as listed in the MSC Container Agreement and Rate Guide (reference p) are assigned codes 1-9 instead of code L (local drayage).											
M	At any point not covered by codes K, L, or 1-9 (line haul).											
P	Same as code M, except one or more stop-offs enroute to final destination have been booked with the ocean carrier.											

¹ To preclude duplication of TCNs, if multiple shipments of the same type (position 15) are to be picked up on the same day, for the same person, regardless of origin or destination, the shipments are documented as partial shipments (position 16).

TCN rp	TCMD rp	Explanation
17	46	Enter the type of SEAVAN from the following list: 2 - Dry cargo 3 - Platform or flatbed 4 - Open top 5 - Refrigerated 6 - Top filling 7 - Insulated 8 - Open frame or rack 9 - Tank type X - Special or experimental A - High cube dry van (9 ft 6 in or higher) B - High cube refrigerated C - High cube insulated D - Trailer E - Dry rail car F - Reefer rail car G - Garment container H - Rail flatrack

11. Partial and Split Shipments. The partial and split shipment codes indicate whether or not a shipment unit is separated into increments and, if separated, identify the specific increments. Cargo identified by DI TU_, as assemblies or sets which must move together in a shipment unit are not divided into partial or split shipments. The partial and split shipment codes are required to ensure a 17 digit TCN is not duplicated. While the same letter codes are used for both partial and split shipment entries, the partial shipment entry (position 16, rp 45) is made by the shipper and the split shipment entry (position 17, rp 46) is made by the transshipper. The only time a shipper makes a split shipment entry is for shipments of vehicles with detached component parts as explained in figure D-8. The assignment of partial and split shipment codes differ for surface and air shipments as explained in subparagraphs a. and b. below.

a. Assignment of partial and split shipment codes for surface movement (TCN positions 16 and 17, rp 45 and 46).

(1) General. The partial and split shipment codes for surface cargo provide a method to document separate increments of shipment units just like they do for air cargo.

(2) Surface Partial Shipment Codes (TCN position 16, rp 45).

(a) When assigning a TCN to surface cargo, the shipper selects a partial shipment code from paragraph 11.a.(4) below, for each increment of the shipment unit moved on a separate conveyance. The shipper enters the selected partial shipment code in position 16 (rp 45) of the TCN and enters the letter "X" in position 17 (rp 46), except as indicated in paragraph 11., above for detached component parts of vehicles.

(b) Partial shipment codes used for surface shipments; see examples in paragraph 11.a.(4) below (I and O are omitted and X is used only for shipments which have not been separated into partials).

(3) Split Shipment Code (TCN position 17, rp 46). As indicated in paragraph 11.a.(2)(a) above, the shipper enters the letter "X" in position 17 (rp 46) of the TCN. The transshipper does not alter the TCN

unless it is necessary to split the shipment unit and move it onward by more than one conveyance. Such a split includes loading into more than one SEAVAN/MILVAN/RORO, but stowage in multiple holds on the same ship is indicated by separate manifest entries showing stow location, not a split TCN. When splitting the shipment unit, the transshipper selects a code from paragraph 11.a.(4) below, and enters it in position 17 (rp 46) of the TCN.

(4) Partial and split shipment codes used for surface shipments; see examples in paragraph 11.a.(5) below. I and O are omitted and X is used only for shipments which have not been separated into partials or splits.

<u>Code</u>	<u>Shipment Increment</u>
X	Entire shipment unit moved together
A	1st increment of a partial or split shipment
B	2d
C	3d
D	4th
E	5th
F	6th
G	7th
H	8th
J	9th
K	10th
L	11th
M	12th
N	13th
P	14th
Q	15th
R	16th
S	17th
T	18th
U	19th
V	20th
W	21st
Y	22d
Z	23d and last increment of a partial or split shipment. ²

(5) Examples of partial and split shipment code assignment for surface movement:

TCN Position 16/17

(a) A shipment unit moving as a
complete unit from the origin shipper

XX

² If the shipment unit is divided into more than 23 partial or split increments, except for ammunition and explosives, or shipments under the Security Assistance Program (FMS/MAP), an additional TCN is constructed according to the procedures in paragraph 8., above. That additional TCN, with partials or splits as necessary, is used for the 24th and each subsequent increment. Precise controls necessary on ammunition, explosives, and FMS/MAP shipments restrict the assignment of additional TCNs. If shipments of ammunition or explosives, under the FMS/MAP program exceed 23 increments, an additional document number suffix is obtained from the inventory control point or for FMS, the responsible ILCO, and a TCN constructed as outlined in paragraph 2., above.

- (b) A shipment unit partialled into three increments for movement from the shipper:

1st partial	AX
2d partial	BX
3d partial	CX

- (c) A complete shipment unit (XX) split into three increments by the surface transshipper:

1st partial	XA
2d partial	XB
3d partial	XC

- (d) A partial shipment unit (AX) from the origin shipper that is split into three increments by the surface transshipper:

1st split of partial A	AA
2d split of partial A	AB
3d split of partial A	AC

b. Assignment of Partial and Split Shipment Codes for Air Movement (TCN Positions 16 and 17, rp 45 and 46).

(1) General. The partial and split shipment codes for air cargo provide a method to document separate increments of shipment units just like they do for surface cargo. In addition, the codes are used for actual piece control in the air system.

(2) Air Partial Shipment Codes (TCN position 16, rp 45).

(a) When assigning a TCN to air cargo, the shipper selects a partial shipment code from paragraph 11.b.(2)(b) below, for each increment of the shipment unit moved on a separate conveyance. In addition, by assigning each 23 pieces (or fraction thereof) a separate partial shipment code, the shipper ensures no increment (partial) contains more than 23 pieces. Limiting each increment (partial) to 23 pieces allows the transshipper to assign a split shipment code to each piece. The shipper enters the selected partial code in position 16 (rp 45) of the TCN and (except as indicated in paragraph 11., above for detached component parts of vehicles) enters the letter "X" in position 17 (rp 46).

(b) Partial shipment codes used for air shipments; see examples in paragraph 11.b.(4) below (I and O are omitted and X is used only for shipments which have not been separated into partials).

<u>Code</u>	<u>Shipment Increment</u>
X	Complete shipment unit not separated into increments (and containing 23 pieces or less)
A	1st increment of a partial shipment (and containing 23 pieces or less)
B	2d
C	3d

<u>Code</u>	<u>Shipment Increment</u>
D	4th
E	5th
F	6th
G	7th
H	8th
J	9th
K	10th
L	11th
M	12th
N	13th
P	14th
Q	15th
R	16th
S	17th
T	18th
U	19th
V	20th
W	21st
Y	22d
Z	23d increment (see note 2, paragraph 11.a.(4) above).

(3) Split shipment code (TCN position 17, rp 46).

(a) As indicated in paragraph 11.b(2)(a) above, the shipper enters the letter "X" in position 17 (rp 46) of the TCN. Whenever the air shipment contains more than one piece, the transshipping air terminal entering the shipment into the air system selects a split shipment code from paragraph 11.b(3)(b) below, and (on the air manifest documents only) enters it in TCN position 17 (rp 46) instead of the letter "X."

(b) Split shipment codes used for air shipments; see examples in paragraph 11.b.(4) below. I and O are omitted, X is used only for shipments which have only one piece.

<u>Code</u>	<u>Shipment Increment</u>
X	Complete shipment unit consisting of only one piece

<u>Code</u>	<u>Shipment Increment</u>
A	1st piece of a shipment unit containing multiple pieces
B	2d piece
C	3d
D	4th
E	5th
F	6th
G	7th
H	8th
J	9th
K	10th
L	11th
M	12th
N	13th
P	14th
Q	15th
R	16th
S	17th
T	18th
U	19th
V	20th
W	21st
Y	22d
Z	23d piece of a shipment unit

(c) Examples of partial and split shipment code assignment for air movement:

TCN Position 16/17

- | | |
|---|----|
| <u>1</u> A shipment unit consisting of only one piece | XX |
| <u>2</u> A shipment unit consisting of three pieces: | |
| 1 As it leaves the shipper | XX |

TCN Position 16/17

2 As it leaves the air terminal:

1st piece	XA
2d piece	XB
3d piece	XC

3 A shipment unit as it leaves the shipper partialled into three increments:

1st increment	AX
2d increment	BX
3d increment	CX

Appendix D

TRANSPORTATION CONTROL AND MOVEMENT DOCUMENT/DATA PREPARATION

1. This appendix contains TCMD preparation instructions for the various types of shipments in the DTS. The basic requirements for preparation of the TCMD are detailed in chapter 2, paragraph B.2. The required TCMD entries for the various types of shipments are determined by referring to the decision table in figure D-1. Instructions for obtaining, selecting, and/or constructing the various data entries on TCMDs are detailed in the explanatory notes of figures D-2 through D-18 and in other sections of MILSTAMP, principally chapter 2, paragraph B.1.b. While all of the formats contain the same basic information about a shipment, the automated format is used whenever both the preparing and receiving activities are able to prepare, transmit, and receive automated data.

2. Certain rules apply to all TCMD entries.

a. Unless otherwise stated in figures D-2 through **D-23**, all data fields are filled, by using zeros if necessary.

b. All quantities are stated in whole numbers. Fractions or decimals are rounded to the next higher whole number.

c. If obtaining exact information will delay transmission of advance TCMDs beyond the time requirements listed in chapter 2, figures 2-B-3 and 2-B-5, estimated weight and cube may be used for personal property shipments and shipments from vendors. Whenever using estimated weight or cube, enter "EEEE" in block 22/column 44a (rp 68-71) instead of the number of pieces.

d. Data entries are compiled in numeric/alphabetic order using the third position of the document identifier for each shipment unit.

(1) For single shipment units, trailer data entries (T_5 through T_9) immediately follow the prime data entry T_0/1 through T_4 to which they apply.

(2) For consolidated shipments, the prime data entries (T_4) with related trailer data entries (T_5 through T_9) immediately follow the consolidation container prime data entries (T_2/T_3) and related data (T_9).

3. Certain types of shipments are exceptions to the normal TCMD preparation rules or have other special requirements.

a. Detached component parts moving with a vehicle are documented on a TCMD as a separate shipment unit by use of the split shipment indicator.

b. SEAVAN shipments moving to a WPOE under terms of the MSC Container Agreement and Rate Guide, and not on a GBL or CBL, require an additional TCMD prepared as detailed in figure D-5. In addition to the entries shown in figure D-5, the van number and seal number prefixed by "VN" and "SN" respectively, are entered in block 21 of the additional DD Form 1384 (TCMD). In accordance with Title 49, CFR (reference (m), when hazardous and nonhazardous material are listed on these SEAVAN TCMDs, the hazardous material content records, i.e., T_4 records with hazardous water commodity codes and their accompanying T_6, T_7, and T_9 records must be listed first.

c. Some shipments of DoD logistics materiel destined to Turkey require prior clearance from the Turkish General Staff (TGS). Shippers contact the TGS prior to shipping arms, ammunition, generators (60KW and above), vehicles, and nonregistered equipment and supplies consigned to U.S. Forces in Turkey. Turkish Defense Affairs (TDA) numbers for assets listed in categories 3.c.(2) through (5) below, consigned to the 528th U.S. Army Artillery Group, Cakmakli, Turkey and U.S. Army Field Station, Sinop, Turkey must be obtained from those units prior to shipment (see paragraph 3.c.(1), below). The TGS assigns a TDA Number to each shipment cleared for import into Turkey. The TDA number (preceded by "TDA") is included as trailer data (DI T_9) on the TCMD prior to releasing the shipment for movement to the POE. Shippers obtain the TDA number by submitting one of the messages illustrated below.

(1) Message addressees are:

CDR 528TH USAAG CAKMAKLI TU//AESE-T-D//

CDR USAFLDSTA SINOP TU//IAEN-LG//

Information copies of such messages will also be addressed to:

CHJUSMMAT ANKARA TU//TDAI//

(2) Arms or ammunition:

TO: 39 TACG INCIRLIK TU/LGSCA (for arms)

39 TACG INCIRLIK TU/MAEK (for ammunition)

INFO: HQ TUSLOG ANKARA AS TU/LGS

JUSMMAT ANKARA AS TU/TDAI

UNCLAS

SUBJECT: (WEAPONS) or (MUNITIONS)

1. Request TGS approval be provided for the following:

- A. Action requested: (import, export, transfer)
- B. Origin:
- C. Destination:
- D. Transfer point within Turkey:¹
- E. DoDIC
- F. Nomenclature: (use complete nomenclature found in appropriate technical orders or supply manuals)
- G. Quantity: (rounds/each individual item)
- H. TGS authorized quantity:¹
- I. Current quantity onhand:¹
- J. Previous requests approved by TGS, but not yet received: (for same type weapon/munition, indicate TDA number and quantity)¹
- K. Previous request pending TGS approval: (indicate date-time group of the message)¹
- L. Mode of Transportation:

¹ Information for items D, H, I, J and K is provided by the in-country organization.

(3) Generators:

TO: HQ TUSLOG ANKARA AS TU/LGT//

INFO: JUSMMAT ANKARA AS TU/TDAI//

UNCLAS

SUBJECT: USCCOT 25 CARGO CLEARANCE, GENERATORS

1. Request authorization to import/export/move the following generator(s).
Generator serial number_____, model number_____ brand/manufacturers name_____, fixed, mobile or power rating_____.
 - A. The generator(s) will be imported/exported/moved from_____to_____.
 - B. The port of (entry/exit) will be: (location)
 - C. Mode of Transportation:
 - D. Estimated date of (entry/exit):²
 - E. Reason for import/export/move: (Provide clear text rationale which conveys the purpose. Reason such as "In accordance with approved project(s)" is unacceptable.)
2. Point of contact for (requesting office) is (name and DSN number).

(4) Vehicles:

TO: HQ TUSLOG ANKARA AS TU/LGT//

INFO: JUSMMAT ANKARA AS TU/TDAI//

UNCLAS

SUBJECT: U.S. GOVERNMENT VEHICLES

1. Request TGS approval for the following shipment of vehicle(s):
 - A. Action Requested: (import, export, or transfer)
 - B. Origin:
 - C. Destination within Turkey:
 - D. Transfer point within Turkey:²
 - E. Type Vehicle:
 - F. Weight:
 - G. Registration Number:
 - H. Transportation Control Number:²
 - I. Method/Mode of movement to CONUS POE:²
 - J. Approximate date of movement:²
 - K. Estimated date shipment will arrive at DoD port of entry into Turkey:²
2. Point of contact for (requesting office) is (name and DSN number).

² Refer to footnote 1 on previous page.

(5) Nonregistered equipment/supplies, i.e., analyzers (spectrum), antennas, computers, demodulators, demultiplexers, plotters, receivers, records, synchronizers, timing systems, tuners, and visicorders requiring a clearance:

TO: TUSLOG ANKARA AS TU/LGS//

INFO: JUSMMAT ANKARA AS TU/TDAI//

4. The documentation for consolidated shipments detailed in this appendix results in document integrity throughout the consolidation. When single consolidations occur, the consolidation container (e.g., SEAVAN) is tied to the individual shipment unit by the entries in block 2/column 33 (rp 4-8). When double consolidations occur, the major consolidation container (e.g., SEAVAN) is tied to the secondary consolidation container (e.g., multiwall) by the entries in block 2/column 33 (rp 4-8). In turn, the secondary consolidation container (i.e., multiwall) is tied to the individual shipment unit by the entries in block 3/column 34 (rp 9-14).

5. The procedures for preparing an advance TCMD in Electronically Transmitted Message (ETM) format are detailed in figure **D-23**.

DECISION TABLE FOR TCMD PREPARATION

When preparing a TCMD, determine which data entries are required by referring to this decision table. For every listing in column A that applies, complete the documents described in the figures listed in column B. Every shipment unit must have at least one prime entry (T_0, T_2, T_3, or T_4).

Column A

If the shipment is:

Column B

Than a TCMD entry is prepared for every applicable category listed in column A by following the instructions in each figure listed for the various document identifiers in column B.

	T_0/1	T_2	T_3	T_4	T_5	T_6	T_7	T_8	T_9
1. A single shipment unit:									
a. Not in a consolidated container.	D_2					D_9			
b. In any consolidation container.				D_7					
c. Outsized.					D_8				
d. Hazardous material (HM):									
(1) Ammunition or explosives						D_9	D_10		D_15
(2) All other HM						D_9			D_15
e. A Government vehicle, trailer, wheeled gun, or aircraft.					D_8				
f. Personal property and:									D_16
(1) Consigned to civil address.									
(2) Unaccompanied baggage belonging to TDY USAF personnel.									D_16
2. Made through ARFCOS.	D_3					D_9			
3. A RORO trailer (containing cargo).		D_4				D_9			
4. A SEAVAN/MILVAN (containing cargo).		D_5				D_9			D_13
a. With stop-offs enroute.									D_14
5. A CONEX, unitized pallet, or other consolidation container, other than a SEAVAN, MILVAN, or RORO.			D_6			D_9			
6. An empty SEAVAN, MILVAN, or CONEX.	D_2								D_13
7. Anything requiring additional information not listed above.									D_12

Figure D-1

Prime Data TCMD Entries for Single Shipment Units (DI T_0/1) (including empty SEAVAN/MILVAN/CONEX)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	1	Enter three position code. The first position is always T. The second and third digits are selected from the list in appendix F8, paragraph 2.
4-8	2	Enter the trailer, van, or container number, if any, as explained in appendix F6. If none, leave blank. For air shipments, enter the FSC in rp 5-8. Leave rp 4 blank. For Army shippers, the Army ACA will provide FSC data to USTRANSCOM, as required.
9-14	3	Enter the DoDAAC of the consignor. The in-the-clear address may be added on the DD Form 1384.
15-19	4	Enter the applicable air commodity code from appendix F2, or water commodity code from appendix F20. For water, enter a five position code. For air, enter a two position code in rp 18-19. For short shelf-life items, enter one of the following codes in rp 15: "K" for GSA-managed sealants/adhesives, "M" for medical items, or "X" for all other short shelf-life items.
20	5	For air, enter a code from appendix F3.
21-23	6	Enter the appropriate aerial or water port identifier code from appendix F4 or F21.
24-26	7	Enter the appropriate aerial or water port identifier code from appendix F4 or F21.
27	8	Enter the mode/method code from appendix F13 for movement from the origin to the POE.
28-29	9	Enter type pack code from appendix F14.
30-46	10	Enter the shipment unit TCN.
47-52	11	Enter DoDAAC of the consignee. The in-the-clear address may be added on the DD Form 1384. For personal property, identify the military activity responsible for receiving/processing the shipment at destination.
53	12	Enter the transportation priority.
54-56	13	Enter the RDD <i>or expedited handling or transportation signal</i> , if any (chapter 2, paragraph B.1.b.(3)).
57-59	14	Enter the project code, if any. (chapter 2, paragraph B.1.b.(4).)
60-62	15	Enter the code for the date the shipment moved to the POE from appendix F7.

Figure D-2

**Prime Data TCMD Entries for Single Shipment Units (DI T_0/1)
(Including Empty SEAVAN/MILVAN/CONEX)**

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
60-62	15	Enter the code for the date the shipment moved to the POE from appendix F7.
63	16	Enter the ETA code from appendix F9.
64-67	17	Enter the shipment unit TAC.
68-71	22	Enter total number of pieces in shipment unit. (chapter 2, paragraph B.1.b.(7)(d).) When shipping a Government vehicle, trailer, wheeled gun, or aircraft with BII, see footnote 8, figure D-8.
72-76	23	Enter total weight of shipment unit. (chapter 2, paragraph B.1.b.(7)(d).)
77-80	24	Enter total cube of shipment unit. (chapter 2, paragraph B.1.b.(7)(d).)

Figure D-2 (Cont.)

Prime Data TCMD Entries for Single Shipments by the Armed Forces Courier Service (ARFCOS)

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
1-3	1	Enter TC1.
4-8	2	Leave rp 4 blank and enter the FSC in rp 5-8.
9-14	3	Enter CTS plus the APOE air terminal identifier code.
15-17	4	Leave blank.
18-19	4	Enter the air commodity code from appendix F2.
20	5	Enter a code selected from appendix F3.
21-23	6	Enter the APOE air terminal identifier code.
24-26	7	Enter the APOD air terminal identifier code.
27	8	Enter 9 if CTS and APOE are collocated; otherwise, enter X.
28-29	9	Enter type pack code from appendix F14.
30-46	10	Enter the TCN. (See appendix C, paragraph 6.)
47-52	11	Enter CTS plus the APOD air terminal identifier code.
53	12	Enter the transportation priority.
54-56	13	<i>Enter the RDD or expedited handling or transportation signal, if any. (see chapter 2, paragraph B.1.b.(3)).</i>
57-59	14	Leave blank.
60-62	15	Enter the GMT code from appendix F3 for the date shipment released to the APOE.
63	16	Enter the ETA code from appendix F9.
64-67	17	Enter 0003.
68-71	22	Enter total pieces in shipment unit.
72-76	23	Enter total weight of shipment unit.
77-80	24	Enter total cube of shipment unit.

Figure D-3

Prime Data TCMD Entries for Loaded RORO Trailers (DI T_2)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	1	Enter three position code. The first position is always T. The second position is selected from appendix F8, paragraph 2. For RORO trailers, the third position is two.
4-8	2	Enter the number of the RORO trailer from appendix F6.
9-14	3	Enter the DoDAAC of the loading activity. In-the-clear text may be added on the DD Form 1384.
15-19	4	For trailers containing more than one commodity; if any is hazardous materiel, prepare the TCMD as explained in figure D-5, <i>footnote 3</i> . For all others, enter the applicable commodity code as follows: <u>Water</u> . Enter the five position code from appendix F20, for the commodity with the greatest cube. <u>Air</u> . Enter the two position code from appendix F2, for the commodity with the greatest weight in rp 18-19. For short shelf-life items, enter K for GSA-managed sealants/adhesives, M for medical items, or Z for any other commodity with limited shelf-life in rp 15.
20	5	For air shipments, enter a code selected from appendix F3.
21-23	6	Enter the appropriate POE air or water port identifier code from appendix F4 or F21.
24-26	7	Enter the appropriate POD air or water port identifier code.
27	8	Enter the mode/method code by which the loaded RORO will be delivered to the POE from appendix F13. If loaded at the POE, leave blank.
28-29	9	Enter type pack code RT.
30-46	10	Enter the shipment unit TCN.
47-52	11	Enter the DoDAAC for the RORO consignee. In-the-clear text may be added on the DD Form 1384.
53	12	Enter the highest transportation priority contained in the loaded RORO.
54-56	13	Enter the earliest RDD assigned to any shipment unit loaded in the RORO or highest expedited handling or transportation signal .
57	14	If RORO contents for a single consignee, enter S; if for multiple consignees, enter M.

Figure D-4

Prime Data TCMD Entries for Loaded RORO Trailers (DI T_2)

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
58-59	--	Enter the total number of shipment units loaded in the RORO. If more than 99, enter XX and list the total number in a T_9 entry.
60-62	15	Enter the date code from appendix F7 for the day the RORO is expected to be released for movement to the POE. If loaded at the POE, leave blank.
63	16	Enter code for ETA at the POE from appendix F9. If loaded at the POE, leave blank.
64-67	17	Leave blank.
68-71	22	Enter 0001.
72-76	23	Enter total weight of RORO and its contents preceded by zeros if less than five digits.
77-80	24	Enter gross cube of RORO preceded by zeros if less than four digits.

Figure D-4 (Cont.)

Prime Data TCMD Entries for Loaded SEAVAN/MILVAN (VAN)(DI T_2)

Prime Data rp	DD Form 1384 Block	Procedure												
1-3	1	Enter three position code. The first position is always T. The second position is selected from appendix F8, paragraph 2. For MILVAN/SEAVAN, the third position is two.												
4-8	2	Enter the last five digits of the SEAVAN/MILVAN number. (see appendix F6.)												
9-12	3	Enter the SEAVAN ownership code from appendix F12.												
13-14	3	Enter the length, in feet, of the van used.												
15-17	4	Enter the appropriate commodity code from appendix F20, paragraph 4. For vans containing more than one commodity, use the code for the commodity with the greatest cube ³ . In the T_2 entries, descriptive data is not required for NOS commodities. Enter the applicable code from the following list: <table><tr><td>130 Chill, subsistence NOS</td><td>135 Chill, other than subsistence NOS</td></tr><tr><td>192 Freeze, subsistence NOS</td><td>195 Freeze, other than subsistence NOS</td></tr><tr><td>40X Ammunition/Explosives</td><td>500 Subsistence NOS</td></tr><tr><td>610-614 Mail</td><td>690-692 Empty containers</td></tr><tr><td>70D Consumer commodity ORM-D</td><td>70X Hazardous material other than 40X and 70D</td></tr><tr><td>700 General cargo NOS</td><td>894 Wheeled or tracked vehicles</td></tr></table>	130 Chill, subsistence NOS	135 Chill, other than subsistence NOS	192 Freeze, subsistence NOS	195 Freeze, other than subsistence NOS	40X Ammunition/Explosives	500 Subsistence NOS	610-614 Mail	690-692 Empty containers	70D Consumer commodity ORM-D	70X Hazardous material other than 40X and 70D	700 General cargo NOS	894 Wheeled or tracked vehicles
130 Chill, subsistence NOS	135 Chill, other than subsistence NOS													
192 Freeze, subsistence NOS	195 Freeze, other than subsistence NOS													
40X Ammunition/Explosives	500 Subsistence NOS													
610-614 Mail	690-692 Empty containers													
70D Consumer commodity ORM-D	70X Hazardous material other than 40X and 70D													
700 General cargo NOS	894 Wheeled or tracked vehicles													
18-19	4	Enter type cargo/special handling code from appendix F20.												
20	5	Leave blank.												
21-23	6	Enter POE water port identifier code from appendix F21.												
24-26	7	Enter POD water port identifier code.												
27	8	Enter the mode/method code for movement to the POE from appendix F13. If the van is loaded at the POE, leave blank.												
28-29	9	Enter the type pack code from appendix F14.												
30-46	10	Enter the SEAVAN/MILVAN TCN (appendix C, paragraph 10.)												
47-52	11	Enter the DoDAAC of the van consignee. For stopoffs, show intermediate consignee(s) and final consignee in T_9 data.												

Figure D-5

³ In accordance with Title 49 CFR, when hazardous and nonhazardous materials are listed on a SEAVAN/MILVAN TCMD, the hazardous material content records, T_4 with accompanying T_6, T_7, and T_9 records must be listed first. The DI code is TE2 for ammunition and explosives, TX2 for ORM-D not loaded with any other hazardous material, or TJ2 for all other hazardous material.

Prime Data TCMD Entries for Loaded SEAVAN/MILVAN (VAN)(DI T_2)

Prime Data rp	DD Form 1384 Block	Procedure
53	12	Enter the highest transportation priority of any shipment unit loaded in the van.
54-56	13	Enter the earliest RDD of any shipment unit in the van or highest expedited handling or transportation signal.
57	14	Enter code for single or multiple consignees and method of delivery from the following list: S Single consignee at a single destination. M Multiple consignees via a breakbulk point for distribution to the appropriate consignees. C Multiple consignees via a centralized receiving point for distribution to the ultimate consignees. 1-9 Multiple consignees via stopoffs. Enter the number of stopoffs, excluding the final consignee.
58-59	14	Enter the total number of shipment units loaded in the van. If more than 99, enter XX and show the number of shipment units loaded in T_9 data entries.
60-62	15	Enter the code for the date the van will be released for movement to the POE from appendix F7. If the van is loaded at the POE, leave blank.
63	16	Enter the code for the ETA at the POE from appendix F9. If the van is loaded at the POE, leave blank.
64-67	17	Enter the van cubic capacity in whole cubic feet as listed on the van, preceded by zeros, if less than four digits.
68-71	22	For MILVANS, enter 0001; for SEAVANS, enter total number of pieces preceded by zeros, if less than four digits.
72-76	23	For MILVANS, enter the total weight of the van and its contents. For SEAVANS, enter only the total weight of the contents of the van preceded by zeros, if less than five digits.
77-80	24	For MILVANS, enter the outside cube of the van. For SEAVANS, enter the total cube of the van contents preceded by zeros, if less than four digits.

Figure D-5 (Cont.)

Prime Data TCMD Entries for CONEX (containing cargo), Unitized Pallet Loads, and all Loaded Consolidation Containers MILVAN (DI T_3)

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
1-3	1	Enter three position code. First position is T. Select the second position from the list in appendix F8, paragraph 2. For consolidation containers, the third position is always three.
4-8	2	Enter the number marked on the consolidation container ⁴ (see appendix F6).
9-14	3	Enter the DoDAAC of the activity loading the consolidation container. In-the-clear text may be added on DD Form 1384. For consolidation containers loaded in a RORO, MILVAN, or SEAVAN.
15-19	4	Enter the applicable commodity code as follows: For water, enter the five position code (appendix F20) for the commodity with the greatest cube. For air, enter the two position code (appendix F2) for the commodity with the greatest weight in rp 18-19. For short shelf-life items, enter K for GSA-managed sealants/adhesives, M for medical items, or Z for all others.
20	5	For air shipments, enter code (appendix F3).
21-23	6	Enter the appropriate POE air or water port identifier code (appendix F4 or F21).
24-26	7	Enter the appropriate POD air or water port identifier code.
27	8	Enter the mode/method code for movement of the consolidation container to the POE (appendix F13). For consolidation containers loaded at the POE, leave blank.
28-29	9	Enter the type pack code (appendix F14).
30-46	10	Enter the shipment unit TCN.
47-52	11	Enter the DoDAAC for consignee of the consolidation container. In-the-clear text may be added on DD Form 1384.
53	12	Enter the highest transportation priority for any shipment unit loaded in the consolidation container.
54-56	13	Enter the earliest RDD for any shipment unit loaded in the consolidation container or highest expedited handling or transportation signal.

Figure D-6

⁴ When a consolidation container is loaded in the RORO, MILVAN, or SEAVAN, the following entries apply:

4-8	2	Enter the RORO, MILVAN, or SEAVAN number.
9-14	3	Enter the consolidation container number.

Prime Data TCMD Entries for CONEX (containing cargo), Unitized Pallet Loads, and all Loaded Consolidation Containers MILVAN (DI T_3)

Prime Data rp	DD Form 1384 Block	Procedure
57-59	14	Enter the project code, if any. (chapter 2, paragraph B.1.b.(4).)
60-62	15	Enter the code for the date the shipment will be released for movement to the POE (appendix F7).
63	16	Enter the ETA code (appendix F9). For consolidation containers loaded on an RORO, MILVAN, or SEAVAN. ⁵
64-67	17	Leave blank.
68-71	22	Enter 0001.
72-76	23	Enter total weight of the consolidation container and its contents, preceded by zeros if less than five digits.
77-80	24	Enter the gross cube of the consolidation container, preceded by zeros if less than four digits.

Figure D-6 (Cont.)

⁵ When consolidation containers are loaded in an RORO, MILVAN, or SEAVAN, the following entries apply:

- | | | |
|----|------|--|
| 63 | 16 | Enter one of the following codes to indicate if individual shipment units are to be delivered to the RORO, MILVAN, or SEAVAN consignee or at stopoff points: |
| | X | There are no stopoffs. |
| | 1 | Deliver at first stopoff. |
| | 2 | Deliver at second stopoff. |
| | 3, 4 | Deliver at third, fourth, etc., stopoff. |
| | Z | Deliver at final destination. |

Prime Data TCMD Entries for Shipment Units Loaded into all Consolidation Containers (DI T_4)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	1/32	Enter a three position code. The first position is always T. The second and third positions are selected from the list in appendix F8, paragraph 2. On advance TCMDs for shipment units loaded in a consolidation container, the third position is always four.
4-8	2/33	Enter the number of the RORO trailer, SEAVAN/MILVAN, or other consolidation container as explained in appendix F6. The number entered is always identical to rp 4-8 (block 2) of the corresponding T_2 or T_3 entry. ⁶
9-14	3/34	Enter the DoDAAC of the consignor of the actual shipment unit loaded in the RORO trailer, SEAVAN, MILVAN or other consolidation containers. ⁶ The clear text may be added on DD Form 1384.
15-19	4/35	Enter the applicable commodity code for the mode of overseas movement (appendix F4 for air shipments or appendix F20 for water shipments). (See footnote 3, figure D-5.)
		For air shipments, rp 15-17 are left blank except for short shelf-life items; for these items, enter one of the following codes in rp 15:
		K - GSA-managed sealants/adhesives M - Medical items Z - All others
20	5/36a	For air shipments, enter the appropriate code (appendix F3).
21-23	6/36b	Enter the appropriate air or water POE identifier code (appendix F4 or appendix F21).
24-26	7/36	Enter the appropriate air or water POD identifier code (appendix F4 or appendix F21).
27	8/38	Enter the code for the mode/method of movement to the POE (appendix F13).
28-29	9/39	Enter the code for the type of pack (appendix F14).
30-46	10/40	Enter the TCN for the shipment unit. (appendix C.)
47-52	11/41	Enter the DoDAAC of the ultimate consignee.

Figure D-7

⁶ For shipment units in consolidation containers also loaded in RORO/SEAVAN/MILVAN, the prime data T_4 entries are changed as follows:

4-8	2/33	Enter the RORO/SEAVAN/MILVAN number from the prime data T_2 entry.
9-14	3/34	Enter the number marked on the consolidation container. (See appendix F, paragraphs 3.b. and c.) Leave rp 14 blank.

Prime Data TCMD Entries for Shipment Units Loaded into all Consolidation Containers (DI T_4)

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
20	5/36a	For air shipments, enter the appropriate code (appendix F3).
21-23	6/36b	Enter the appropriate air or water POE identifier code (appendix F4 or appendix F21).
24-26	7/36	Enter the appropriate air or water POD identifier code (appendix F4 or appendix F21).
27	8/38	Enter the code for the mode/method of movement to the POE (appendix F13).
28-29	9/39	Enter the code for the type of pack (appendix F14).
30-46	10/40	Enter the TCN for the shipment unit (appendix C).
47-52	11/41	Enter the DoDAAC of the ultimate consignee.
53	12/42	Enter the transportation priority for the shipment unit. (see chapter 2, paragraph B.1.b.(2).)
54-56	13/43	Enter the RDD <i>or expedited handling or transportation signal</i> , if any (see chapter 2, paragraph B.1.b.(3)).
57-59	14/43	Enter the project code for the shipment unit, if any. (see chapter 2, paragraph B.1.b.(4).)
60-62	15/43	Enter the code for the date of release for movement of the shipment unit to the POE (appendix F7).
63	16/43	Enter the code for the estimated time of arrival at the POE ⁷ from appendix F9.
64-67	17/41	Enter the TAC (MILSTAMP, Vol. II) for the shipment unit or other source document.

Figure D-7 (Cont.)

⁷ For all shipments in SEAVANs or MILVANs, the prime data T_4 entries are changed as follows:

63 16/43 Enter a code indicating if the shipment unit is to be delivered at a particular stopoff point, or at the final destination of the SEAVAN or MILVAN. Select the code from the following list:

<u>Code</u>	<u>Explanation</u>
X	There are no intermediate stopoffs.
1	Deliver this shipment unit at first stopoff point.
2,3	Deliver this shipment unit at the second, third, etc., stopoff point.
Z	Deliver this shipment unit at the final destination of the SEAVAN or MILVAN.

Prime Data TCMD Entries for Shipment Units Loaded into all Consolidation Containers (DI T_4)

Prime Data rp	DD Form 1384 Block	Procedure
68-71	22/44	Enter the number of pieces for the shipment unit. If greater than 9999, see chapter 2, paragraph B.1.b.(7)(d).
72-76	23/44	Enter the total weight of the shipment unit. If greater than 99,999, see chapter 2, paragraph B.1.b.(7)(d).
77-80	24/44	Enter the total cube of the shipment unit. If greater than 9999, see chapter 2, paragraph B.1.b.(7)(d).

Figure D-7 (Cont.)

Trailer Data TCMD Entries for Outsized Dimensions (DI T_5)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the corresponding prime data entry. For shipments with outsize dimensions the third position is always five. For shipments of vehicles to Central and South America, TV5 entries are changed as shown in footnote below. ⁸
4-8	33	Enter the trailer, van or container number from the prime data entry.
9-14	34	For Government vehicles, trailers, wheeled/tracked guns, and aircraft, enter the model or abbreviated nomenclature. For all other items, leave blank.
15-19	35	For Government vehicles, trailers, wheeled/tracked guns, and aircraft, enter BII in rp 15-17 and the number of pieces of BII per vehicle in rp 18-19; e.g., BII00 for no pieces, BII02 for two pieces, etc. For all other items, enter the commodity code from the prime data entry.
20	36a	For air shipments enter the air dimension code (appendix F3).
21-23	36b	Enter the POE identifier code from the prime data entry.
24-26	37	Enter the POD identifier code from the prime data entry.
27	38	Enter the mode/method code from the prime data entry.
28-29	39	Enter the type pack code from the prime data entry.
30-46	40	Enter the TCN from the prime data entry.
47-52	41	Enter the consignee DoDAAC from the prime data entry.
53	42	Enter the transportation priority from the prime data entry.
54-59	43	Enter the length of the item, in inches, followed by the letter L. If less than five digits, left zero fill.
60-63		Enter the width, in inches, followed by the letter W. If less than three digits, left zero fill.
64-67		Enter the height, in inches, followed by the letter H. If less than three digits, left zero fill.

Figure D-8

⁸ For shipments of vehicles to Central and South America, a TV9 trailer entry indicating the vehicle make and year in rp 54-79 (blocks 43 and 44) is required. In addition, the TV5 entries are changed as follows:

9-14	34	Enter the model instead of the nomenclature.
------	----	--

Trailer Data TCMD Entries for Outsized Dimensions (DI T_5)

Prime Data rp	DD Form 1384 Block	Procedure
68-71	44	Enter the number of pieces to which the dimensions apply. ⁹ If less than four digits, left zero fill. If greater than 9999, see chapter 2, paragraph B.1.b.(7)(d).
72-76		Enter weight of one piece. If less than five digits, left zero fill. If greater than 99,999, see chapter 2, paragraph B.1.b.(7)(d).
77-80		Enter the cube of one piece. If less than four digits, left zero fill. If greater than 9999, see chapter 2, paragraph B.1.b.(7)(d).

Figure D-8 (Cont.)

⁹ For shipments of Government vehicles, trailers, wheeled/tracked guns, and aircraft, the TV5 entries are changed as follows:

68-80	44	For single vehicle shipment units, enter the serial number. For multiple vehicle shipments, leave blank.
-------	----	--

**Trailer Data TCMD Entries for Ammunition Round Count, Hazardous Material,
Stock Number, and IMCO Classification (DI T_6)**

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
1-3	32	Enter a three position code. The first position is always T. The second position is the same as the second position of the prime data entry. For shipments of ammunition, explosives, and other hazardous materials, the third position is six. For nonhazardous material, see rp 54-66 below, before generating a T_6 record.
4-8	33	Same as the prime data entry.
9-14	34	For hazardous materials other than ammunition, leave blank. For ammunition shipments, enter the total round count in the shipment unit. If the quantity exceeds 999,999, enter the number in thousands followed by the letter M. If the quantity exceeds 999,999, and is not shipped in units of 1,000, enter the number in units of thousands followed by an M and indicate the total round count in rp 54-79 (block 43/44) of an accompanying TE9 entry. In all cases, left zero-fill the field.
15-19	35	Enter the code from the prime data entry.
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Same as the prime data entry.
28-29	39	Same as the prime data entry.
30-46	40	Same as the prime data entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-66	43	Enter the NSN. If the NSN is not known, enter NNSN (no national stock number) in rp 54-57 and leave the balance of the field blank. When multiple line items are consolidated and the consolidation container is not comprised of 51 percent or more by weight of a single NSN, a T_6 record will not be generated. T_6 records are not required for personal effects, i.e., HHGs, baggage, and POVs, and other material for sale in stores, and material which is not covered by NSNs.
67-80		For nonhazardous material, enter the abbreviated nomenclature of the item listed in rp 54-66.

Figure D-9

**Trailer Data TCMD Entries for Ammunition Round Count, Hazardous Material,
Stock Number, and IMCO Classification (DI T_6)**

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
67-70	44	For ammunition and explosives, enter the DoDIC. (see chapter 2, paragraph B.1.b.(15)(a)5.) For other hazardous materials, enter the letters IMO.
71-72		Enter the two digit UN class and division number, including the decimal fraction from IMDGC, 49 CFR.
73		Leave blank.
74-75		Enter UN or NA.
76-79		Enter the four digit UN or NA identification number from the IMDGC, 49 CFR 172.102/2, or other source publication.
80		For ammunition and explosives, enter the compatibility group code from IMDGC or 49 CFR 172.102 (i.e., the letter following the IMDGC class and division number). For all other hazardous materials, leave blank.

Figure D-9 (Cont.)

Trailer Data TCMD Entries for Net Explosive Weight (NEW) and Lot Number(s)(DI T_7)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the prime data entry. The third position is seven.
4-8	33	Same as the prime data entry.
9-14	34	Enter the Net Explosive Weight (NEW) for Class A, B, and C explosives. If the shipment unit contains more than one lot. ¹⁰
15-19	35	Same as the prime data entry (see footnote 3, figure D-5).
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Same as the prime data entry.
28-29	39	Same as the prime data entry.
30-46	40	Same as the prime data entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-67	43	Enter the lot number. ¹⁰
68-71	44a	Enter the number of pieces for this lot number. If greater than 9999, see chapter 2, paragraph B.1.b.(7)(d).
72-76	44b	Enter the weight for this lot number. If greater than 99,999, see chapter 2, paragraph B.1.b.(7)(d).
77-80	44c	Enter the cube for this lot number. If greater than 9999, see chapter 2, paragraph B.1.b.(7)(d).

Figure D-10

¹⁰ If the shipment unit contains more than one lot, a separate TE7 is made for each lot. Each TE7 reflects the NEW, pieces, weight, and cube of the lot being described. If any single piece of a shipment unit (consolidation container, pallet, etc.), contains multiple lots, separate TE9 data is required for each lot.

Trailer Data TCMD Entries for Household Goods and Baggage Ownership Data (DI T_8)

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the prime data entry. The third position is an eight.
4-8	33	Same as the prime data entry.
9-14	34	For household goods or baggage, enter the consignor DoDAAC. For POVs, enter the last two digits of the POV model year in rp 9-10 and the first four letters of the POV make in rp 11-14; e.g., CHEV, FORD, PLYM, etc.
15-19	35	Same as the prime data entry.
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Same as the prime data entry.
28-29	39	Same as the prime data entry.
30-46	40	Same as the prime data entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-66	43	Enter personal property owner's last name.
67-68		Enter personal property owner's initials.
69-70		Enter the personal property owner's military or civilian grade code (appendix F10).

Figure D-11

Trailer Data TCMD Entries for Household Goods and Baggage Ownership Data (DI T_8)

Prime Data rp	DD Form 1384 Block	Procedure																
71-80	44	For household goods and baggage:																
71		Enter one of the following codes:																
		<table><tr><th>Code</th><th>Definition</th></tr><tr><td>A</td><td>ITGBL HHGs authorized SIT</td></tr><tr><td>B</td><td>ITGBL UB authorized SIT</td></tr><tr><td>D</td><td>DPM shipment authorized SIT</td></tr><tr><td>N</td><td>DPM (HHG/UB) for nontemporary storage</td></tr><tr><td>H</td><td>DPM HHGs transiting port only</td></tr><tr><td>U</td><td>DPM UB transiting port only</td></tr><tr><td>P</td><td>ITGBL (HHG/UB) transiting port only</td></tr></table>	Code	Definition	A	ITGBL HHGs authorized SIT	B	ITGBL UB authorized SIT	D	DPM shipment authorized SIT	N	DPM (HHG/UB) for nontemporary storage	H	DPM HHGs transiting port only	U	DPM UB transiting port only	P	ITGBL (HHG/UB) transiting port only
Code	Definition																	
A	ITGBL HHGs authorized SIT																	
B	ITGBL UB authorized SIT																	
D	DPM shipment authorized SIT																	
N	DPM (HHG/UB) for nontemporary storage																	
H	DPM HHGs transiting port only																	
U	DPM UB transiting port only																	
P	ITGBL (HHG/UB) transiting port only																	
72-76		Activities outside CONUS enter net weight of DPM shipments to CONUS. CONUS activities, leave blank.																
77-80		If ITGBL codes T, J or 5 enter HHG and baggage carrier SCAC. Otherwise leave blank.																
71-80	44	For POVs:																
71-72		Enter abbreviation for state issuing vehicle license plate. If none, enter NO.																
73-77		Enter last five letters/numbers of license plate. If less than five, left zero fill.																
78-80		Enter abbreviation for predominate vehicle color, e.g., blk, blu, red, etc.																

Figure D-11 (Cont.)

Trailer Data TCMD Entries for General Miscellaneous Information not Otherwise Detailed (DI T_9)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the prime data entry. The third position is always nine.
4-8	33	Same as the prime data entry.
9-14	34	Leave blank.
15-19	35	Same as the prime data entry
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Same as the prime data entry.
28-29	39	Same as the prime data entry.
30-46	40	Same as the prime data entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-79	43/44b	Using as many T_9 entries as necessary, enter the clear text data necessary for shipment, but not detailed in other data entries; e.g.,: <ul style="list-style-type: none"> a. Further description of NOS type cargo codes. b. For shipments of liquor, the type (gin, rye, etc.), bottle size (pint, quart, etc.), and the number of bottles per case. c. For shipments of cigarettes, the number of cartons per case. d. For shipments between CONUS and Hawaii or Guam, the clear text NMFC or UFC description of the highest rated article in the shipment unit other than hazardous materials (see chapter 2, paragraph B.1.b.(10)(b)). e. The Turkish Defense Affairs (TDA) authorization number. (See appendix D, paragraph 3.c.) f. For classified shipments, container and seal numbers, if any.

Figure D-12

Trailer Data TCMD Entries for General Miscellaneous Information not Otherwise Detailed (DI T_9)

Prime Data rp	DD Form 1384 Block	Procedure
		<p>g. For personal property TGBL shipments, the name of the origin carrier and GBL number.</p> <p>h. For SEAVANs or MILVANs containing more than 99 shipments, the total number of shipment units.</p> <p>i. Any other pertinent information.</p> <p>j. For Army unit deployments, enter in-the-clear in rp 54-57 "ULN:" and in rp 58-63, enter the applicable unit line number (e.g., ULN:123456).</p>
80	44c	Enter a sequence number beginning with one for each T_9 entry.

Figure D-12 (Cont.)

**Trailer Data TCMD Entries for SEAVAN/MILVAN (Van) Miscellaneous Information
(DI T_9) (Includes Empty SEAVAN/MILVAN/CONEX)**

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the prime data entry. The third position is always nine.
4-8	33	Same as the prime data entry.
9-14	34	Enter an X followed by the five digit ZIP code for the van's point of origin.
15-19	35	For other than reefer vans, same as the prime data entry. For reefer vans, enter an F (Fahrenheit) followed by the temperature or temperature range required to properly maintain the cargo, e.g., 34° is shown as F34XX, 34° to 41° is shown as F3441.
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Enter the letter V.
28-29	39	Enter the length of the van ordered, in feet. For empty vans, enter the actual van length, in feet. For empty CONEX, enter the type pack code.
30-46	40	Same as the prime data (T_2) entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-55	43	Always VN.
56-63		Enter the number marked on the container. If less than eight digits, left zero fill. Do not include the check digit or the van owner code as part of the container number. If the container number is larger than eight digits, enter the rightmost eight digits. Include alphabetic characters but exclude special characters such as dashes, slashes, or other symbols.
64		Enter a dash (-).
65		Enter the check digit marked on the container. The check digit is a number separated from the container number by a dash, space, or slash. Some check digits are a different color, shaded, or enclosed in a box. If the container does not have a check digit, leave blank.

Figure D-13

**Trailer Data TCMD Entries for SEAVAN/MILVAN (Van) Miscellaneous Information
(DI T_9) (Includes Empty SEAVAN/MILVAN/CONEX)**

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
66-73		Enter the complete seal number. Left fill with zeros if less than eight characters. ¹¹
74-77	44a,b	For loaded vans, enter the ocean carrier code (appendix F11).
78-79		For MILVANs, enter the number of beam assemblies for vans equipped with mechanical bracing systems. If the MILVAN is not so equipped, enter 00. For SEAVANs, leave blank.
80	44c	Enter the appropriate sequence number beginning with one.

Figure D-13 (Cont.)

¹¹ If for any reason, a van must be opened while enroute to its final destination, a new seal is affixed. Whenever a seal is replaced, the new seal number and the activity replacing the seal are identified in rp 54-79 of an additional T_9 entry as follows:

1-53	32-42	Enter the same data as detailed above.
54-65	43	Enter SECOND SEAL leaving rp 65 blank.
66-73		Enter new seal number.
74-79	44b	Identify the activity or ocean carrier which applied the new seal by entering the DoDAAC of the activity or the ocean carrier code from appendix F11.

Trailer Data TCMD Entries For SEAVAN/MILVAN Stop-off Points (DI T_9)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	32	Enter a three position code. The first position is always. The second position is always the same as the second position of the prime data entry. The third position is always nine.
4-8	33	Same as the prime data entry.
9-14	34	Enter an X followed by the five digit ZIP code for the van's point of origin.
15-19	35	For other than reefer vans, same as the prime data entry. For reefer vans, enter an F (Fahrenheit) followed by the temperature or temperature range required to properly maintain the cargo, e.g., 34 ^o is shown as F34XX, 34 ^o to 41 ^o is shown as F3441.
20	36a	Leave blank.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Enter the letter V.
28-29	39	Enter the length of the van ordered, in feet.
30-46	40	Same as the prime data (T_2) entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-59	43	Enter STOP and the stopoff number. e.g., STOP01.
60-65		Enter the DoDAAC for the stopoff indicated in rp 54-59.
66-67		Leave blank.
68-73	44a,b	If there are additional stopoffs, enter STOP and the next stopoff number. If no additional stopoffs, leave blank.
74-79		Enter the DoDAAC for the stopoff indicated in rp 68-73.
80	44c	Enter sequence indicator, beginning with the letter A, for each T_9 stopoff data entry.

Figure D-14

Trailer Data TCMD Entries For Additional Required Hazardous Material Information (DI T_9)

Prime Data rp	DD Form 1384 Block	Procedure
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the prime data entry. The third position is always nine.
4-8	33	Same as the prime data entry.
9-14	34	Leave blank.
15-19	35	Same as the prime data entry (see footnote 3, figure D-5).
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Same as the prime data entry.
28-29	39	Same as the prime data entry.
30-46	40	Same as the prime data entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-79	43-44b	<p>Using as many T_9 entries as necessary, enter, in the order listed, the following clear text information:</p> <ol style="list-style-type: none"> The Proper Shipping Name (PSN) (without abbreviations) as listed on the certification document. <ol style="list-style-type: none"> The technical name of the material included in parentheses immediately following the PSN when required by regulation. "RQ", Reportable Quantity, will follow the PSN, when appropriate, to indicate the hazardous material quantity which meets or exceeds the quantity listed in 49 CFR. "Waste" will precede the PSN when the hazardous material is defined as such (see 40 and 49 CFR). The hazard class as listed in the certification document. UN, NA, or ID number. Packaging Group. May be PGI, PGII, or PGIII, as appropriate.

Figure D-15

Prime
Data
rp

DD Form
1384
Block

Procedure

- e. "Limited Quantity" or "LTD QTY" must be indicated when the material is defined as such.
- f. Military air transportation. Enter "Cargo Aircraft Only" after the packaging group when dagger or Theta material is identified IAW AFR 71-4.
- g. Poisonous Inhalation Materials. Enter "Poison Inhalation Hazard" followed by "Zone A," "Zone B," "Zone C," or "Zone D" for gases or "Zone A" or "Zone B" for liquids (see 49 CFR). The word "poison" is not required if already included as part of PSN.
- h. "Dangerous When Wet" is required when defined and listed in the certification document.
- i. The total quantity (number of pieces, type pack, and weight or volume) of the material covered by the description. The actual number of pieces on a pallet or unitized load is reported with the type pack and total weight. For example, twelve 100-pound cylinders on a pallet are listed as 12 cyl 1200 lbs.
- j. The flash point for flammable liquids, in degrees Centigrade (C) or Fahrenheit (F). For example, CLOSED CUP FLASH POINT ____ DEGREES C or F.
- k. The classification, security risk category, and/or transportation protection service requirements IAW appendix F20, **paragraph 4**. These entries will be on separate T_9 records.
- l. The statement: "GOVERNMENT-OWNED GOODS PACKAGED BEFORE JANUARY 1990" is required if the hazardous material was originally packaged prior to 1 January 1990.
- m. The Competent Authority Approval (CAA) number must be entered if the shipment is hazardous and subject to POP requirements but waivers in the form of CAA (DOT approval to deviate) have been obtained.

80

44c

Enter sequence number for each T_9 beginning with one.

Figure D-15 (Cont.)

Trailer TCMD Entries for Personal Property Address Information (DI T_9)

Prime Data rp	DD Form 1384 Block	<u>Procedure</u>
1-3	32	Enter a three position code. The first position is always T. The second position is always the same as the second position of the prime data entry. The third position is always nine.
4-8	33	Same as the prime data entry.
9-14	34	Same as the prime data entry.
15-19	35	Same as the prime data entry.
20	36a	Same as the prime data entry.
21-23	36b	Same as the prime data entry.
24-26	37	Same as the prime data entry.
27	38	Same as the prime data entry.
28-29	39	Same as the prime data entry.
30-46	40	Same as the prime data entry.
47-52	41	Same as the prime data entry.
53	42	Same as the prime data entry.
54-79	43-44b	For personal property consigned to a civil address, use as many T_9 entries as necessary to enter the complete clear text address. For unaccompanied baggage of TDY USAF personnel, military and civilian, use the first T_9 entry to list the travel order number and the ADSN/fiscal station number from the DD Form 1610, Request and Authorization for TDY Travel of DoD Personnel, (items 22 and 19 respectively). Additional T_9 entries are made to list the organization that issued the orders, including sufficient data to allow AMC/ACIA billing.
80	44c	Enter the sequence number for each T_9 entry, beginning with the number one.

Figure D-16

Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9) Vehicles

Trailer Data rp

Procedures (for unit moves only)

1 - 3 Enter three position document identifier. First position is always "T." The second position is the same as the second position of the prime data entry. The third position is always "9."

4 - 5 Enter one of the following CALM record type codes, right justified:

<u>Code</u>	<u>Definition</u>
H	Helicopter
R	Wheeled vehicle (truck)
RL	Trailer vehicle
RT	Tracked vehicle
TV	Towed vehicle

6 - 9 Enter the center of balance in inches, rounded to the next whole inch. The formula for computing the center of balance follows:

Distance to wheel 1 X weight of wheel 1 = Moment
Distance to wheel 2 X weight of wheel 2 = Moment
(through number of wheels up to 12)

$$\frac{\text{Total wheel weights}}{\text{Total moments}} = \text{Center of balance}$$

10 - 15 Reserved. Leave blank.

16 - 32 Enter the TCN from rp 30-46 of the prime data entry.

33 - 34 Enter the manifest reference number from appendix F1.

35 If venting required, enter "Y" for yes; otherwise, enter "N" for no.

36 - 43 Enter one to four load/storage group codes, right justified. Precede single-digit numbers with a leading zero, i.e., 02.

44 - 47 Enter the length in inches, rounded to the next whole inch.

48 - 50 Enter the width in inches, rounded to the next whole inch.

51 - 53 Enter the height in inches, rounded to the next whole inch.

54 - 56 Enter the front overhang in inches, rounded to the next whole inch. If none, leave blank.

57 - 58 Enter the rear overhang in inches, rounded to the next whole inch. If none, leave blank.

59 - 69 Enter the bumper/container number, including spaces. If less than seven characters, right justify.

Figure D-17

**Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9)
Vehicle**

**Trailer
Data rp**

Procedures (for unit moves only)

70 For helicopters, enter one of the following codes:

<u>Code</u>	<u>Definition</u>	<u>Code</u>	<u>Definition</u>
A	UH-60	K	AH-1T
B	CH-58	L	CH-47
C	AH-1S	M	CH-53E
D	AH-1G/J	N	CH-53J
E	UH-1M	O	HH-53E
F	UH-1D/H	P	HH-3
G	UH-1C/M	Q	HH-60
H	AH-64	R	AH-1W
I	CH-46	S	HH-2/F
J	CH-53D	T	HH-65A-1

71 For helicopters, enter one of the following codes:

<u>Code</u>	<u>Definition</u>
F	Flyaway or with refuel probe
W	Without wings
P	Without pods
S	Without stabilizers
R	Maximum reduced

72 Enter number of road wheels for type code "RT" items.

73 - 75 Enter tread/skid length in inches, rounded to the next whole inch.

76 - 77 Enter trailer tongue length in inches, rounded to the next whole inch.

78 - 79 Enter the total number of axles. For "RL" items, axle one is the hitch if the trailer tongue is not hinged.

80 Enter the record sequence number beginning with one.

Figure D-17 (Cont.)

Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9) Vehicle

Trailer Data rp

Procedures (for unit moves only)

- 1 - 3 Enter three position document identifier. First position is always "T." The second position is the same as the second position in the prime data entry. The third position is always nine.
- 4 If roller shoring used, enter "Y" for yes; otherwise, enter "N" for no.
- 5 If parking shoring used, enter "Y" for yes; otherwise, enter "N" for no.
- 6 If sleeper shoring used, enter "Y" for yes; otherwise, enter "N" for no.
- 7 If bridge shoring used, enter "Y" for yes; otherwise, enter "N" for no.
- 8 - 17 Enter the 10-digit joint line item number (JLIN), or a combination of the line item number (LIN) and its index number (Army, TB 55-46-1; Navy, NAVFAC P-1055). If neither the JLIN nor LIN/index number is available, leave blank. A sample LIN/ index number entry follows:
- | | |
|---------|---|
| 8 - 13 | K31796 (UH1D helicopter) |
| 14 | Leave blank |
| 15 - 17 | 06 (UH1D helicopter with one m/rotor blade removed) |
- 18 - 21 Enter axle distance in inches, rounded to the next whole inch, for axle one. If type code is "RL," enter hitch distance in inches rounded to the next whole inch.
- 22 - 26 Enter the weight in pounds, rounded to the next whole pound, for axle one. If type code is "RL," enter the hitch weight in pounds, rounded to the next whole pound.
- 27 - 29 Enter the span in inches, rounded to the next whole inch, for axle one.
- 30 Enter "S" for single axle or "B" for bogie for axle one.
- 31 - 34 Enter the distance in inches, rounded to the next whole inch, for axle two.
- 35 - 39 Enter the weight in pounds, rounded to the next whole pound, for axle two.
- 40 - 42 Enter the span in inches, rounded to the next whole inch, for axle two.
- 43 Enter "S" for single axle or "B" for bogie, for axle two.
- 44 - 47 Enter axle distance in inches, rounded to the next whole inch, for axle three.
- 48 - 52 Enter the weight in pounds, rounded to the next whole pound, for axle three.
- 53 - 55 Enter the span in inches, rounded to the next whole inch, for axle three.
- 56 Enter "S" for single axle or "B" for bogie, for axle three.
- 57 - 60 Enter axle distance in inches, rounded to the next whole inch, for axle four.
- 61 - 65 Enter the weight in pounds, rounded to the next whole pound, for axle four.

Figure D-18

Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9)
Vehicle

<u>Trailer Data rp</u>	<u>Procedures (for unit moves only)</u>
66 - 68	Enter the span in inches, rounded to the next whole inch, for axle four.
69	Enter "S" for single axle or "B" for bogie, for axle four.
70	Enter the record sequence number.

Figure D-18 (Cont.)

**Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9)
Vehicle**

Trailer Data rp	<u>Procedures (for unit moves only)</u>
1 - 3	Enter three position document identifier. First position is always "T." The second position is the same as the second position of the prime data entry. The third position is always nine.
4 - 7	Enter axle distance in inches, rounded to the next whole inch, for axle five.
8 - 12	Enter the weight in pounds, rounded to the next whole pound, for axle five.
13 - 15	Enter the span in inches, rounded to the next whole inch, for axle five.
16	Enter "S" for single axle or "B" for bogie, for axle five.
17 - 20	Enter axle distance in inches, rounded to the next whole inch, for axle six.
21 - 25	Enter the weight in pounds, rounded to the next whole pound, for axle six.
26 - 28	Enter the span in inches, rounded to the next whole inch, for axle six.
29	Enter "S" for single axle or "B" for bogie, for axle six.
30 - 33	Enter axle distance in inches, rounded to the next whole inch, for axle seven.
34 - 38	Enter the weight in pounds, rounded to the next whole pound, for axle seven.
39 - 41	Enter the span in inches, rounded to the next whole inch, for axle seven.
42	Enter "S" for single axle or "B" for bogie, for axle seven.
43 - 47	Enter axle distance in inches, rounded to the next whole inch, for axle eight.
48 - 52	Enter the weight in pounds, rounded to the next whole pound, for axle eight.
53 - 56	Enter the span in inches, rounded to the next whole inch, for axle eight.
57	Enter "S" for single axle or "B" for bogie, for axle eight.
58 - 61	Enter axle distance in inches, rounded to the next whole inch, for axle nine.
62 - 66	Enter the weight in pounds, rounded to the next whole pound, for axle nine.
67 - 69	Enter the span in inches, rounded to the next whole inch, for axle nine.
70	Enter "S" for single axle or "B" for bogie, for axle nine.
71	Enter record sequence number.

Figure D-19

**Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9)
Vehicle**

<u>Trailer Data rp</u>	<u>Procedures (for unit moves only)</u>
1 - 3	Enter three position document identifier. First position is always "T." The second position is the same as the second position of the prime data entry. The third position is always nine.
4 - 7	Enter axle distance in inches, rounded to the next whole inch, for axle ten.
8 - 12	Enter the weight in pounds, rounded to the next whole pound, for axle ten.
13 - 15	Enter the span in inches, rounded to the next whole inch, for axle ten.
16	Enter "S" for single axle or "B" for bogie, for axle ten.
17 - 20	Enter axle distance in inches, rounded to the next whole inch, for axle eleven.
21 - 25	Enter the weight in pounds, rounded to the next whole pound, for axle eleven.
26 - 28	Enter the span in inches, rounded to the next whole inch, for axle eleven.
29	Enter "S" for single axle or "B" for bogie, for axle eleven.
30 - 33	Enter axle distance in inches, rounded to the next whole inch, for axle twelve.
34 - 38	Enter the weight in pounds, rounded to the next whole pound, for axle twelve.
39 - 41	Enter the span in inches, rounded to the next whole inch, for axle twelve.
42	Enter "S" for single axle or "B" for bogie, for axle twelve.
43	Enter the record sequence number.

Figure D-20

Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9) Palletized Cargo

Trailer Data rp

Procedures (for unit moves only)

1 - 3 Enter three position document identifier. First position is always "T." The second position is the same as the second position of the prime data entry. The third position is always nine.

4 - 5 Enter one of the following record type codes, right justified:

Code

Definition

P1-6	Palletized cargo train (number equals number of pallets in the train, i.e., P3 is three pallet train)
a	
AL	Low altitude parachute extraction system
AC	Container delivery system
AH	Heavy equipment
O	Other cargo, i.e., commercial pallets

6 If rp 4-5 equals "AL," enter one of the following codes:

Code

Definition

S	Static line
E	Extraction force coupler

7 - 12 Enter the pallet identifier code.

13 - 16 Enter the center of balance in inches, rounded to the next whole inch.

17 - 22 Leave blank.

23 - 39 Enter the TCN from rp 30-46 of the prime data entry.

40 - 41 Enter the manifest reference number from appendix F1.

42 Enter the pallet profile code from appendix F23, paragraph 2.

43 Venting instructions, enter "Y" for yes or "N" for no.

44 - 51 Enter one of four load/storage group codes, right justified. Precede single-digit codes with a leading zero.

52 - 55 Enter the length in inches, rounded to the next whole inch.

56 - 58 Enter the width in inches, rounded to the next whole inch.

59 - 61 Enter the height in inches, rounded to the next whole inch.

62 - 63 Enter the front overhang in inches, rounded to the next whole inch.

64 - 65 Enter the rear overhang in inches, rounded to the next whole inch. If none, leave blank.

66 - 76 Enter the bumper/container number, including spaces. If less than seven characters, right justify. For cargo, other than vehicles or containers, leave blank.

Figure D-21

Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9)
Palletized Cargo

Trailer Data rp **Procedures (for unit moves only)**

77 For helicopters, enter one of the following codes:

<u>Code</u>	<u>Definition</u>	<u>Code</u>	<u>Definition</u>
A	UH-60	K	AH-1T
B	CH-58	L	CH-47
C	AH-1S	M	CH-53E
D	AH-1G/J	N	CH-53J
E	UH-1M	O	HH-53E
F	UH-1D/H	P	HH-3
G	UH-1C/M	Q	HH-60
H	AH-64	R	AH-1W
I	CH-46	S	HH-2/F
J	CH-53D	T	HH-65A-1

78 For helicopters, enter one of the following codes:

<u>Code</u>	<u>Definition</u>
F	Flyaway or with refuel probe
W	Without wings
P	Without pods
S	Without stabilizers
R	Maximum reduced

79 Enter record sequence number beginning with one.

Figure D-21 (Cont.)

**Trailer Data TCMD Entries for Air Load Planning and Manifesting (T_9)
Palletized Cargo**

**Trailer
Data rp**

Procedures (for unit moves only)

- 1 - 3 Enter three position document identifier. First position is always "T." The second position is the same as the second position of the prime data entry. The third position is always nine.
- 2 - 20 Enter the TCN from rp 30-46 of the prime data entry.
- 21 - 30 Enter the 10-digit joint line item number (JLIN), or a combination of the line item number (LIN) and its index number (Army, TB 55-46-1 or Navy, NAVFAC P-1065). If neither the JLIN nor the LIN/index number is available, leave blank. A sample LIN/index number follows:
 - 21 - 26 K31796 (UH1D helicopter)
 - 27 Leave blank
 - 28 - 30 06, right justified (UH1D helicopter with one m/rotor blade removed)
- 31 Enter record sequence number.

Figure D-22

Data Entries When Using Electrically Transmitted Message (ETM) Format for an Advance TCMD

Prepare the standard ETM entries prescribed by the various telecommunications publications. In addition, use the following procedures for data entry:

1. Enter TT (tape to tape in the LMF block of the header line, Joint Message Form (DD Form 173 (series))).
2. In the message body:
 - a. Use symbols as follows:
 - (1) Use a slash mark (/) to separate data entries.
 - (2) Use a slash mark followed by an ampersand (/&) to denote the end of data for a DI which does not complete the data for a shipment unit.
 - (3) Use a slash mark followed by a double ampersand (/&&) to show the data on a shipment unit is complete.
 - (4) Use a single ampersand to begin additional message form pages.
 - b. Enter in normal TCMD order, the following required data: (1) All elements of prime data (T_0 through T_4 data). (2) All elements of SEAVAN miscellaneous/stopoff trailer data. (3) For all other trailer data, enter only rp 1-3, 9-14, and 54-80.
 - c. Make the entries cited in b.(1) and (2) on two lines separated with a slash mark following the last position of the TCN (rp 46).
 - d. For T_9 trailer entries, the sequence number is entered after the last entry following rp 54.

Appendix E

TCMD EFFECTIVENESS REPORTING SYSTEM

1. This appendix describes the TCMD effectiveness reporting system. The uses, formats, and general description of the TCMD are contained in chapter 2, paragraph B.2. Appendix D details the actual procedures for preparing a TCMD. The reporting system outlined in this appendix is designed to provide the shippers (and their Service or Agency headquarters) with the feedback necessary to ensure TCMDs are submitted correctly and on time. The reporting system also provides a means to highlight problems within the clearance process. Currently, the reporting system is in effect only for CONUS export shipments.

2. Responsibilities for the Surface Reporting Program Rest With Various Elements of the Transportation System.

a. The Military Traffic Management Command (MTMC):

- (1) Prepares the reports detailing TCMD discrepancies.
- (2) Distributes the reports to the shippers and the shipping Service and Agency headquarters (MILSTAMP focal points).
- (3) Reviews and analyzes the reports to determine possible trends or patterns of discrepancies.
- (4) Initiates specific communication with shippers to assist in identifying discrepancy causes and appropriate corrective actions. This assistance is directed first to the shippers with low effectiveness rates (below 90 percent) or a significant number of repetitive discrepancies in any error category.
- (5) Takes action to correct any report preparation errors.

b. The (CONUS) shipping activities:

- (1) Review and analyze the reports received from MTMC to identify the cause of TCMD deficiencies and take appropriate corrective actions.
- (2) Notify MTMC when the analysis reveals the reports erroneously attribute a significant number of errors to the shipper. This notification is essential for MTMC to determine and correct the actual cause of documentation deficiencies.
- (3) Report to their respective Service or Agency headquarters any circumstances which are beyond the control of the shipper and which preclude timely submission of accurate TCMDs.

c. The Service and Agency headquarters:

- (1) Review monthly summary reports, received from MTMC, and initiate appropriate action with shipping activities which demonstrate poor performance on a continuing basis.
- (2) Notify the DoD MILSTAMP System Administrator when operating conditions or other circumstances beyond Service or Agency headquarters control preclude specific shipping activities from meeting MILSTAMP standards for TCMD submission.

d. The DoD MILSTAMP System Administrator:

(1) Takes necessary action with Service and Agency headquarters to correct system deficiencies and conducts onsite research into repetitive problems, **when required**.

(2) Through Headquarters MTMC, ensures distribution of monthly summary reports to Service and Agency headquarters (MILSTAMP focal points) and major shippers.

3. The CONUS surface reports generated by the TCMD effectiveness reporting system are explained below with examples illustrated in figures E-2 through E-4. Since these reports are produced separately for outbound shipments moving through terminals in each MTMC area, two reports (with different data) may be produced for the same shipper covering the same period.

a. The Weekly Shipper TCMD Error Listing consists of computer listings identifying the shipping activity, the specific TCMDs (by TCN) on which errors are reported, the type and quantity of errors, and an 80-column printout of the discrepant TCMD(s). The report is prepared by MTMCEA and MTMCWA for distribution to selected shippers. The error codes used on the reports are explained in figure E-1. Figure E-2 is a sample of the weekly shipper TCMD error listing, complete with explanations of the entries.

b. The monthly MTMC shipper effectiveness summary consists of a statistical summary for each shipping activity which has 10 or more shipments received at a CONUS WPOE during the report month. It is prepared and forwarded by Headquarters MTMC to Service and Agency headquarters, selected shippers, and each MTMC area command.

(1) The report includes a calculated summary of the timeliness of TCMD submission as well as the accuracy of those TCMDs actually submitted. Also included is a numerical summary of the errors noted on the TCMDs, **with separate columns for Breakbulk TCMDs, Container TCMDs, and a composite of all TCMDs**.

(2) The error codes **are identified on this report by both error code and a brief description. The error codes are explained in greater detail in figure E-1.**

(3) **Reports to activities meeting or exceeding the standard of ninety percent (90%) timeliness and ninety-five percent (95%) accuracy will contain a statement recognizing their good performance.**

(4) **Figure E-3 is an example of the report. Figure E-3A is an example of the report that may be sent to shippers meeting or exceeding the standards.**

4. The CONUS air reports and reporting procedures will be addressed in this paragraph when developed.

Error Codes for TCMD Effectiveness Reports

<u>Code</u>	<u>Abbreviation</u>	<u>Explanation</u>
01	MISSING TCMD	Shipper prepared TCMD not in the MTMC data base at the time of cargo receipt.
02	INV TCN	TCMD submitted with TCN containing blank(s) or invalid characters; rejected.
03	INV POE	TCMD submitted with WPOE (rp 21-23) unmatched to MILSTAMP water port identifiers (appendix F21), or TCMD submitted to wrong clearance authority for POE listed; rejected.
04	INV TCON	TCMD (DI T_2, T_3, T_4) submitted with blank(s) or invalid characters in rp 4-8; rejected.
05	5 TRLR RQD	TCMD submitted without required trailer entry for outsized dimensions (DI T_5).
06	6 TRLR RQD	TCMD (DI TE_, TJ_) submitted without required trailer entry for round count/IMO classification (DI T_6).
07	7 TRLR RQD	TCMD (DI TE-) submitted without required trailer entry for lot number (DI TE7).
08	8 TRLR RQD	TCMD (DI TF_, TH_, TP_) submitted without trailer entry for ownership (DI T_8).
09	9 TRLR RQD	TCMD submitted without required trailer entry for miscellaneous information (DI T_9).
10	INV TAC	TCMD submitted with TAC (rp 64-67) unequal to four alphanumeric characters (other than four zeros), or unmatched to TAC edit criteria prescribed by Services and Agencies.
11	UNM CNSE	TCMD submitted with consignee field (rp 47-52) unmatched to DoD Activity Address Directory or Military Assistance Program Address Directory.
12	INV COMM	TCMD submitted with water commodity code (rp 15-17) unmatched to MILSTAMP water commodity code table (appendix F20).
13	INV CGOX	TCMD for surface shipment submitted with cargo exception field (rp 18-19) unmatched to MILSTAMP type cargo and special handling tables (appendix F20).
14	CNTR W/O CNT	TCMD (DI T_2, T_3) submitted without any content (DI T_4) TCMDs.
15	INV PCS	TCMD submitted with piece field (rp 68-71) value other than as prescribed by MILSTAMP.
16	INV WT	TCMD submitted with weight field (rp 72-76) value other than as prescribed by MILSTAMP.
17	INV CUBE	TCMD submitted with cube field (rp 77-80) value other than as prescribed by MILSTAMP.

Figure E-1

<u>Code</u>	<u>Abbreviation</u>	<u>Explanation</u>
18	INV 6 TRLR	Round count and IMO classification trailer entry (DI T_6) submitted with one or more required fields containing blanks or invalid characters.
19	RESERVED	
20	RESERVED	
21	RESERVED	
22	DUPL TRLR	TCMD submitted with more than one DI T_6 or T_8 trailer entry; trailers rejected.
23	INV PRI	TCMD submitted with invalid value in priority field (rp 53); TCMD processed, priority 3 inserted.
24	INV VNOWN	Van TCMD submitted with van owner field (rp 9-12) blank or unmatched to SEAVAN owner abbreviations.
25	INV VNSZ	Van TCMD submitted with van size (rp 13-14) unequal to two numeric characters.
26	INV MODE	TCMD submitted with mode field (rp 27) unmatched to MILSTAMP mode of shipment codes (appendix F13).
27	INV PKG	TCMD submitted with type pack field (rp 28-29) unmatched to MILSTAMP type pack codes (appendix F14).
28	RESERVED	
29	RESERVED	
30	INV CDIST	Van TCMD submitted with content distribution indicator (DI T_2, rp 57) unequal to S, M, or 1 through 9.
31	INV SV SU	Van TCMD submitted with shipment unit field (DI T_2, rp 58-59) unequal to 01-99 or XX.
32	INV DTE	TCMD submitted with date shipped (rp 60-62) unequal to 001-366.
33	INV ETA	TCMD submitted with ETA field (rp 63) unequal to alphanumeric character other than I and O.
34	INV INCUBE	Van TCMD submitted with inside cube capacity (DI T_2, rp 64-67) unequal to four numerics.
35	INV 5 TRLR	Outsize dimensions trailer entry (DI T_5) submitted with one or more required fields blank or containing invalid characters.

Figure E-1 (Cont.)

<u>Code</u>	<u>Abbreviation</u>	<u>Explanation</u>
36	INV 7 TRLR	Lot number trailer entry (DI TE7) submitted with one or more required fields blank or containing invalid characters.
37	INV 8 TRLR	Ownership trailer entry (DI T_8) submitted with one or more required fields blank or containing invalid characters.
38	INV 9 TRLR	Miscellaneous information trailer entry (DI T_9) submitted with one or more required fields blank or containing invalid characters.
39	INV POD	TCMD submitted with WPOD (rp 24-26) unmatched to MILSTAMP water port identifier codes (appendix F21).

Figure E-1 (Cont.)

Weekly Shipper TCMD Error Listing

RCS-NT-SY-5										EA MTMC WEEKLY SHIPPER TCMD ERROR LISTING										94 FEB 08	
(1) N63408 NAVY MATERIAL TRANSP OFFICE DIRECT INQUIRIES TO NTE-IT DSN 247-7235 BUILDING Z-133 TELEPHONE (201) 858-7235 US NAVAL STATION NORFOLK, VA 23511										● REJECT ERROR											
(2)	DIC	TCON	CNSNR	CONX	POE	POD	M	PK	TCN	CNSNE	P	RDD	PRJ	DS	T	TAC	PCS	WT	CUBE	ERROR CODE	ERROR CODE
(3)	TX1		N63408	712Z9	1NJ	CE1	B	CT	N6051432710951XAX	N60514	3				0360	N862	0021	00000	0000	16 INV WT	17 INV CUBE
(4)	LX1		N63408	700Z9	1NJ	LD1	B	PT	X7029532796003XXX	X70295	2				030X	N862	0002	01100	0028	11 UKN CNSE	
(5)	VX1		N63408	712Z9	1NJ	HA7	B	CT	N630313189H087XAX	N63031	3				0340	N121	0002	00144	0032	01 MISSING TCMD	A1234567 (6)
TJ2		09263	ARMY 20	70XVZ	1NJ	PK1	V	YC	N634084355V977XX2	X63005	3				0331	1260	0001	22609	1260	11 UNK CNSE	
(7)	TJ9	09263	X23511	70XVZ	1NJ	PK1	V	20	N634084333V977XX2	X63005	3	VN0009263SN03716573ARMY05									
TCMDS IN ERROR										TOTAL SHIPPER TCMDS										45	

The numbers in parenthesis are explained below.

(1) The shipping activity responsible for documentation as determined from rp 9-14 (DI T_0/1) or rp 30-35 (DI T_2/3) of the TCMD or other available documentation.

(2) The column headings are abbreviations of the TCMD data fields based on DI T_0/1 entries.

(3) Lines in which the first position of the DI code is T, list the TCMD entries as submitted by the shipper. When the clearance authority enters data from shipper prepared manual TCMDs, the first position of the DI code is 3.

(4) Lines in which the first position of the DI code is L, list the TCMD entries as submitted to the POE under local agreement between the shipper and the port.

(5) Lines in which the first position of the DI code is V, list the TCMD entries made by the POE when no TCMD is in the MTMC data base when cargo is received. These lines always cite error code 01 MISSING TCMD.

(6) When error code 01 MISSING TCMD is listed, include the number of the GBL on which the shipment was delivered to the POE. If a GBL was not used or is not available, print the abbreviated name of the vendor of delivering carrier.

(7) The data in rp 54-80 of all trailer data is printer consecutively, without spaces.

Figure E-2

EXAMPLE OF MONTHLY MTMC SHIPPER EFFECTIVENESS REPORT

HQ, MILITARY TRAFFIC MANAGEMENT COMMAND, MTOP-QS
5611 COLUMBIA PIKE, FALLS CHURCH, VA 22041-5050

TCMD EFFECTIVENESS REPORTING SYSTEM
Transportation Control and Movement Documents (TCMDS)
Submitted to Eastern/Western Area
June 1994

W42QLW

MR. JOHN DOE, TRANSPORTATION OFFICER
1314TH MEDIUM PORT COMMAND
4400 DAUPHINE ST
NEW ORLEANS, LA 70146-6000

Your activity made the following errors on Advance Transportation Control and Movement Documents (ATCMDs) during the above stated reporting month. Recommend you take necessary action to prevent documentation errors. TCMD errors reduce the effectiveness of intransit visibility, can result in shipments not reaching their destination, and cause a financial loss to the Department of Defense. Acceptable standard is at or above 90% timeliness and 95% accuracy of ATCMDs.

It costs MTMC \$23.00 to prepare a TCMD when the ATCMD is not received from the consignor. This month, 10 missing ATCMDs from your activity resulted in MTMC having to prepare TCMDs with contract labor, at a cost of \$230.00. Your activity may be billed for this cost.

TIMELINESS OF MANDATORY ATCMD DATA				ACCURACY OF ALL SHIPPER ATCMDs			
SHIPPER* FURNISHED ATCMDs	TERMINAL PREPARED TCMDS	TOTAL NUMBER TCMDS	SHIPPER FURNISHED PERCENT ON TIME	SHIPPER** ATCMDs	REJECT ATCMD ERRORS 0	ATCMDs WITH ERRORS	PERCENT OF ACCURATE ATCMDs
1013	10	1023	99	1112		532	53

CODE	ERROR	BREAK BULK	CONTAINER	TOTAL ERRORS
***01	MISSING TCMD		10	10
***06	NO TRLR. ENTRY FOR AMMO/ETC. ROUND COUNT/IMO CLASS (T_6)	52	52	104
08	NO TRLR. ENTRY FOR PERSONAL PROPERTY OWNERSHIP (T_8)		1	1
***10	INVALID TAC	33		33
***11	INVALID DODAAC OR MILITARY ASSIST. PROG. ADDRESS DIREC.	48	354	402
14	NO CONTAINER CONTENT (T_4)		49	49
23	INVALID PRIORITY (REPLACED WITH PRIORITY 3)		1	1
30	INVALID VAN CONTENT DISTRIBUTION CODE (T_2)		84	84
31	INVALID SHIPMENT UNIT FIELD (T_2)		84	84
35	INVALID OUTSIZE DIMENSIONS TRLR. ENTRY (T_5)	1	1	2
37	INVALID PERSONAL PROPERTY OWNERSHIP DATA TRLR. ENTRY (T_8)	5		5
38	INVALID MISC. INFORMATION TRLR. ENTRY (T_9)		84	84
***39	INVALID WPOD	18		18

Detailed explanation of error codes can be found in figure E-1.

Inquiries concerning this report may be addressed to HQMTMC: MTOP-Q, Ms. Jenetta Sydnor, DSN 289-0756, commercial (703) 756-0756.
Inquiries concerning the above data may be addressed to MTMC Eastern or Western Area Commands:

MTMCEA, G3, Ms. Mamie Fayton, DSN 289-6215, commercial (201) 823-6215
MTMCWA, G3, Ms. LaDoris McDavid, DSN 859-2461, commercial (510) 466-2461

* This total is for Container and Breakbulk prime records only.

** This total is a composite of Container primes, Container Content primes and Breakbulk prime records.

*** CRITICAL ERRORS

Figure E-3

**EXAMPLE OF THE MONTHLY MTMC SHIPPER EFFECTIVENESS SUMMARY
SENT TO SHIPPERS MEETING OR EXCEEDING THE STANDARDS**

**HQ, MILITARY TRAFFIC MANAGEMENT COMMAND, MTOP-QS
5611 COLUMBIA PIKE, FALLS CHURCH, VA 22041-5050**

*TCMD EFFECTIVENESS REPORTING SYSTEM
Transportation Control and Movement Documents (TCMDS)
Submitted to Eastern/Western Area
June 1994*

W42QLW

MR. JOHN DOE, TRANSPORTATION OFFICER
1314TH MEDIUM PORT COMMAND
4400 DAUPHINE ST
NEW ORLEANS, LA 70146-6000

Request you review the following report of types of errors made by your activity and take the necessary steps to eliminate documentation errors. TCMD errors reduce the effectiveness of intransit visibility, can result in shipments not reaching their destination, and cause a financial loss to the Department of Defense.

<u>TIMELINESS OF MANDATORY ATCMD DATA</u>				<u>ACCURACY OF ALL SHIPPER ATCMDS</u>			
SHIPPER* FURNISHED ATCMDS	TERMINAL PREPARED TCMDS	TOTAL NUMBER TCMDS	SHIPPER FURNISHED PERCENT ON TIME	SHIPPER** ATCMDS	REJECT ATCMD ERRORS 0	ATCMDS WITH ERRORS	PERCENT OF ACCURATE ATCMDS
1013	10	1023	99	1112		12	99

**CONGRATULATIONS, YOUR ACTIVITY'S PERFORMANCE
FOR THIS MONTH HAS MET OR EXCEEDED THE STANDARD OF
NINETY PERCENT TIMELINESS AND
NINETY-FIVE PERCENT ACCURACY**

<u>CODE</u>	<u>ERROR</u>	<u>BREAK BULK</u>	<u>CONTAINER</u>	<u>COMPOSITE</u>
08	NO TRLR. ENTRY FOR PERSONAL PROPERTY OWNERSHIP (T_8)		2	2
***10	INVALID TAC	5	5	10

Detailed explanation of error codes can be found in figure E-1.

Inquiries concerning this report may be addressed to HQMTMC: MTOP-Q, Ms. Jenetta Sydnor, DSN 289-0756, commercial (703) 756-0756.

Inquiries concerning the above data may be addressed to MTMC Eastern or Western Area Commands:

MTMCEA, G3, Ms. Mamie Fayton, DSN 289-6215, commercial (201) 823-6215

MTMCWA, G3, Ms. LaDoris McDavid, DSN 859-2461, commercial (510) 466-2461

* This total is for prime records only. Container primes and Breakbulk primes.

** This total is a composite of Container primes, Container Content primes and Breakbulk prime records.

*** CRITICAL ERRORS

Figure E-3A

Appendix F

Code Index

	<u>Page</u>
Appendix F1 Air Cargo Manifest Reference Codes	
1. General	F1-1
2. Codes	F1-1
Appendix F2 Air Commodity and Special Handling Codes	
1. General	F2-1
2. Commodity	F2-1
3. Special Handling	F2-4
Appendix F3 Air Dimension Codes	
1. General	F3-1
2. Procedures	F3-1
Appendix F4 Air Terminal Identifier Codes	
1. General	F4-1
2. Airport to Code	F4-1
3. Code to Airport	F4-14
Appendix F5 Consolidation and Containerization Point and CONUS Freight Distribution Center Codes	
1. General	F5-1
2. Eastern Area CCPs	F5-1
3. Western Area CCPs	F5-1
4. CONUS Freight Distribution Centers	F5-2
Appendix F6 Container and RORO Number Codes	
1. General	F6-1
2. Containers Controlled by Serial Number	F6-1
3. Noncontrolled Containers	F6-1
4. RORO Trailers	F6-2
Appendix F7 Date Shipped and Received Codes	F7-1
1. General	F7-1
2. Surface Date Codes	F7-1
3. Air Hour/Day Codes	F7-1
Appendix F8 Document Identifier Codes	
1. General	F8-1
2. TCMD and Manifest DIs	F8-1
3. Manifest Header DIs	F8-4
4. Shipment Tracing, Status, Diversion, Hold and Disposition DIs	F8-5
5. Intransit Data Card DIs	F8-5
Appendix F9 Estimated Time of Arrival Codes	
1. General	F9-1

	<u>Page</u>
2. Codes	F9-1
Appendix F10 Military and Civilian Grade Codes	
1. General	F10-1
2. Codes	F10-1
Appendix F11 Ocean Carrier Codes	
1. General	F11-1
2. Codes	F11-1
Appendix F12 SEAVAN Ownership Codes	
1. General	F12-1
2. Procedures	F12-1
3. Codes	F12-1
Appendix F13 Transportation Mode/Method Codes	F13-1
1. General	F13-1
2. Codes	F13-1
Appendix F14 Type Pack Codes	
1. General	F14-1
2. Breakbulk Shipments	F14-1
3. CONEX (Container Express) Shipments	F14-2
4. Cargo Container (SEAVAN/MILVAN/MSCVAN) Shipments	F14-2
Appendix F15 Vessel Status and Terms of Carriage Codes	
1. General	F15-1
2. Vessel Status	F15-1
3. Terms of Carriage	F15-3
Appendix F16 Vessel Stowage Location Codes	
1. General	F16-1
2. Breakbulk Ship Codes	F16-1
3. Container Ship Codes	F16-3
4. LASH and SEABEE Codes	F16-3
Appendix F17 Vessel Sustaining Codes	F17-1
1. General	F17-1
2. Codes	F17-1
Appendix F18 Voyage Document Number Codes	
1. General	F18-1
2. Exception	F18-1
3. Voyage Document Number	F18-1
Appendix F19 Voyage Manifest Reference Codes	
1. General	F19-1
2. Codes	F19-1

	<u>Page</u>
Appendix F20 Water Commodity and Special Handling Codes	
1. General	F20-1
2. Commodity	F20-1
3. Type Cargo	F20-16
4. Special Handling	F20-18
Appendix F21 Water Port Identifier Codes	
1. General	F21-1
2. Code Structure	F21-1
3. Major Geographic Areas	F21-1
4. Port Codes	F21-3
Appendix F22 Other Codes in MILSTAMP	
1. General	F22-1
2. MILSTAMP Document Codes	F22-1
3. TCN Codes	F22-1
4. Transportation Priority Codes	F22-1
5. FMS Delivery Term Codes	F22-1
Appendix F23 Miscellaneous Codes and Charts	
1. Calender Conversion Chart	F23-1
2. Pallet Profile Codes	F23-2
3. UMMIPS Time Standards	F23-3
Appendix F24 Military Customs Inspector Codes	
1. General	F24-1
2. Codes	F24-1

Appendix F5

Consolidation and Containerization Point and CONUS Freight Distribution Center Codes

Number of Characters:	Three
Type of Characters:	Numeric
Data Location	
MILSTRIP Shipment	
Status Card:	rp 78-80
Responsible Agency:	DoD MILSTAMP System Administrator

1. **General.** The Consolidation and Containerization Point (CCP) and CONUS Freight Distribution Center (CFDC) codes identify activities which have been established by the Services and DLA to consolidate cargo for onward overseas or within CONUS.

a. The CCP codes are used for overseas shipments. These codes are structured like the CONUS water port identifier codes and are used on MILSTRIP documents to indicate the shipment routing. The first position of the three position code represents the geographic area in which the CCP is located. The second and third positions identify the specific CCP within the geographic area. Activities tracing shipments routed through a CCP cite the code in the POE field and send the tracer to the MTMC area command in which the CCP is located.

b. The CFDC codes which are in the 500 to 599 series, are used for CONUS shipments. Activities tracing shipments routed through a CFDC will use this information in conjunction with the instructions contained in the DTMR (reference j.).

2. Eastern Area CCPs

<u>Code</u>	<u>CCP</u>
101	Defense Distribution Region, East, New Cumberland, PA site (CCP)
103	Defense Distribution Region, East, Mechanicsburg, PA site
104	Reserved
105	Reserved
201	Reserved

3. Western Area CCPs

<u>Code</u>	<u>CCP</u>
301	Defense Distribution Region, West, Sharpe, CA site
302	Reserved
303	Defense Distribution Region, West, Tracy, CA site
305	Reserved
306	Reserved
307	DLA Air Consolidation Point, Sharpe, CA

4. CONUS Freight Distribution Centers

<u>Code</u>	<u>CFDC</u>
501	Reserved
502	Reserved
503	Reserved
504	Regional Freight Consolidation Center, Los Angeles, CA
505	Reserved
506	Defense Distribution Region, East, New Cumberland, PA site (CFDC)
507	Reserved
508	Defense Distribution Region, Central, Memphis, TN
509	Defense Distribution Region, West, Sharpe, CA
510	Reserved
511	Reserved

Appendix F8

Document Identifier Codes

Number of Characters:	Three
Type of Characters:	Alpha and Alphanumeric
Data Location	
TCMD - DD Form 1384:	Block 1 and Column 32
- Automated Record:	rp 1-3
Responsible Agency:	DoD MILSTAMP System Administrator

1. **General.** The document identifier (DI) code is used on all MILSTAMP data records. It is a means of identifying the functional area system (transportation, supply, etc.), to which the document relates and the intended purpose of the document (TCMD, manifest, tracer, IDC, etc.).

2. **TCMD and Manifest DIs.** The DIs for TCMDs and manifests are constructed according to the type of shipment, the type of information contained on the transaction and whether the transaction is a TCMD or manifest. The first position entry (always a "T") and the second position entry (indicating the type of shipment) are the same on both a TCMD and a manifest. For consolidated shipments, the second position indicates the hazardous potential of the shipment, if any; otherwise, the code represents the predominant contents by weight for water, cube for air. The third position (indicating the type of information on the record) varies between the different types of transactions i.e., TCMDs, air manifests, and water manifests. The three entries for the three positions are listed sequentially below.

a. Table of TCMD and Manifest DIs.

First Position: Always "T"¹

Second Position: Type of Shipment (or transaction)

- | | |
|---|---|
| A | Manifest Header (see paragraph 3., below, for third position) |
| B | Accompanied baggage |
| C | Armed Forces Courier Service (ARFCOS) |
| D | Intraservice use only |
| E | Ammunition and explosives |
| F | Unaccompanied baggage |
| G | Mail from postal concentration centers |
| H | Household goods |
| I | Reserved |

¹ The MILSTAMP Document Identifier with "R" in the first position is reserved for simulated mobilization exercises. No physical movement of materiel is required. The "R" is for simulation use only.

J	Hazardous materials (except ammunition and explosives or consumer commodities ORM-D)
K	Intransit data (not a TCMD or manifest document)
L	Dunnage and lashing gear
M	Tracer action (not a TCMD or manifest document)
N	Reserved
O	Reserved
P	Privately owned vehicles
Q	Reserved
R	Reserved
S	Shipment challenge (not a TCMD or manifest document)
T	Reserved
U	Equipment in sets or systems
V	Government vehicles, trailers, wheeled guns, and aircraft
W	Reserved
X	Shipments (including ORM-D) not otherwise covered above
Y	Reserved
Z	Reserved

Third Position: Prime and Trailer Entry Identification

Advance TCMD

Air Manifest Documents

Water Manifest Documents

PRIME DATA

- 0 - J Prime document for RU shipment (including empty SEAVAN, CONEX, etc.), not in a consolidation container.
- 1 A J Prime document for LRU shipment (including empty SEAVAN, CONEX, etc.), not in a consolidation container.

- 2 B K Prime document (header) for loaded RORO, SEAVAN, MILVAN, or Air Pallet (463L).
- 3 C L Prime document (header) for CONEX, Unitized Pallet Load, or other Consolidation Container containing multiple shipment units.
- 4 D M Prime document for shipment units consolidated in a container (CONEX, SEAVAN, MILVAN, 463L Pallet, RORO, or Unitized Pallet Load).

TRAILER DATA

- 5 E N Trailer document for cargo with outsize dimensions.
- 6 F O Trailer document for identifying ammunition round count and coding data peculiar to ammunition, explosives, and other hazardous material.
- 7 G P Trailer document for listing the Net Explosive Weight (NEW) and lot number of ammunition and explosives.
- 8 H Q Trailer document for listing personal property ownership information.
- 9 I R Trailer document for listing miscellaneous information both in general and as specifically identified in appendix D.

b. When a TCMD must be corrected or canceled completely, a new TCMD is submitted using the original DI. If the needed correction is in the DI, two new TCMDs must be submitted, one with the old DI to cancel and one with the correct DI. In addition, depending on the TCMD format being used, the following entries are made:

(1) Automated Record. Corrections or cancellations. ***Depending on the computer software package being used to generate the TCMD, corrections and cancellations can be electronically transmitted in the same manner as a new TCMD.***

(2) DD Form 1384, TCMD. Corrections or cancellations. Annotate "corrected copy" or "cancellation" (as appropriate) in the remarks section (block 31).

(3) Electrically Transmitted Message (ETM). Corrections or cancellations. Add the word "correction" or "cancellation" (as appropriate) to the subject of the message, e.g., "MILSTAMP TCMD CORRECTION."

3. **Manifest Header DIs.** When a TCMD is compiled into a manifest, the "header" entries are made using the following DIs:

<u>Code</u>	<u>Description</u>
-------------	--------------------

TAA	Air manifest header
-----	---------------------

TAB	Air cargo pallet header
-----	-------------------------

<u>Code</u>	<u>Description</u>
-------------	--------------------

TAJ	Ocean cargo manifest header
-----	-----------------------------

TAT	Air Cargo Truck Manifest Header (AMC use only)
------------	---

TAW	Consolidated Shipment Information
------------	--

4. Shipment Tracing, Status, Diversion, Hold, and Disposition DIs. The first two positions of the DI for tracing, status, diversion, hold, and disposition documents are always "TM." The third position of the DI identifies the type of document as follows:

<u>Code</u>	<u>Description</u>
-------------	--------------------

TM1	Request for transportation status
-----	-----------------------------------

TM2	Shipment diversion authorization
-----	----------------------------------

TM3	Shipment hold authorization
-----	-----------------------------

TMA	Transportation status (automated response)
-----	--

TMB	Diversion confirmation
-----	------------------------

TMC	Shipment hold acknowledgment
-----	------------------------------

TMJ	Transportation status (abbreviated response)
-----	--

TMK	Diversion denial
-----	------------------

TML	Shipment hold denial
-----	----------------------

TMS	Disposition instructions
-----	--------------------------

TMT	Disposition request
-----	---------------------

5. Intransit Data Card DIs. The first two positions of the DI for the submission of intransit data are always "TK." The third position of the DI identifies the activity preparing the document and type of data it contains. The DI is selected from the following list:

<u>Code</u>	<u>Description</u>
-------------	--------------------

TK1	Prepared by initial intratheater airlift terminal showing hour/day shipment unit is received and forwarded.
-----	---

TK2	Prepared by intermediate intratheater airlift terminal showing hour/day shipment unit is received and forwarded.
-----	--

TK3	Prepared by final intratheater airlift terminal showing hour/day shipment unit is received and delivered to the CONUS consignee.
-----	--

- TK4 Prepared by shipping activities showing intransit data on GBL shipments within CONUS, shipments to domestic consignees, and overseas intratheater and retrograde shipments.
- TK6 Prepared by AMC APOD showing hour/day shipment unit is received at an APOD and forwarded to the ultimate consignee.
- TK7 Prepared by HQ AMC/OCCA showing hour/day each export shipment unit is received/ lifted from CONUS by AMC and MSC. The OCCA entries include the date of overseas vessel discharge.
- TK8 Prepared only by Air Force consignees either when the TK4 is not received or when a shipment unit is received by an overseas consignee.

Appendix F14

Type Pack Codes

Number of Characters:	Two
Type of Characters:	Alphanumeric
Data Location	
TCMD - DD Form 1384:	Block 9 and Column 39
- Automated Record:	rp 28-29
Responsible Agency:	DoD MILSTAMP System Administrator

1. **General.** The Type Pack Code provides three kinds of information.

a. For breakbulk shipments, including those which subsequently may be loaded into a cargo container, it identifies the type of packing.

b. For a CONEX container, it identifies the first position of the six position serial number.

c. For cargo containers (SEAVANs/MILVANs/MSCVANs), it identifies who loaded the cargo into the container and the capacity to which the container was loaded.

2. **Breakbulk Shipments.** One of the following codes is used to describe the type of package:

<u>Code</u>	<u>Explanation</u>	<u>Code</u>	<u>Explanation</u>
BD	Bundle	DR	Drum
BE	Bale	EC	Engine Container
BG	Bag	ED	Engine cradle or dolly
BL	Barrel	EN	Envelope ¹
BS	Basket	FK	Footlocker
BX	Box	HA	Hamper
CA	Cabinet	KE	Keg
CB	Carboy	LS	Loose, not packaged
CC	HHG container, wood	MW	Multiwall container
CL	Coil	MX	Mixed, more than one type of shipping container
CM	Container, AMC, International Standards Organization, lightweight, 8x8x20 foot air container	PC	Piece
CN	Can	PL	Pail
CO	Container, other than CC, CM, CW MW, or MX	PT	Palletized unit load other than code MW
CR	Crate	RL	Reel
CS	Case	RO	Roll
CT	Carton	RT	RORO
CU	Container, Navy cargo transporter	SA	Sack, paper
CW	Container, commercial highway	SB	Skid, box
CY	Cylinder	SD	Skid
		SH	Sheet

¹ The term "envelope" applies to shipments of materiel packaged in envelopes larger than DD Form 1387, Military Shipment Label. The Military Shipment Label is 6 $\frac{1}{2}$ -inches high by 6 $\frac{1}{2}$ -inches long and when applied to the envelope, all entries, including the bar codes, must be scannable/readable from a single surface.

<u>Code</u>	<u>Explanation</u>	<u>Code</u>	<u>Explanation</u>
SL	Spool	VC	Van chassis
SW	Suitcase	VE	Vehicle
TB	Tub	VO	Vehicle in operating condition
TK	Truck	VS	SEAVAN-tote
TU	Tube	WR	Wrapped
UX	Unitized (use code RT for unitized cargo in a RORO)		

3. CONEX (Container Express) Shipments. The code is based on the CONEX serial number and constructed from the following table:

<u>First Position</u> <u>Code</u>	<u>Second Position</u> <u>Code</u> if Serial Number is:
X	0 00001 - 99999
	1 100000 - 199999
	2 200000 - 299999
	3 300000 - 399999
	4 400000 - 499999
	5 500000 - 599999
	6 600000 - 699999
	7 700000 - 799999
	8 800000 - 899999
	9 900000 - 999999

4. Cargo Container (SEAVAN/MILVAN/MSCVAN) Shipments. The code is constructed in two parts; the first position indicates the type of cargo container, the second position provides load data.

a. First position:

<u>Code</u>	<u>Explanation:</u>
A	MSC leased/controlled SEAVAN or MILVAN (MSCVAN)
Y	MILVAN
Z	SEAVAN

b. Second position:

<u>Code</u>	<u>Explanation:</u>
A	Loaded to capacity by ocean carrier.
B	Loaded to capacity by military terminal.
C	Loaded to capacity by military shipping activity.
D	Loaded to capacity by vendor.

E Loaded to capacity by contract shipment consolidation facility.

<u>Code</u>	<u>Explanation</u>
-------------	--------------------

F	Loaded to less than capacity by military shipping activity, loading to capacity completed by contract shipment consolidation facility.
---	--

L	Loaded to less than capacity by military shipping activity, loading completed by military terminal.
---	---

M	Loaded to less than capacity by vendor, loading completed by military terminal.
---	---

N	Loaded to less than capacity by contract shipment consolidation facility, loading completed by military terminal.
---	---

P	Loaded to less than capacity with military cargo by ocean carrier, commingled with commercial cargo in accordance with the MSC Container Agreement and Rate Guide.
---	--

T	Loaded to less than capacity by military shipping activity, loading completed by ocean carrier.
---	---

U	Loaded to less than capacity by vendor, loading completed by ocean carrier.
---	---

V	Loaded to less than capacity by contract shipment consolidation facility, loading completed by ocean carrier.
---	---

W	Loaded to less than capacity by vendor, loading completed by contract shipment consolidation facility.
---	--

Z	Empty MILVAN or SEAVAN.
---	-------------------------

3	Loaded to less than capacity by military shipping activity.
---	---

4	Loaded to less than capacity by vendor.
---	---

5	Loaded to less than capacity by contract shipment consolidation facility.
---	---

Appendix F16

Vessel Stowage Location Codes

Number of Characters:	Four
Type of Characters:	Alphanumeric
Data Location	
Ocean Manifest - DD Form 1384:	Block 25h and Column 43c
- DD Form 1385:	STOW LOC Column
- DD Form 1386:	STOW LOCATION Column
- Automated Record:	rp 60-63 (DI T_J, T_K, T_L only)
Responsible Agency:	DoD MILSTAMP System Administrator

1. General. The vessel stowage location code is used on ocean manifests to identify where cargo is stowed on a vessel. It is used for cargo loaded on all breakbulk ships except those with a combination vessel status/terms of carriage code (appendix F20) of E2, N2, or W2. On container ships, the code has a different construction and is only used when the containers are stowed aboard a military controlled container ship at a military terminal. A third type of vessel stowage code is used for all LASH/SEABEE barges.

2. Breakbulk Ship Codes. Breakbulk ship codes are constructed as follows:

- a. First position; hatch (rp 60). Enter the hatch number.
- b. Second and third position; hold or deck (rp 61-62). Enter one of the following codes:

<u>Code</u>	<u>Explanation</u>	<u>Code</u>	<u>Explanation</u>
1D ¹	First deck	HD	Hangerdeck
2D ¹	Second deck	LH	Lower hold
3D ¹	Third deck	LK	Lower trunk
AL	Ammo locker	LM	Mast locker
CH	Chill box or room	LR	Lower reefer flat
CM	Care of mate	LT	Lower tween deck
DT	Deep tank	LV	Lower van flat
FD	Forecastle deck	LZ	Lazarette
FL	Flight deck	MD	Main deck
FR	Freeze box or room	ML	Mate locker
FT	Forecastle tween deck	MK	Middle trunk

¹ If vessels have lettered decks, use deck letter in rp 61 and the letter "D" in rp 62.

<u>Code</u>	<u>Explanation</u>	<u>Code</u>	<u>Explanation</u>
MR	Mailroom	SR	Ship's refrigerator
MT	Main tween deck	ST	Strong room
OD	On deck	TA	Tank deck
PD	Prom deck	TD	Tween deck
PL	Paint locker	UD	Upper deck
RB	Reefer box	UK	Upper trunk
RD	Orlop deck	UR	Upper reefer flat
SD	Shelter deck	UT	Upper tween deck
SL	Security locker	UV	Upper van flat

c. Fourth position; section or compartment (rp 63).² Enter one of the following codes:

<u>Code</u>	<u>Explanation</u>	<u>Code</u>	<u>Explanation</u>
A	Aft	N	Port wing aft
B	Deck box	O	All over the hatch or hold
C	Forward across	P	Port wing
D	Aft across	Q	Square of the hatch
E	Top stow	R	Starboard wing
F	Forward	S	Starboard wing, forward
G	Gun crew quarters	T	Starboard wing, aft
H	Against aft bulkhead	U	Starboard wing, abreast
I	Port wing abreast	V	Against the forward bulkhead
J	Forward end of square	W	Wings port and starboard
M	Port wing forward	X	Wings abreast

² If vessels have numbered sections or compartments, use appropriate compartment number.

3. Container Ship Codes. Containership codes are constructed as follows:

- a. First position; hatch (rp 60). Enter the hatch number.
- b. Second position; bank (rp 61). Enter the number of the bank within the hatch counting fore to aft; e.g., forward bank enter "1," bank aft of first bank enter "2," etc.
- c. Third position; row (rp 62). Enter the number of the row in the hatch counting from starboard to port; e.g., first row from starboard enter "1," second row enter "2," etc.
- d. Fourth position; tier (rp 63). Enter the number of the tier counting from the bottom to the top; e.g., bottom tier enter "1," second from bottom enter "2," etc.

4. LASH and SEABEE Codes. The stowage location code used for LASH and SEABEE barges is the last four positions of the barge number, prefixed by zeros if necessary.

Appendix F13

Transportation Mode/Method Codes

Number of Characters:	One
Type of Characters:	Alpha or numeric
Data Location	
TCMD - DD Form 1384:	Block 8 and Column 38
- Automated Record:	rp 27
Responsible Agency:	DoD MILSTAMP System Administrator

1. General. The mode/method code identifies the general mode (e.g., air or surface) and the specific method (e.g., motor, rail, air freight, parcel post, etc.), used for each segment of movement within the DTS. When preparing advance TCMDs for submission to a clearance authority, the code selected identifies the method of transportation which will deliver the shipment to the POE.

2. Codes. The modes/methods of shipment and their codes are:

<u>Code</u>	<u>Mode/Method of Shipment</u>
A	Motor, truckload
B	Motor, less than truckload
C	Van (unpacked, uncrated personal or Government property)
D	Driveaway, truckaway, towaway
E	Bus
F	<i>Air Mobility Command (AMC)</i> Channel and Special Assignment Airlift Mission
G	Surface parcel post
H	Air parcel post
I	Government trucks, for shipment outside local delivery area
J	Air, small package carrier
K	Rail, carload ¹
L	<i>RESERVED</i>
M	Surface - Freight forwarder
N	<i>RESERVED</i>
O	Organic military air (including aircraft of foreign governments)

¹ Includes TOFC/COFC (excluding SEAVAN).

<u>Code</u>	<u>Mode/Method of Shipment</u>
P	Through Government Bill of Lading (TGBL)
Q	Commercial Air freight
R	European Distribution System/Pacific Distribution System
S	Scheduled truck service (applies to contract carriage, guaranteed traffic routings and/or scheduled service)
T	Air freight forwarder
U	RESERVED
V	SEAVAN
W	Water, river, lake, coastal (commercial)
X	Bearer, walk-thru (customer pickup of materiel)
Y	RESERVED
Z	Military Sealift Command (MSC); controlled, contract, or arranged space
2	Government watercraft, barge, or lighter
3	Roll-on/roll-off (RORO) service
4	Armed Forces Courier Service (ARFCOS)
5	Surface - small package carrier
6	Military Official Mail (MOM)
7	Express mail
8	Pipeline
9	Local delivery by Government or commercial truck including onbase transfers and deliveries between air, water, or motor terminals, and adjacent activities. Local delivery areas are identified in commercial carriers' tariffs which are filed and approved by regulatory authorities.

Appendix F18

Voyage Document Number Codes

Number of Characters:	Five
Type of Characters:	Alphanumeric
Data Location	
Ocean Manifest - DD Form 1385:	Block 19 and Column 36
- DD Form 1386:	Voyage Document No. Block
- DD Form 1384:	Block 3
- Automated Record:	rp 19-23
Responsible Agency:	Military Traffic Management Command

1. General. The voyage document number identifies the MTMC area in which cargo is loaded on each voyage of a vessel. It is assigned by the booking office (except as indicated in paragraph b., below) and issued to the appropriate vessel manifesting agency for each controlled or commercial ship lifting DTS booked cargo other than bulk POL or coal. The first position of the five character code is alphabetic and represents the MTMC area of the booking office that assigns the code. The other four positions are numeric and selected sequentially from the groupings in paragraphs a. - e., below.

2. Exception. As an exception to the general procedures outlined in the balance of this appendix, the numbers 0001 through 0999 are used exclusively by ocean terminals. These numbers may be used in a SEAVAN/MILVAN TCN when the booking office has not assigned a voyage number. Such lack of assignment may occur for TGBL SEAVAN shipments or when a van must be moved to port prior to receiving a firm ocean booking.

3. Voyage Document Number. The booking office constructs the voyage document number by selecting a letter code and an area subdivision serial number from the following listing. The "alternate letter code" is used only when, in a single calendar year, all combinations of the "primary letter codes" and the serial numbers for a particular subdivision have been used. For example: Assignment of codes by the COMSCLANT area booking office for USEC/Great Lakes would be in part "A4580, A4581, ... A9998, A9999, B4580, B4581, etc."

a. Atlantic (COMSCLANT)

<u>MSC Area of Loading</u>	<u>Primary Letter Code</u>	<u>Alternate Letter Code</u>	<u>Area Subdivision Serial Number</u>
RESERVED	A	B	1000-1250
AZORES	A	B	1300-1550
BERMUDA	A	B	1600-1850
CANADA (East of 95°)	A	B	1900-2000
CARIBBEAN/PANAMA	A	B	2100-2350
CENTRAL AMERICA	A	B	2400-2650
CUBA	A	B	2700-2950

CH 6
DoD 4500.32-R
Vol. I

<u>MSC Area of Loading</u>	<u>Primary Letter Code</u>	<u>Alternate Letter Code</u>	<u>Area Subdivision Serial Number</u>
GREENLAND	A	B	3000-3100
GULF OF ADEN	A	B	3200-3450
ICELAND	A	B	3500-3750
MEXICO (EAST COAST)	A	B	3800-4050
PUERTO RICO	A	B	4060-4310
SOUTH AMERICA	A	B	4320-4570
USEC/GREAT LAKES/USGC (FL, AL, and MS only)	A	B	4580-8799
MS River/USGC	G	H	8800-9999

Responsible Office

ETM

DDN COMM RI

Commander, Military Sealift Command
Atlantic
Military Ocean Terminal Bayonne
Bayonne, NJ 07002

RUEOBME

b. Pacific (COMSCPAC)

<u>MSC Area of Loading</u>	<u>Primary Letter Code</u>	<u>Alternate Letter Code</u>	<u>Area Subdivision Serial Number</u>
GULF (LA/TX)	G	H	0001-0999
ALASKA	P	Q	1000-1250
CANADA (West of 95°)	P	Q	1275-1375
HAWAIIAN ISLANDS	P	Q	1400-2900
MEXICO (West Coast)	P	Q	3000-3500
MIDWAY AND WAKE	P	Q	3700-3950
USWC/BRITISH COLUMBIA	P	Q	4000-9999

Responsible Office

ETM

DDN COMM RI

Commander, Military Sealift Command
Pacific
Oakland, CA 94625

RUWMEKD

c. Mediterranean (COMSCMED)

<u>MSC Area of Loading</u>	<u>Primary Letter Code</u>	<u>Alternate Letter Code</u>	<u>Area Subdivision Serial Number</u>
GREECE	M	N	1000-1250
ITALY	M	N	1300-3800
NO. AFRICA	M	N	3801-4300
PAKISTAN	M	N	4301-4500
PERSIAN GULF/RED SEA	M	N	4501-4999
MOROCCO	M	N	5000-5500
WEST/SOUTHEAST AFRICA	M	N	5600-5850
SPAIN	M	N	6000-8000
RESERVED	M	N	8001-8099
TURKEY	M	N	8100-9700
OTHER	M	N	9740-9999

Responsible Office

ETM

DDN COMM RI

Commander, Military Sealift Command
Mediterranean Subarea
P. O. Box 23
FPO AE 09521

RUFLSKA

RUFLSKA

d. Europe (COMSCEUR)

<u>MSC Area of Loading</u>	<u>Primary Letter Code</u>	<u>Alternate Letter Code</u>	<u>Area Subdivision Serial Number</u>
ATLANTIC AND CHANNEL	E	N/A	1000-1500
COAST OF FRANCE BALTIC PORTS	E	N/A	1600-2000
GERMANY/BENELUX (LESS BALTIC PORTS)	E	N/A	2100-9500
SCANDANAVIA/DENMARK	E	N/A	9600-9999
UK/ERIE	J	N/A	1000-9999

Responsible Office

ETM

DDN COMM RI

Commander, Military Sealift Command
Europe
APO AE 09069

RUFTREN

e. Far East (COMSCFE)

<u>MSC Area of Loading</u>	<u>Primary Letter Code</u>	<u>Alternate Letter Code</u>	<u>Area Subdivision Serial Number</u>
JAPAN	F	K	1000-2999
GUAM, MARIANAS MARSHALL, KWAJALEIN	F	K	3000-4999
OKINAWA	F	K	4000-4999
KOREA	F	K	5000-5999
PHILIPPINES	F	K	6000-6999
TAIWAN	F	K	7000-7999
SOUTHEAST ASIA, includes BURMA, THAILAND, CAMBODIA, and VIETNAM	F	K	8000-8999
INDIA	F	K	9000-9249
OTHER	F	K	9900-9999

Responsible Office

ETM

DDN COMM RI

Commander, Military Sealift Command
Far East (Yokohama, Japan)
FPO AP 98760

RUADKHA

RUADKHA

Appendix F21

Water Port Identifier Codes

Number of Characters:	Three
Type of Characters:	Alphanumeric
Data Location	
TCMD - DD Form 1384	Block 6 and 7, Columns 36b and 37
- Automated Record:	rp 21-23, 24-26
Responsible Agency:	Military Sealift Command

1. **General.** These codes identify water ports worldwide. The code representing the actual WPOE and WPOD is used on all DTS documentation for water shipments.

2. **Code Structure.** The water port codes are based on the geographic location of the port. The letters used in the first two positions of the three position code are generally assigned in alphabetic order, following the coastline. The first position of the three position code represents the major geographic area in which the port is located. These geographic areas are described in detail in paragraph 3., below. The second position in the code represents a subarea within the major geographic area. The third position in the code represents the specific port, port area, or island within the subarea.

3. **Major Geographic Areas.** The following list identifies the major geographic regions of the world and the code associated with each. This code is the first position of the water port identifier code and should assist in locating the specific port code in paragraph 4., below.

<u>Code</u>	<u>Area</u>	<u>Geographic Region</u>
1	United States, East Coast	Includes all ocean ports of Maine, New Hampshire, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania, Delaware, Maryland, District of Columbia, Virginia, North Carolina, Georgia, the east coast of Florida (including Key West), port of Montreal, Canada, and all ports on Lake Erie, Lake Ontario, and Lake Michigan.
2	United States, Gulf Coast	Includes all ocean ports of the west coast of Florida (excluding Key West), Alabama, Mississippi, Louisiana, Texas, and the ports of the Mississippi River.
3	United States, California Coast	Includes all ocean ports of California.
4	United States, Northwest Coast	Includes all ocean ports of Oregon, Washington, and those of British Columbia south of 50° north latitude.
A	North Atlantic	Includes all ocean ports of New Brunswick, Prince Edward Island, Newfoundland, Nova Scotia, Greenland, Iceland, and east to 12° west longitude and all Arctic points of Canada to 100° west longitude.
B	Panama	Includes all ocean ports of the Republic of Panama.

<u>Code</u>	<u>Area</u>	<u>Geographic Region</u>
C	Caribbean Area	Includes all ocean ports of Bermuda, Virgin Islands, Leeward Islands, Windward Islands, Tobago, Trinidad, Venezuela, British Guiana, Surinam, French Guiana, Puerto Rico, east coasts of Mexico and Central America, Cuba, Haiti, Jamaica, Bahamas, Turks and Caicos Islands, Dominican Republic, and the northern coast ports of Colombia.
D	Middle Americas, West Coast	Includes all ocean ports on the western coasts of Mexico and Central America, excluding the ports of the Republic of Panama and the Panama Canal Zone.
E	South America, West Coast	Includes all ocean ports on the western coast of South America from (and including) the Republic of Colombia to Cape Horn, and the Pacific island possessions of South American countries west to 100° west longitude.
F	South America, East Coast	Includes all ocean ports on the eastern coast of South America from (but excluding) French Guiana to Cape Horn.
G	Azores	Includes all ocean ports in the Azores.
H	British Isles	Includes all ocean or English Channel ports of Great Britain and Ireland.
J	Northern Europe	Includes all ocean ports of West Germany, Netherlands, Belgium, Norway, Sweden, Denmark, Finland, and Atlantic Ocean ports of France and Spain north of the Portuguese border.
K	West Mediterranean	Includes all ocean ports of Portugal and Spain south of the northern Portuguese border, Mediterranean ports of Spain and France, Canary Islands, French and Spanish Morocco, Algeria, Tunisia, Balearic Islands, Corsica, Sardinia, Malta, Sicily, and the west coast of Italy.
L	East Mediterranean	Includes the Mediterranean Sea ports of Libya, Egypt, Israel, Lebanon, Syria, Cyprus, Crete, and Turkey; all ports of the Adriatic, Ionian, Aegean and Black Seas including the east coast of Italy.
M	West Africa	Includes all ocean ports on the west coast of Africa from the northern boundary of Rio de Oro to the southern boundary of Angola, including the Cape Verde Islands, Ascension Island, and St. Helena.
N	South and East Africa	Includes all ocean ports on the southern and eastern coasts of Africa including Madagascar from the southern boundary of Angola on the west coast to Cape Guardafui between the Gulf of Aden and the Indian Ocean on the east coast.

Code	Area	Geographic Region
P	Persian Gulf, Red Sea	Includes all ports on the Red Sea, Persian Gulf, Gulf of Aden to Cape Guardafui, and Gulf of Oman to the West Pakistan-Iran border.
Q	Myanmar (formerly Burma)-India	Includes all ocean ports from the West Pakistan-Iran border to the Myanmar -Thailand border.
R	China Sea	Includes all ocean ports from the Burma-Thailand border including Sumatra, Java, Timor, Celebes, Ceram, Borneo, Malay States, Taiwan, and Hong Kong. Excludes New Guinea, Palau, and the Philippines.
S	Philippines	Includes all ocean ports of the Philippine Islands.
T	Central Pacific	Includes all ocean ports of the Marshall Islands, Islands Mariana Islands, Palau Islands, and Yap from 132° east longitude, 13° north latitude to 146° east longitude and south to the equator.
U	Bonin and Ryukyu Islands, Korea and Japan	Includes all ocean ports of the Bonin and Ryukyu Islands (Okinawa, et al.), Korea, and Japan.
V	Australia, New Zealand, and Coral Sea	Includes all ocean ports of Australia, New Guinea, Tasmania, New Zealand, and Melanesia. (Comprising the Admiralty Islands, New Ireland, New Britain, the Solomons, New Hebrides, and New Caledonia.)
W	South Pacific Islands	Includes all ocean ports of the South Pacific Islands from 180° longitude to 100° west longitude and north to 19° north latitude.
X	Hawaiian Islands and North Central Pacific	Includes all ocean ports of the Hawaiian Islands, Midway Islands, Kure Islands, Wake Is. and Marcus Islands. Excludes Johnston Island (see South Pacific Islands).
Y	North Pacific and Northwest Arctic	Includes all ports of British Columbia north of 50° latitude and all ports of Alaska, the Aleutian Islands and all points in the Arctic west of 100° west longitude to 170° west longitude.
Z	Antarctica	All ports in Antarctica.

4. Port Codes. The following list identifies each port or port area.

a. United States, east coast ports

MAINE AREA:

1B1 CASCO BAY
1B2 PORTLAND
1B3 SEARSPORT

NEW HAMPSHIRE AREA:

1C1 PORTSMOUTH NAVY SHIP YARD

1C2 NEWINGTON

MASSACHUSETTS AREA:

1D1 BOSTON
1D2 QUINCY
1D3 NEW BEDFORD
1D4 CHARLESTOWN

CH 6
DoD 4500.32-R
Vol. I

1D5 CHELSEA
1D6 CAPE COD
1D7 GLOUCESTER
1D8 BUZZARDS BAY

RHODE ISLAND AREA:

1E1 PROVIDENCE
1E2 MELVILLE
1E3 TIVERTON
1E4 QUONSET POINT
1E5 DAVISVILLE
1E6 NEWPORT
1ED QUONSET POINT NAS
1EF NEWPORT NSD
1EG BRENTON REEF

CONNECTICUT AREA:

1F1 NEW HAVEN
1F2 GROTON
1F3 NEW LONDON
1F4 BRIDGEPORT

NEW YORK AREA:

1G1 NEW YORK
1G2 PORT JEFFERSON, LONG ISLAND
1G3 BAYONNE, NJ
1G4 CARTERET, NJ
1G5 EARLE, NJ
1G6 PORT NEWARK, NJ
1G7 PERTH AMBOY, NJ
1G8 PATERSON, NJ
1G9 PORT ELIZABETH, NJ
1GA PORT READING, NJ
1GC BAYONNE, NJ, MILITARY OCEAN
TERMINAL
1GE EDGEWATER, NJ
1GF WEEHAWKEN, NJ
1GG HOBOKEN, NJ
1GH HOWLAND HOOK, STATEN ISLAND
1GJ BROOKLYN
1GK KEARNEY, NJ
1GL FORT SCHULER
1GM STATEN ISLAND

DELAWARE AREA:

1H1 DELAWARE CITY
1H2 PETTY ISLAND
1H3 WILMINGTON

NEW JERSEY AREA:

1JI ATLANTIC CITY

1J2 PAULSBORO
1J5 TREMLEY

PENNSYLVANIA AREA:

1K1 MARCUS HOOK
1K2 PHILADELPHIA
1K3 CAMDEN, NJ
1K4 GLOUCESTER CITY, NJ, HOLT MARINE
TERMINAL
1K5 PHILADELPHIA, PIER 124
1K6 PHILADELPHIA, PIER 18
1K7 PHILADELPHIA, PIER 84
1K8 BRISTOL
1K9 CHESTER
1KA PENNSAUKEN, NJ
1KB WESTVILLE (EAGLE POINT), NJ
1KC SALEM, NJ

MARYLAND AREA:

1L1 BALTIMORE
1L2 CURTIS BAY
1L3 PINEY POINT
1L4 ANNAPOLIS
1L5 SPARROWS POINT
1L6 BALTIMORE (SHIPYARD)
1LA BALTIMORE OUTPORT

VIRGINIA AREA:

1M1 NORFOLK
1M2 NEWPORT NEWS
1M3 PENNIMAN, NSC, CHEATHAN ANNEX
1M4 YORKTOWN NWS
1M5 CRANEY ISLAND
1M6 PORTSMOUTH NSY
1M7 ST. JULIANS CREEK NAD
1M8 RICHMOND
1M9 FORT EUSTIS
1MA PORTSMOUTH
1MB NORFOLK (SHIPBUILDING AND DRYDOCK CO.)
1MC CAPE CHARLES (ANCHORAGE)
1MG NORFOLK (JACKSONVILLE, FL)
1MJ NORFOLK NSC
1MK LYNNHAVEN ROADS
1ML LAMBERTS POINT
1MM HAMPTON ROADS
1MN NORFOLK (NORSHIPCO)
1MP CHEATHAM ANNEX
1MQ SWELLS POINT
1MR FORT STORY
1MS JAMES RIVER RESERVE FLEET

NORTH CAROLINA AREA:

1N1 BEAUFORT
 1N2 MOREHEAD CITY
 1N3 WILMINGTON
 1N4 SOUTHPORT, MILITARY OCEAN TERMINAL SUNNY
 POINT
 1NA ONSLOW BAY
 1NB CAPE FEAR

SOUTH CAROLINA AREA:

1P1 BEAUFORT
 1P2 CHARLESTON
 1P3 PORT ROYAL
 1P4 GEORGETOWN
 1PB CHARLESTON NYS
 1PK CHARLESTON WET STORAGE BASIN

GEORGIA AREA:

1Q1 SAVANNAH
 1Q2 KINGS BAY NAVAL SUBMARINE BASE
 1Q3 BRUNSWICK

FLORIDA AREA:

1R1 CAPE CANAVERAL
 1R2 COCOA BEACH
 1R3 JACKSONVILLE
 1R4 MAYPORT
 1R5 MIAMI
 1R6 KEY WEST
 1R7 PORT EVERGLADES
 1R8 FORT LAUDERDALE
 1R9 WEST PALM BEACH
 1RA KEY WEST PINE LINE
 1RB COCOA BEACH, PATRICK AFB
 1RC FORT PIERCE
 1RD MAYPORT NAVAL AUXILIARY AIR
 STATION
 1RE MIAMI, DODGE ISLAND
 1RF KEY WEST NAVAL STATION
 1RG GREEN COVE SPRINGS

GREAT LAKES, LAKE ERIE AND LAKE HURON AREA:

1S1 BUFFALO, NY
 1S2 CLEVELAND, OH
 1S3 DETROIT, MI
 134 ERIE, PA
 1S5 BAY CITY, MI
 1S6 TOLEDO, OH
 1S7 PORT HURON, MI
 1S8 ROGERS CITY, MI
 1S9 SARNIA, CANADA
 1SA HARRISVILLE, MI
 1SB ECORSE, MI
 1SC DETROIT, MI MARINE TERMINAL
 1SL DETROIT, MI HARBOR TERMINAL

GREAT LAKES, LAKE MICHIGAN AREA:

1T1 CHICAGO, IL
 1T2 BURNS, IN
 1T3 KENOSHA, WI
 1T5 MUSKEGON, MI
 1T7 MILWAUKEE, WI
 1T8 GREEN BAY, WI
 1T9 ESCANABA, MI

GREAT LAKES, LAKE ONTARIO AREA:

1U1 TORONTO, CANADA
 1U2 ROCHESTER, NY
 1U3 OSWEGO, NY
 1U4 HAMILTON, CANADA
 1U5 WATERTOWN, NY

GREAT LAKES, SAINT LAWRENCE RIVER AREA:

1V1 MONTREAL, CANADA
 1V2 QUEBEC, CANADA
 1V3 OGDENSBURG, NY
 1V4 RIMOUSKI, CANADA

GREAT LAKES, LAKE SUPERIOR AREA:

1W1 DULUTH, MN
 1W2 MARQUETTE, MI
 1W3 SAULT STE. MARIE

b. United States, gulf coast ports

FLORIDA AREA:

2A1 PANAMA CITY
 2A2 PENSACOLA NAS
 2A3 TAMPA
 2A4 PENSACOLA
 2A5 PORT TAMPA

2A6 SANTA ROSA
 2AA PANAMA CITY NAVAL MINE DEFENSE
 LABORATORY

ALABAMA AREA:

2B1 MOBILE

CH 6
DoD 4500.32-R
Vol. I

2B2 THEODORE
2B3 BROOKLEY AFB
2B4 BIRMINGHAM

MISSISSIPPI AREA:

2C1 GULFPORT
2C2 PASCAGULA

LOUISIANA AREA:

2D1 BATON ROUGE
2D2 LAKE CHARLES
2D3 NEW ORLEANS
2D4 ST. ROSE
2D5 CHALMETTE
2D6 NORCO
2D7 GOODHOPE
2D8 SUNSHINE
2D9 SAINT JAMES
2DA LOOP
2DB MORGAN CITY
2DC NEW ORLEANS
2DD VIOLET

TEXAS, EAST AREA:

2E1 BEAUMONT
2E2 FREEPORT

2E3 GALVESTON
2E4 HOUSTON
2E5 ORANGE
2E6 PORT ARTHUR
2E7 TEXAS CITY
2E8 PORT NACHES
2E9 BAYTOWN
2EA NEDERLAND
2EB JACINTO
2EC SEABROOK
2ED SABINE PASS
2EF FAIRWAY (ANCHORAGE)
2EN ORANGE NAVAL STATION

TEXAS, SOUTH AREA:

2F1 BROWNSVILLE
2F2 CORPUS CHRISTI
2F3 PORT ISABEL
2F4 DEER PARK
2FB CORPUS CHRISTI NAS
2FC NAVAL STATION INGLESIDE

MISSISSIPPI RIVER AREA:

2G1 ST. LOUIS, MO
2G2 MEMPHIS, TN

c. United States, California ports

HUMBOLT BAY AREA:

3A1 EUREKA

NORTH CENTRAL AREA, EXCEPT INLAND

SAN FRANCISCO:

3B_ RESERVED

SAN FRANCISCO, UPPER BAY AREA:

3C1 OZOL
3C2 RICHMOND
3C3 MARTINEZ
3C4 PORT CHICAGO
3C5 STOCKTON
3C6 OLEUM
3C7 MARE ISLAND
3C8 TIBURON
3C9 PORT COSTA
3CA AVON
3CB RICHMOND, NFD, POINT MOLATE
3CC SACRAMENTO
3CD PORT CHICAGO, NAD, CONCORD

3CE STOCKTON ANNEX, NSC OAKLAND
3CF RODEO
3CG BENECIA, ARMY RESERVE
3CH EXXON BENECIA
3CI HERCULES
3CJ **CROCKETT**

SAN FRANCISCO, LOWER BAY AREA:

3D1 SAN FRANCISCO
3D2 OAKLAND
3D3 ALAMEDA
3D4 REDWOOD CITY
3D5 HUNTERS POINT
3DA SUISUN BAY
3DB OAKLAND NSC
3DC ALAMEDA NAS
3DK OAKLAND, MOTBA
3DL ALAMEDA, MOTBA
3DS OAKLAND, SEALAND TERMINAL

MONTEREY BAY AREA:

3E1 DAVENPORT

3E2 MONTEREY

ESTERO BAY AREA:

3F1 AVILA
3F2 POINT SAN LUIS
3F3 ESTERO BAY

SANTA BARBARA CHANNEL AREA:

3G1 PORT HUENEME
3G2 SANTA CRUZ ISLAND
3GA PORT HUENEME NCBC

LOS ANGELES AREA:

3H1 LOS ANGELES
3H2 SAN PEDRO

3H3 LONG BEACH
3H4 EL SEGUNDO
3H5 WILMINGTON
3H6 SEAL BEACH NWS
3H7 TERMINAL ISLAND
3HA BLYTHE
3HC LONG BEACH NSC
3HL SAN PEDRO MTMC TERMINAL
3HR CAMP PENDELTON
3HS LONG BEACH

SAN DIEGO AREA:

3J1 SAN DIEGO
3JA SAN DIEGO NSC
3JB SAN DIEGO NAS

d. United States, northwest coast ports

BRITISH COLUMBIA AREA:

4A1 PORT ALBERNI, VANCOUVER ISLAND
4A2 NANAIMO, VANCOUVER ISLAND
4A3 VANCOUVER, BRITISH COLUMBIA

4E1 TACOMA
4E2 OLYMPIA
4E3 BANGOR
4EA TACOMA NAVAL STATION
4EB COMMENCEMENT BAY (ANCHORAGE)

NORTH WEST WASHINGTON AREA:

4B1 BELLINGHAM
4B2 ANACORTES
4B3 FERNDALE

GRAYS HARBOR AREA:

4F1 HOQUIAM
4F2 ABERDEEN
4F3 RAYMOND

WHIDBEY ISLAND AREA:

AC1 PORT ANGELES
4C2 PORT TOWNSEND
4C3 WHIDBEY ISLAND
4C4 MUKILTEO
4C5 EVERETT
4CC WHIDBEY ISLAND NAS
4CD INDIAN ISLAND

ASTORIA, OREGON AREA:

4G1 ASTORIA
4G2 BEAVER
4G3 WARRENTON

PUGET SOUND, UPPER AREA:

4D1 PORT GAMBLE
4D2 BREMERTON SEALAND TERMINAL
4D3 SEATTLE
4D8 RICHMOND BEACH
4D9 EDMONDS
ADB BREMERTON NSY
4DK BREMERTON NAD, BANGOR
4DL SEATTLE MTMC TERMINAL
4DS SEATTLE SEALAND TERMINAL
4DT KEYPORT

COLUMBIA RIVER, INLAND AREA:

4H1 WAUNA, OR
4H2 WESTPORT, OR
4H3 LONGVIEW, WA
4H4 RAINIER, OR
4H5 ST HELENS, WA
4H6 PORTLAND, OR
4H7 VANCOUVER, WA
4H8 BRADWOOD, WA
4H9 PORTLAND, OR, N.W. MARINE IRON WORKS

OREGON, CENTRAL AREA:

4J1 NEWPORT

OREGON, SOUTH AREA:

4K1 COOS BAY

PUGET SOUND, LOWER AREA:

e. North Atlantic ports

NEW BRUNSWICK AND NOVA SCOTIA AREA:

AA1 ST, JOHNS, NEW BRUNSWICK
AA2 HALIFAX, NOVA SCOTIA
AA3 SIDNEY, NOVA SCOTIA

QUEBEC AREA:

AB1 MINGAN
AB2 MECATINA

NEW FOUNDLAND, EAST AREA:

AC1 ST. JOHN'S
AC2 ARGENTIA
AC3 ELLISTON
AC4 REDCLIFF

NEWFOUNDLAND, WEST AREA:

AD1 CORNERBROOK
AD2 ST. GEORGES BAY
AD3 STEPHENVILLE (HARMON)

NEWFOUNDLAND, NORTH AREA:

AE1 ST. ANTHONY
AE2 LASCIE

LABRADOR, EAST AREA:

AF1 FOX HARBOR
AF2 SPOTTED ISLAND
AF3 CARTWRIGHT
AF4 GOOSE BAY

LABRADOR, CENTRAL AREA:

AG1 CUT THROAT ISLAND
AG2 CAPE MAK KOVIK
AG3 HOPEDALE

LABRADOR, NORTHEAST AREA:

AH1 SAGLEK
AH2 FORT CHIMO, QUEBIC

BAFFIN ISLAND, SOUTHEAST AREA:

AJ1 FROBISHER BAY
AJ2 RESOLUTION ISLAND
AJ3 BREVOORT ISLAND, N.W. TERRITORY

BAFFIN ISLAND, WEST AREA:

AK1 WEST BAFFIN ISLAND, FOX B
AK2 LONGSTAFF BLUFF, FOX 2
AK3 BRAY ISLAND, FOX A
AK4 ROWLEY ISLAND, FOX 1
AK5 FORT CHURCHILL, MANITOBA

BAFFIN ISLAND, NORTH AREA:

AL1 PADLOPING ISLAND
AL2 CAPE DYER, DYE
AL3 DURBAN ISLAND, FOX E
AL4 BROUGHTON ISLAND, FOX 5
AL5 KIVITOO, FOX D
AL6 CAPE HOOPER, FOX 4
AL7 EKALUGAD FJORD, FOX C
AL8 CLYDE RIVER
AL9 CAPE HARRISON, DEVON ISLAND
ALA CAPE CHRISTIAN

GREENLAND, SOUTH AREA:

AM1 IVIGTUT
AM2 GRONDAL
AM3 IKATEG
AM4 NARARSSUAK

GREENLAND, WEST AREA:

AN1 UPERNAVIK
AN2 SONDRESTROM, BW8
AN3 ITIVDLEG, DYE 1
AN4 CRUNCHER ISLAND
AN5 DYE 2
AN6 DYE 3

GREENLAND, NORTHEAST AREA:

AP1 KULUSUK, DYE 4
AP2 HALL LAKE, FOX

GREENLAND, NORTH AREA:

AQ1 THULE

GREENLAND, EAST AREA:

AR1 ANGMAGSSALIK

NORTHEAST ARCTIC, EAST AREA:

AS1 WEST MELVILLE PENINSULA, CAM 5
AS3 EAST SIMPSON PENINSULA, CAM E
AS4 WEST SIMPSON PENINSULA, CAM 4

NORTHEAST ARCTIC, WEST AREA:

AT1 SIMPSON LAKE, CAM D
AT2 SHEPHERD BAY, CAM 3
AT3 MATTHESON POINT, CAM C
AT4 KING WILLIAM ISLAND, CAM 2

ICELAND AREA:

AU1 REYKJAVIK

AU2 KEFLAVIK
AU3 HOFN
AU4 LANGANES
AU5 GRINDAVIK

AU6 HAFNARFJORDUR
AU7 HVALFJORDUR
AU8 NJARDVIKUR
AU9 HELGUVIK

f. Panama ports

PANAMA AREA:

BA1 BALBOA
BA4 RODMAN NAVAL STATION
BA5 FARFAN
BA6 MIRA FLOPES LOCK, CANAL ZONE
BB1 CRISTOBAL

BB2 GATUN
BB3 COCO SOLO
BB4 TORO POINT
BB5 LAS MINAS
BB6 COLON, CANAL ZONE
BB7 SAMBA BONITA ISLAND, CANAL ZONE
BB8 MINDI PIER, CANAL ZONE

g. Caribbean ports

BERMUDA AREA:

CA1 HAMILTON
CA2 ST. GEORGE
CA3 NAVAL STATION

BAHAMAS AREA (NORTH OF 24 DEGREES):

CB1 GRAND BAHAMA
CB2 NEW PROVIDENCE, NASSAU
CB3 GOVERNOR'S HARBOUR
CB4 SAN SALVADOR ISLAND, BAHAMAS
CB5 ANDOS
CB6 SOUTH RIDING POINT
CB7 ABACO ISLAND, BAHAMAS

BAHAMAS AREA (SOUTH OF 24 DEGREES):

CC1 MAYAGUANA
CC2 GRAND TURK

CUBA, NORTHWEST AREA:

CD1 HAVAVA
CD2 MATANZAS
CD3 SANTA CLARA

CUBA, SOUTHEAST AREA:

CE1 GUANTANAMO
CE2 SANTIAGO
CE3 PUERTO MANATI
CE4 NUEVITAS

CUBA, SOUTH CENTRAL AREA:

CF1 CIENFUEGOS
CF2 NUEVA GERONA, ISLE DE PINOS
CF3 JUCARO

JAMAICA AREA:

CG1 KINGSTON
CG2 PORT ANTONIO
CG3 GRAND CAYMAN
CG4 MONTEGO BAY, JAMAICA
CG5 *OCHO RIOS, JAMAICA*

HAITI AREA:

CHI PORT AU PRINCE
CH2 CAPE HATIEN
CH3 GONAIVES ELEUTHERA

DOMINICAN REPUBLIC AREA:

CJ1 SANTA DOMINGO
CJ2 PUERTO PLATA
CJ3 ANDRES
CJ4 RIO DAINA (HAINA)
CJ5 LAS CALDEROS NAVAL BASE

PUERTO RICO AREA:

CK1 SAN JUAN
CK2 ROOSEVELT ROADS
CK3 AQUADILLA
CK4 ENSENADA
CK5 MAYAGUEZ
CK6 PONCE
CK7 YABUCOA
CK8 GUAYANILLA
CKA SAN JUAN NAVAL STATION

ARUBA AREA:

CL1 ST. NICOLAS BAY
CL2 WILLEMSTAD, CURACAO
CL3 BONAIRE
CL4 ORANJESTAD, NETHERLANDS WEST INDIES
CL5 CARACAS BAY

CH 6
DoD 4500.32-R
Vol. I

VIRGIN ISLAND AREA:

CM1 CHARLOTTE AMALIE, ST. THOMAS
CM2 CHRISTIANSTES, ST. CROIX
CM3 ROAD TOWN, TORTOLA
CM4 VIEQUES, VIEQUES
CM5 ST. CHRISTOPHER, ST. KITTS
CM6 FREDERIKSTED, ST. CROIX
CM7 PORT ALUEROIX

LESSER ANTILLES, LEEWARD AREA:

CN1 BASSE TERRE, GUADELOUPE
CN2 ST. JOHN'S, ANTIGUA

LESSER ANTILLES, WINDWARD AREA:

CP1 FORT DE FRANCE, MARTINIQUE
CP2 CASTRIES, ST. LUCIA
CP3 BRIDGETOWN, BARBADOS
CP4 ST. GEORGE'S, GRENADA
CP5 ROSEAU, DOMINICA
CP6 ST. MARTEEN, ANTILLES
CP7 KINGSTON, ST. VINCENT
CP8 GEORGETOWN, ST. VINCENT

MEXICO, EAST AREA:

CQ1 COATZACOALCOS (PUERTO)
CQ2 VERA CRUZ
CQ3 DOS BOCAS
CQ4 CAYO ARCOS

HONDURAS AND GUATEMALA GULF AREA:

CR1 BELIZE, HONDURAS
CR2 LIVINGSTON, GUATEMALA
CR3 PUERTO BARRIOS, GUATEMALA

h. Middle America, west coast ports

MEXICO, WEST AREA:

DA1 MAZATLAN
DA2 GUAYMAS
DA3 MANZANILLO
DA4 ACAPULCO
DA5 SOCARRO ISLAND
DA6 COATZACOALCOS

GUATEMALA AREA:

DB1 SAN JOSE
DB2 PUERTO QUETZAL
DB3 SANTO THOMAS, GUATEMALA

CR4 PUERTO CORTEX, HONDURAS
CR5 AMAPOLA, HONDURAS
CR6 PUERTO SANTO THOMAS DE ASTILLA,
GUATEMALA
CR7 PUERTO CASTILLA, HONDURAS

NICARAGUA AND COSTA RICA, EAST AREA :

CS1 BLUEFIELDS, NICARAGUA
CS2 LIMON, COSTA RICA

COLOMBIA, NORTH AREA:

CT1 CARTAGENA
CT2 BARRANQUILLA
CT3 SANTA MARTA
CT4 CARTAGENA, BOLIVAR NAVAL BASE

VENEZUELA AREA:

CU1 LA GUAIRA
CU2 CARACAS
CU3 PUERTO CABELLO
CU4 AMURAY BAY
CU5 PUERTO LA CRUZ
CU6 PUNTA CARDON MARACAIBO
CU7 MARACAIBO
CU8 EL PALITO

TRINIDAD AREA:

CV1 PORT OF SPAIN

GUYANA AREA:

CW1 GEORGETOWN, GUYANA
CW2 PARAMARIBO, SURINAME
CW3 CAYENNE, FRENCH GUIANA

EL SALVADOR AREA:

DC1 LA UNION
DC2 LA LIBERTAD
DC3 ACAJUTLA
DC4 SAN SALVADOR

NICARAGUA AREA:

DD1 CORINTO
DD2 MANAGUA

COSTA RICA AREA:

DE1 PUNTARENAS
DE2 CALDERA
DE3 QUEPOS
DE4 GOLFITO

HONDURAS AREA:

DF1 SAN LORENZO

DF2 FUERZA
DF3 BASEDE PUERTO

i. South America, west coast ports

GALAPAGOS AND COCOS ISLAND AREA:

EA1 COCOS ISLANDS
EA2 WRECK BAY, GALAPAGOS ISLAND

ED4 MATARANI
ED5 SALAVERRY
ED6 TALARA
ED7 CHIMBOTE
ED8 IQUITOS
ED9 ANCON
EDA BAYOVAR
EDB EAYOZR

COLOMBIA AREA:

EB1 BUENAVENTURA
EB2 BOGOTA

ECUADOR AREA:

EC1 GUAYAQUIL
EC2 ESMERALDES
EC3 LA LIBERTAD
EC4 PUERTO BOLIVAR
EC5 MANTA

CHILE AREA:

EE1 ANTOFAGASTA
EE2 ARICA
EE3 VALPARISO
EE4 TALCHAUANO
EE5 PUNTA ARENAS
EE6 CHANARAL, DE LAS ANIMAS
EE7 SAN ANTONIO
EE8 TOCOPILLA
EE9 PUERTO MONTT
EEA VALDIVIA
EEB IQUIQUE

PERU AREA:

ED1 CALLAO
ED2 LIMA
ED3 MOLLENDO

j. South America, east coast ports

BRAZIL, NORTHEAST COAST AREA:

FA1 BELEM
FA2 NATAL
FA3 RECIFE
FA4 AMAPA
FA5 SAO LUIS
FA6 FORTALEZA

URUGUAY AREA:

FC1 MONTEVIDEO

PARAGUAY AREA:

FD1 ASUNCION

BRAZIL, SOUTHEAST COAST AREA:

FB1 RIO DE JANEIRO
FB2 SANTOS
FB3 PORTO ALEGRE
FB4 BAHIA
FB5 RIO TINTO, BRAZIL

ARGENTINA AREA:

FE1 BUENOS AIRES
FE2 BAHIA BLANCA
FE3 PUERTO BELGRANO
FE4 PUERTO MADRYN

FALKLAND ISLANDS AREA:

FF1 PORT STANLEY

k. Azores Islands ports

GA1 PONTA DELGADA
GA2 SANTA MARIA
GA3 PRAIA DA VITORIA
GA4 HORTA, FAYAL
GA5 LYLES PICO

GA6 ANGRA DI HEROISMO
GA7 LAJES

I. British Isles ports

ENGLAND, SOUTHEAST AREA:

HA1	PLYMOUTH
HA2	EXETER
HA3	HANBLE
HA4	SOUTHAMPTON
HA5	PORTSMOUTH
HA6	THAMESHAVEN
HA7	LONDON
HA8	FELIXSTOWE
HA9	DOVER
HAA	ISLE OF GRAIN
HAB	HARWICH
HAC	NEWHAVEN
HAD	TILBURY
HAE	ORFORD NESS
HAF	CHATHAM
HAG	SHEERNESS
HAH	COLCHESTER
HAJ	SHOREHAM-BY-THE-SEAS
HAK	FAWLEY
HAL	PURFLEET
HAM	CORYTON
HAN	TURFLEET
HAP	HIGH WYCOMBE
HAQ	GRAVESEND
HAR	ROCHESTER
HAS	FALMOUTH
HAT	WEST THURROCK
HAU	LLANELLI, WALES
HAV	FAIRFORD
HAW	FLEETWOOD
HAX	BRIXHAM
HAY	RAMSGATE
HAZ	MISTLEY

ENGLAND, WEST AREA:

HB1	BRISTOL
HB2	AVONMOUTH
HB3	MILFORD HAVEN
HB4	LIVERPOOL
HB5	MANCHESTER
HB6	BARRY, SOUTH WALES
HB7	SWANSEA
HB8	POOLE
HB9	PRESTON
HBA	ANDERTON
HBB	GARSTON
HBC	EASTHAM
HBD	ELLESMERE PORT

HBE	RUNCORN
HBF	HOLYHEAD
HBG	NEWPORT, SOUTH WALES
HBH	PEMBROKE
HBJ	ROYAL PORTBURY DOCK
HBK	BARRY PILOT
HBL	WATCHET

ENGLAND, EAST AREA:

HC1	HULL
HC2	NEWCASTLE
HC3	IMMINGHAM (STORAGE)
HC4	IPSWICH
HC5	GRIMSBY
HC6	GREAT YARMOUTH
HC7	WALLSEND
HC8	TEES PORT
HC9	TYNEMOUTH
HCA	SALTEND
HCB	KILLINGHOLME
HCC	MIDDLEBROUGH
HCD	KINGS LYNN
HCE	SOUTH SHIELDS
HCF	LOWESTAFT
HCG	GOOLE
HCH	CANVEY ISLAND
HCJ	WHITBY
HCK	IMMINGHAM
HCL	RIDHAM
HCM	HYTHE
HCN	CLIFF JETTY

IRELAND AREA:

HD1	BELFAST
HD2	CORK
HD3	DUBLIN
HD4	LONDONDERRY
HD5	GALWAY
HD6	COBH, ERIE
HD7	LARNE
HD8	RED BAY
HD9	WARRENPOINT

SCOTLAND, WEST AREA:

HE1	BOWLING
HE2	PRESTWICK
HE3	HOLY LOCH
HE4	GLASGOW
HE5	CAIRN RYAN
HE6	LOCH STRIVEN

HE7 CAMPBELTOWN
 HE8 ARDROSSAN
 HE9 LOCH EWE
 HEA STRANRAER
 HEB SHANDON
 HEC LOCH LONG
 HED GREENOCK
 HEE FAIRLIE
 HEF GLEN DOUGLAS
 HEG FASLANE

SCOTLAND, EAST AREA:

HF1 INVERFORDEN
 HF2 ABERDEEN
 HF3 ROSYTH

HF4 EDINBURGH, LEITH
 HF5 SCRABSTER, CAITHNESS
 HF6 GRANGEMOUTH
 HF7 HOUND POINT

SCOTTISH ISLANDS AREA:

HG1 LERWICH, SHETLAND ISLANDS
 HG2 BALTA SOUNDS, SHETLAND
 HG3 LY NESS, ORKNEY ISLAND
 HG4 YELL SOUND, SHETLAND ISLANDS
 HG5 SULLOM VOE, SHETLAND ISLANDS

FAEROE ISLANDS AREA:

HJ1 FAROE ISLAND

m. Northern Europe ports

NORWAY AREA:

JA1 OSLO
 JA2 HORTEN
 JA3 NARVIK
 JA4 BERGEN
 JA5 STAVENGER
 JA6 TRONDHEIM
 JA7 BODO (PORT)
 JA8 KRISTIANSAND
 JA9 DRAMMEN
 JAA GRIMSTADT, NORWAY
 JAB MOSS
 JAC BEJERKVIK, NORWAY
 JAD SALANGSVÆR
 JAE HOVRINGEN
 JAF HUMLA
 JAG FAUSKE
 JAH ANDØYA (KVALNES PIER)
 JAJ LARKOLLEN
 JAK MO-I-RANA
 JAL SORREISA
 JAM NAMSØS
 JAN GANGSAAS
 JAP LURA
 JAQ FINNSNES
 JAR MURUVIK
 JAS STEINSVICK
 JAT AANDALSNES
 JAU HOMMELVIK
 JAV BOGEN
 JAW LARVIK
 JAX VAERNES, NORWAY
 JAY BREKSTAD

JAZ ANDENES
 J1A ORKANGER
 J1B HAAKONSVERN
 J1C SANDEFJORD
 J1D BOTNANESET
 J1E MELLOMOEYA
 J1F VALNESET
 J1G SORTLAND
 J1H ANDENEF
 J1K LISTA
 J1L FREDERIKSTADT
 J1M HAMMARNEFODDEN
 J1N VERDAY
 J1P ST. JORDAL
 J1Q TANANGER
 J1R HJELTEFJORDEN
 J1S SALANGEN
 J1T TROMSØ

SWEDEN AREA:

JB1 GOTHENBURG
 JB2 STOCKHOLM
 JB3 HELSINGBORG
 JB4 WALLHAM
 JB5 SOEDERTAELJE
 JB6 KARLSKRONA
 JB7 UDDERVALLA
 JB8 VARBARG
 JB9 MALMØ

DENMARK AREA:

JC1 COPENHAGEN
 JC2 AARHUS
 JC3 AALBORG

CH 6
DoD 4500.32-R
Vol. I

JC4 FREDERIKSHAVN
JC5 ESBJERG
JC6 KORSOER
JC7 FREDERICIA
JC8 HOLSTEBRO, DENMARK
JC9 HIRTSHALS, DENMARK

FINLAND AREA:

JD1 HELSINKI
JD2 HANGO
JD3 HAMINA

POLAND AND USSR AREA:

JE1 GDYNIA
JE2 LENINGRAD
JE3 WARSAW
JE4 VILNEUS, CIS

GERMANY AREA:

JF1 BREMERHAVEN
JF2 BREMEN
JF3 EMDEN
JF4 HAMBURG
JF6 NORDENHEIM
JF7 SYLT
JF8 CUXHAVEN
JF9 FARGE
JFA WILHELMSHAVEN
JFB BRUNSBUTTELKOOG
JFC KEIL
JFD MOENCHENGLAD-BACH
JFE BRAKE
JFF TRAVEMUNDE
JFG VILSECK
JFH WESERREEDE
JFJ ECKERNFORDE
JFK KIEL CANAL, GERMANY

THE NETHERLANDS AREA:

JG1 ROTTERDAM
JG2 AMSTERDAM
JG3 PORTERSHAVEN
JG4 BUITENBUIZEN
JG5 TERNEUZEN
JG6 HOOK OF HOLLAND
JG7 DORDRECHT
JG8 PERMIS
JG9 VLISSINGEN (FLUSHING)
JGA EEMSHAVEN
JGB ROZENBURG
JGC SCHEVENINGEN

BELGIUM AREA:

JH1 ZEEBRUGGE
JH2 ANTWERP
JH3 OSTEND
JH4 GHENT

FRANCE, CHANNEL PORTS AREA:

JJ1 CHERBOURG
JJ2 DUNKERQUE
JJ3 LE HAVRE
JJ4 ROUEN
JJ5 CALAIS
JJ6 BOULOGNE
JJ7 DIEPPE
JJ8 D'ARQUES
JJ9 PETIT COURONNE

FRANCE, BAY OF BISCAY AREA:

JK1 BORDEAUX
JK2 BASSENS
JK3 DONGES
JK4 LA PALLICE
JK5 NANTES
JK6 PAUILLAC
JK7 ST. HERBLAIN
JK8 ST. NAZAIRE
JK9 ROCHEFORT
JKA PIRIAC
JKC LE VERDON

SPAIN, BAY OF BISCAY AREA:

JL1 SANTANDER
JL2 EL FERROL
JL3 GIJON
JL4 LA CORUNA
JL5 SAN SEBASTIAN
JL6 BILBAO
JL7 VIGO
JL8 ALGELIRAS

GERMANY, RHINE RIVER AREA:

JM1 GERMERSHEIM
JM2 MAINZ
JM3 MANNHEIM
JM4 BINGEN
JM5 LUDWIGSHAFEN
JM6 GERNESHEIM
JM7 KARLSRUHE
JM8 WORMS
JM9 FRANKFURT AM MAIN
JN1 RIGA, LATVIA

NORTHWEST USSR AREA

JR1 ARKANGEL'SK, RUSSIA
JR2 SEVERODVINSKI, RUSSIA

n. Western Meditteranean ports

PORTUGAL AREA:

KA1 LISBON
KA2 PORTO
KA3 FUNCHAL, MADEIRA ISLAND
KA4 ALVERCA
KA5 SETUBAL
KA6 FARO

MOROCCO AREA:

KB1 CASABLANCA
KB2 FERDALA
KB3 LAS PALMAS, CANARY ISLANDS
KB4 TENERIFE, CANARY ISLANDS
KB5 MELILLA
KB6 PORT LYAUTEY
KB7 RABAT
KB8 SAFI
KB9 TANGIERS
KBB MOHAMMEDIA
KBC SANTA CRUZ DE LE PALMA, CANARY
ISLANDS
KBF MOROCCO, US NAVAL TRAINING COMMAND,
KENTITA PORT LYAUTEY
KBG CEUTA

ALGERIA AREA:

KC1 ALGIERS
KC2 ORAN
KC3 ARZEW
KC4 BEJAIA

TUNISIA AREA:

KD1 TUNIS
KD2 BIZERTE
KD3 SIDI AHMED
KD4 SKHIRA

SICILY AREA:

KE1 PALERMO
KE2 AUGUSTA
KE3 CATANIA, NAF, SIGONELLA
KE4 VALETTA, MALTA ISLAND
KE5 SIRACUSA
KE6 TRAPANI
KE7 LAMPEDUSA ISLAND

KE8 PORTO EMPEDOCLE
KE9 MILAZZO
KEA MELLILI
KEB MESSINA

ITALY, WEST AREA:

KF1 NAPLES
KF2 POZZUOLI
KF3 LEGHORN
KF4 GENOA
KF5 LA SPEZIA
KF6 CIVITAVECCHIA
KF7 BASTIA, CORSICA
KF8 GAETA
KF9 SALERNO
KFA TOMBOLO (AMMUNITION PORT)
KFB PIOMBINO
KFC **RESERVED**
KFD SANTO STEFANO
KFE PISA, ITALY
KFF LIVORNO
KFG SAVONA
KFH CASTELLAMMARE DI STABBIA
KFK **TALAMONE, ITALY**

SARDINIA AREA:

KG1 CAGLIARI
KG2 LA MADDALENA
KG3 OLBIA
KG4 TORRES
KG5 PORTO TORRES, ITALY
KG6 ORISTANO
KG7 SARROCH
KG8 PALAU SARDINA

FRANCE, MEDITERRANEAN AREA:

KH1 MARSEILLE
KH2 TOULON
KH3 CANNES
KH4 LAVERN
KH5 MONTE CARLO, MONACO
KH6 L'ESPIGUETTE
KH7 FOS
KH8 RADE D'HYERES

CH 6
DoD 4500.32-R
Vol. I

SPAIN, SOUTH ATLANTIC AREA:

KJ1 CADIZ
KJ2 ROTA
KJ3 SEVILLE
KJ4 GIBRALTER
KJ5 HUELVA
KJ6 ALGECIRAS

SPAIN, MEDITERRANEAN AREA:

KL1 BARCELONA

KL2 CARTAGENA
KL3 ALICANTE
KL4 LA ALGAMECA
KL5 VALENCIA
KL6 TARRAGONA
KL7 PALMA, BALERIC ISLAND
KL8 ALMERIA
KL9 MALAGA
KLA CASTELLON

o. Eastern Meditteranean ports

ITALY, EAST AREA:

LA1 VENICE
LA2 TARANTO
LA3 BRINDISI
IA4 BARI
LA5 ANCONA
LA6 PRIOLA
LA7 MARGHERA

TRIESTE AREA:

LB1 TRIESTE

YUGOSLAVIA AREA:

LC1 BAKAR
LC2 RIJEKA
LC3 PLOCE
LC4 KOPER

GREECE, SOUTHERN AREA:

LD1 PIRAEUS
LD2 ELEVSIS
LD3 PATRAS
LD4 HATTARAS
LD5 CANDIA, CRETE
LD6 SALAMIS
LD7 ANDIKIRA
LD8 IRAKLION, CRETE
LD9 SUDA BAY, CRETE
LDA SKARAMANGA BAY
LDB ST. THEODORIA
LDC PERAMA

GREECE, AEGEAN SEA AREA:

LE1 THESSALONIKI
LE2 VOLOS
LE3 STILIS
LE4 OROPUS
LE5 AKHILLION

LE6 RHODES
LE7 LEROS ISLAND
LE8 ACHINOS
LE9 MEGARA
LEB KAVALLA
LEC MYKONOS ISLAND
LED KOS ISLAND
LEE SYROS, SYROS ISLAND
LEF PYLOS
LEG KALAMATA

SYRIA AREA:

LF1 LATAKIA
LF2 TARTUS

CYPRUS AREA:

LG1 LARNACA
LG2 FAMAGUSTA
LG3 LIMASSOL
LG4 AKROTIRI

LEBANON AREA:

LH1 BEIRUT
LH2 JUNIYAH
LH3 SAYDA

ISRAEL AREA:

LJ1 HAIFA
LJ2 TEL AVIV
LJ3 JAFFA
LJ4 EILAT
LJ5 ASHDOD

EGYPT AREA:

LK1 ALEXANDRIA
LK2 CAIRO
LK3 PORT SAID
LK4 SUEZ
LK5 RASSHUKHEIR

LK6 JABAL AT THAIR ISLAND
 LK7 BURSA SAFAGO
 LK8 TEWFIK
 LK9 EL BALLAH
 LKA GREAT BITTER LAKE (BUHEIRAT)
 LKC EL DIKHEILA, EGYPT

LIBYA AREA:

LL1 TARABULUS
 LL2 BENGAS1
 LL3 MARSA AL BURAYGAH
 LL4 ES SIDER
 LL5 RA'S AL UNUF
 LLA HALQ EL QUED, TUNISIA

TURKEY, SOUTH AREA:

LQ1 ISKENDERUN
 LQ2 MERSIN
 LQ3 ANTALYA
 LQ4 YUMURTALIK

TURKEY, WEST AREA:

LR1 IZMIR
 LR2 ISTANBUL MILITARY TERMINAL
 LR3 DORINCE
 LR4 GELIBOLU
 LR5 GOLCUK
 LR6 ISTANBUL

p. West Africa ports

ASCENSION ISLANDS AREA:

MA1 CLARENCE BAY

ST. HELENA ISLAND AREA:

MB1 ST. HELENA

CAPE VERDE ISLANDS AREA:

MC1 PRAI
 MC2 SANTA MARIA, SAL ISLAND

SENEGAL AREA:

MD1 DAKAR

GUINEA AREA:

ME1 BISSAU

GAMBIA AREA:

MF1 BATHURST

LR7 ISTANBUL, HAYDARPASS
 LR8 KARAMURSEL
 LR9 ISTANBUL, CEKMECE
 LRA TEKIRDAG
 LRB BANDIRMA
 LRC KONCA
 LRD KUSADASI
 LRE CESME, TURKEY

TURKEY, BLACK SEA AREA:

LSA ODESSA, UKRAINE
LSC ILICHEVSK, UKRAINE
 LS1 SAMSUN
 LS2 SINOP
 LS3 TRABZON
 LS4 AMASRA
 LS5 CONSTANTZA, ROMANIA
 LS6 GALATI, ROMANIA
 LS8 POTI, GEORGIA
 LS9 VARNA, BULGARIA

GREECE, IONIAN ISLANDS AREA:

LT1 CORFU ISLAND
 LT2 IGOUMENITSA

ALBANIA AREA:

LW1 VIORE, ALBANIA
LW2 DURRES, ALBANIA

SIERRE LEONE AREA:

MG1 FREETOWN

LIBERIA AREA:

MH1 MONROVIA

IVORY COAST AREA:

MJ1 ABIDJAN, IVORY COAST
 MJ2 GRAND BASSAM

GHANA AREA:

MK1 ACCRA
 MK2 SEKONDI
 MK3 TAKORADI
 MK4 LOME, TOGO
 MK5 TEMA

NIGERIA AREA:

ML1 LAGOS
 ML2 PORT HARCOURT
 ML3 APAPA

CH 6
DoD 4500.32-R
Vol. I

ML4 FORCADOS
ML5 BONNY
ML6 ESCRAVOS
ML7 BASS RIVER TERMINAL

CAMEROON AREA:

MM1 DOUALA, CAMEROON
MM2 KOLE

CONGO AREA:

MN1 MATADI, ZAIRE
MN2 BRAZZAVILLE, CONGO
MN3 POINTE NOIRE, CONGO
MN4 BOMA, ZAIRE

GABON AREA:

MP1 LIBREVILLE

q. South and East Africa ports

REPUBLIC OF SOUTH AFRICA AREA:

NA1 CAPETOWN
NA2 PRETORIA
NA3 WALVIS BAY
NA4 PORT ELIZABETH
NA5 DURBAN

MOZAMBIQUE AREA:

NB1 BEIRA
NB2 LOURENCO MARQUES

MADAGASCAR AREA:

NC1 TOAMASINA

r. Persian Gulf and Red Sea ports

SOMALIA AREA:

PA1 BERBERA

DJIBOUTI AREA:

PB1 DJIBOUTI

ETHIOPIA AREA:

PC1 MASSAWA
PC2 ASSAB

SUDAN AREA:

PD1 PORT SUDAN
PD2 PORT SUDAN (ANCHORAGE)

MP2 OWENDO
MP3 SAO TOME ISLAND

ANGOLA AREA:

MQ1 LUANDA
MQ2 LOBITA

GUINEA AREA:

MR1 CONAKRY

DAHOMEY AREA:

MS1 PORTO NOVO
MS2 COTONOU

MURITANIA AREA:

MT1 NOUAKCHOTT

NC2 TANANARIVE
NC3 PORT LOUIS, MAURITIUS

TANZANIA AREA:

ND1 TANGA
ND2 DAR ES SALAAM
ND3 ZANZIBAR

KENYA AREA:

NE1 MOMBASA

SOMALI AREA:

NF1 MOGADISHU
NF2 CHISIMAIO

JORDAN AREA:

PE1 AQABA

SAUDI ARABIA, EAST AREA:

PF1 RESERVED
PF2 RAS AT TANNURA
PF3 DHAHRAN
PF4 ASHSHUQAYQ
PF5 RAS AL MISHAB
PF6 AD DAMMAN
PF7 AL KHOBAR
PF8 AL JUBAYL
PFS SAFE HAVEN

YEMEN AREA:

PG1 HODEIDA
PG2 MOCHA

ADEN AREA:

PH1 ADEN

OMAN AREA:

PJ1 MUSCAT
PJ2 MINA AL FAHAL
PJ3 MINA AL RAYSUT
PJ4 MINA QABOOS
PJ5 SHARJAH
PJ6 MASIRAH
PJ7 MATRAH
PJ8 SALALAH

BAHRAIN AREA:

PK1 BAHRAIN
PK2 HALUL ISLAND, QATAR
PK3 BAHRAIN ISLAND (ANCHORAGE)
PK4 AD DAWHAH (DOHA), QATAR
PK5 MINA SULMAN

IRAQ AREA:

PL1 BASRA

IRAN AREA:

s. Burma and India ports

PAKISTAN AREA:

QA1 KARACHI
QA2 CHITTAGONG

INDIA AREA:

QB1 BOMBAY
QB2 CALCUTTA
QB3 MADRAS
QB4 COCHIN

MYANMAR (FORMERLY BURMA) AREA:

QC1 RANGOON

t. China Sea ports

THAILAND AREA:

RA1 BANGKOK
RA2 PATAYA
RA3 SATTAHIP
RA4 THUNG PRONG

PM1 BANDAR KHOMEYNI
PM2 KORRAMSHAHR
PM3 ABADAN
PM4 BANDAR ABBAS
PM5 BANDAR-E MASHUR
PM6 BUSHEHR
PM7 KHARG ISLAND

KUWAIT AREA:

PN1 AL KUWAIT

SAUDI ARABIA, WEST AREA:

PP0 RESERVED
PP1 JIDDA
PP2 YANBU A BAHR
PP3 YANBO
PP4 QUIZAN
PP5 RABIGH

UNITED ARAB EMIRATES AREA:

PQ1 DUBAI
PQ2 ABU DHABI
PQ3 MINA JABAL ALI
PQ4 AL FUJAYRAH
PQ5 KHOR FAKKEN
PQ6 ZIRKU ISLAND
PQ8 MINA ZAYED

CEYLON AREA:

QD1 COLOMBO
QD2 TRINCOMALEE

SEYCHELLES ISLAND AREA:

QE1 VICTORIA HARBOR, MAHE ISLAND
QF1 DIEGO GARCIA ISLAND

LAREUNION AREA:

QG1 LEPORT, LAREUNION ISLAND

MALAYA AREA:

RB1 SINGAPORE
RB2 PORT SWETTENHAM
RB3 PENANG
RB4 PORT KELANG
RB5 JOHOR BAHRU

CH 6
DoD 4500.32-R
Vol. I

RB7 UMUT, PERAU

SUMATRA AREA:

RC1 MEDAN
RC2 PEDANG
RC3 PALEMBANG
RC4 DUMAI

JAVA AREA:

RD1 DJAKARTA
RD2 SURABAJA
RD3 SEMARANG
RD4 CILICAP (TUILATAP)

TIMOR ISLAND AREA:

RE1 DILI

CAMBODIA AREA:

RF1 PHNOM PENH
RF2 KOMPONG SOM

VIETNAM AREA:

RG1 SAIGON
RG2 HAIPHONG
RG3 DA NANG
RG4 QUI NHON
RG5 NHA THRANG
RG6 PHUQUOC
RG7 HUE
RG8 NHABE
RG9 CHU LAI
RGA VUNG TAU
RGB CAN THO
RGC AN THOI
RGD CON SON ISLAND
RGE CAM RANH BAY
RGF PHAN THIET
RGG TUY HOA
RGH VUNG RO
RGJ HAN RANG
RGK DONG TAM

u. Philippines ports

LUZON ISLAND AREA:

SA1 MANILA
SA2 SANGLEY POINT
SA3 SUBIC BAY
SA4 BATAAN
SA5 QUINTANG POINT
SA6 LOCANIN POINT

RGL DONG HA
RGM MY THO
RGN CAT LAI
RGP DUC PHO
RGQ THON MY THUY
RGR BANGOI
RGS TAN MY
RGT VINH LONG
RGU SAIGON, NEWPORT
RGV VINH HUNG
RGW DONG NAI
RGX LONG XUYEN
RGY NUI SAP

CANTON AREA:

RH1 CANTON, CHINA
RH2 HONG KONG
RH3 HSINHSIANG
RH4 SHANGHAI

TAIWAN AREA:

RJ1 KEELUNG
RJ2 TANSUI
RJ3 KAOHSIUNG
RJ4 WUCH'I
RJ5 HUALIEN
RJ6 SUAO

BORNEO AREA:

RK1 KUNCHING

CELEBES AREA:

RL1 PALOPA
RL2 MAKASSAR
RL3 MANADO
RL4 AMBON, MOLUCCA ISLANDS
RL5 SURABAYA
RL6 SINGAPORE
RL7 HALIM DJAKARTA, INDONESIA
RL8 BLANG LANCANG, INDONESIA

SA7 SAN FERNANDO
SA8 PORO POINT
SA9 SUBIC CITY
SAA SUBIC BAY (NAVMAG SUBIC)

CENTRAL ISLANDS AREA:

SB1 ILOILO, PANAY ISLAND
SB2 CEBU, CEBU ISLAND

SB3 LEYTE, MANICONI ISLAND
SB4 TACLOBAN, LEYTE ISLAND
SB5 SAMAR, SAMAR ISLAND
SB6 PUERTO PRINCESA, PALAWAN ISLAND
SB7 LUBANG ISLAND
SB8 TABOGON ISLAND
SBB MACTAN ISLAND
SBC BATANGAS ISLAND

MINDANAO AREA:

SC1 BUENA VISTA
SC2 CAGAYAN DE ORO
SC3 DAVAO
SC4 BUGO
SC5 ZAMBOANGA
SC6 JOLO ISLAND

v. Central Pacific Islands ports

MARIANAS AREA:

TA1 APRA HARBOR, GUAM
TA2 NSD, GUAM
TA3 GARAPAN, SAIPAN
TA4 TINIAN ISLAND
TA5 ROTA ISLAND
TA6 NAVMAG, GUAM

MARSHALL ISLANDS, RALIK CHAIN AREA:

TJ1 KWAJALEIN ATOLL
TJ2 EBEYE ISLAND, KWAJALEIN
TJ3 JALUIT ATOLL
TJ4 ENIWETOK ISLAND
TJ5 ENIWETOK LAGOON
TJ6 WOTHO ISLAND
TJ7 UJELANG ISLAND
TJ8 ROI NAMUR

MARSHALL ISLANDS, RATAK CHAIN AREA:

TK1 MAJINO ISLAND
TK2 WOTJE ATOLL

TK3 BIKINI ATOLL
TK4 AILINGINAE ATOLL
TK5 LIKIEP ATOLL
TK6 RONGELAB ATOLL
TK7 RONGERIK ATOLL
TK8 UTIRIK ATOLL

CAROLINE ISLANDS AREA:

TL1 PULAP ISLAND
TL2 PONAPE ISLAND
TL3 OSI LUI ISLAND
TL4 TRUK ISLAND
TL5 ULITHI ISLAND
TL6 KAPINGARANGI ISLAND
TL7 KUSEL ISLAND
TL8 TARAWA ATOLL

PALAU ISLAND AREA:

TS1 YAP ISLAND
TS2 MALEKEIOK ISLAND
TS3 KOROR ISLAND
TS4 PELELIU ISLAND

w. Bonin and Ryukyu Islands, Korea, and Japan ports

BONIN ISLANDS AREA:

UA1 KITA, IWO JIMA ISLAND
UA2 CHICHI, JIMA ISLANDS

RYUKYU ISLANDS AREA:

UB1 NAHA, OKINAWA ISLAND (MILITARY TERMINAL)
UB2 BUCKNER BAY, OKINAWA ISLAND
UB3 CHIMU WAN, OKINAWA ISLAND
UB4 ISHIGAKI ISLAND
UB5 IE SHIMA
UB6 KUME ISLAND
UB7 MIYAKO ISLAND
UB8 OKINO ISLAND
UB9 YAEYAMA ISLAND
UBA HEIANZA SHIMA

UBB KIN, OKINAWA ISLAND
UBC TENGAN, OKINAWA
UBD NAHA, OKINAWA ISLAND
(COMMERCIAL TERMINAL)
UBE IRISUNA, JIMA ISLAND
UBF AJA PORT, OKINAWA ISLAND

KOREA, WEST AREA:

UC1 CHINNAMPO
UC2 INCHON
UC3 PAENGNYONG DO
UC4 GAZAN
UC5 CHANGHANG

KOREA, SOUTH AREA:

UD1 KUNSAN

CH 6
DoD 4500.32-R
Vol. I

UD2 MOKPO
UD3 CHINDO
UD4 YOSU
UD5 MASAN
UD6 PUSAN (MILITARY TERMINAL)
UD7 ULSAN
UD8 CHEJU DO
UD9 SUYONG
UDA CHINHAE
UDB HAEUNDAE
UDC PUSAN (COMMERCIAL TERMINAL)
UDD SAMIL
UDE ONSAN
UDF TOKSOK RI
UDG MIPO
UDH YOMPO
UDI YOCHEON
UDJ OKPO
UDK CHUNGMU
UDL SAMCHONPO

KOREA, NORTHEAST AREA:

UE1 POHANG
UE2 KOSONG
UE3 WONSAN
UE4 IWON
UE5 TAECHON
UE6 CHONGJIN
UE7 HUNGHAM
UE8 SAMCHOK
UE9 YANG DO
UEA MUKHOJIN-NI
UEB SOKCHO
UEC PUKPYONG-NI
UED GANG NEUNG
UEE DAESAN
UEF SONBONG, NORTH KOREA

JAPAN, HOKKAIDO, WEST AREA:

UF1 WAKKANI
UF2 OTARU

JAPAN, HOKKAIDO, EAST AREA:

UG1 HAKODATE
UG2 MURORAN
UG3 KUSHIRO
UG4 TOMAKOMAI

JAPAN, HONSHU, NORTH AREA:

UH1 AOMORI
UH2 HACHINOHE

JAPAN, HONSHU, WEST-CENTRAL AREA:

UJ1 NILIGATE
UJ2 AIOI

JAPAN, HONSHU, SOUTHWEST AREA:

UK1 TSUSHIM
UK2 UBE
UK3 MIZUSHIMA

JAPAN, HONSHU, SOUTHEAST AREA:

UL1 KURE
UL2 OSAKA
UL3 KOBE
UL4 TOKUYAMA
UL5 HIROSHIMA
UL6 WAKAYAMA
UL7 IWAKUNI
UL8 SHIMOTSU
UL9 HIRO

JAPAN, HONSHU, EAST-CENTRAL AREA:

UM1 YOKOHAMA ARMY TERMINAL, NORTH PIER
UM2 SHIMIZU
UM3 TOKYO
UM4 YOKOSUKA
UM5 KOSHIBA
UM6 NAGOYA
UM7 SENDAI
UM8 TSURUMI
UM9 CHIBA
UMC YOKOSUKA (SHIP REPAIR FACILITY)
UMD TAURA
UME YOKOHAMA (COMMERCIAL TERMINAL)
UMF KAWASAKI

JAPAN, SHIKOKU, SOUTHEAST AREA:

UN1 KOCHI
UN2 PORT OF UNO
UN3 MATSUYAMA
UN4 NANSEI

JAPAN, KYUSHU, EAST AREA:

UP1 MOJI
UP2 SHIMONOSEKI
UP4 OMURA
UP5 KUDAMATSU
UP6 TSUKUMI
UP7 TOBATA
UP8 YOWATA
UP9 OITA

JAPAN, KYUSHU, WEST AREA:

UQ1 KARATSU
UQ2 SASEBO
UQ3 OMTA
UQ4 NAGASAKI
UQ5 HAKATA
UQ6 SAITOUZAKI
UQ7 YAMAKAWA

UQ9 KAGOSHIMA
UQA WAKAMATSU
UQL MISUMI

DAITO ISLAND AREA:

UR1 MINAMI
UR2 KITA

x. Australia, New Zealand, and Coral Sea ports

AUSTRALIA, WEST AREA:

VA1 PERTH
VA2 FREEMANTLE
VA3 NORTHWEST CAPE
VA4 GARALDTON
VA5 KWINANA

AUSTRALIA, SOUTH AREA:

VB1 ADELAIDE
VB2 MELBOURNE
VB3 GEELONG VICTORIA, AUSTRALIA
VB4 DEVONPORT, TASMANIA
VB5 POINT WILSON

AUSTRALIA, EAST AREA:

VC1 SYDNEY
VC2 NEW CASTLE
VC3 BRISBANE
VC4 TOWNSVILLE
VC5 PORT KEMBLA
VC6 CAIRNS

AUSTRALIA, NORTH AREA:

VD1 DARWIN

NEW ZEALAND AREA:

VE1 AUCKLAND
VE2 WELLINGTON
VE3 CHRISTCHURCH
VE4 DUNEDIN
VE5 PORT LYTTTELTON
VE6 TIMARU
VE7 PORT CHALMERS

NEW GUINEA AREA:

VF1 WEWAK
VF2 NUMBOLT BAY
VF3 LAE
VF4 PORT MORESBY

SOLOMON ISLANDS AREA:

VG1 SELWYN
VG2 UGI
VG3 NUSSI, BOUGAINVILLE
VG4 HONAIRA, GUADALCANAL
VG5 RENDOVA, SOLOMAN ISLAND

BISMARCK ARCHIPELAGO AREA:

VH1 LALA, ADMIRALTY ISLANDS
VH2 SANTA CRUZ ISLANDS

FIJI ISLANDS AREA:

VJ1 SUVA, FIJI ISLANDS

LOYALTY ISLANDS AREA:

VK1 LIFOU ISLANDS
VK2 NOUMEA, NEW CALEDONIA

NEW HEBRIDES AREA:

VLI PORT-VILA, VANUATA

GILBERT ISLANDS AREA:

VM1 NONUTI
VM2 NAURU
VM3 BITAKI
VM4 FUNAFUTI, ELLICE ISLAND

y. South Pacific Islands ports

LINE ISLANDS AREA:

WA1 PALMYRA ISLAND
WA2 FANNING ISLAND
WA3 WASHINGTON ISLAND

WA4 CHRISTMAS ISLAND

SAMOAN ISLANDS AREA:

WB1 PAGO PAGO, TUTILA ISLAND
WB2 APIA, UPOLU ISLAND

CH 6
DoD 4500.32-R
Vol. I

WB3 OFU, MANUA ISLAND
WB4 AUNUU, AUNUU ISLAND

PHOENIX ISLAND AREA:

WC1 CANTON ISLAND
WC2 PHONIX IS, PHONIX ISLAND
WC3 BAKER ISLAND

SOCIETY ISLANDS AREA:

WD1 PAPEETE, TAHITI
WD2 COOK ISLAND
WD3 TONGA ISLAND

JOHNSTON ISLAND AREA:

WE1 JOHNSTON ISLAND

EASTER ISLAND AREA:

WF1 EASTER ISLAND

PITCAIRN ISLAND AREA:

WG1 PITCAIRN ISLAND

NIUE ISLAND AREA:

WH1 NIUE ISLAND

z. Hawaii and North Central Pacific ports

HAWAII AREA:

XA1 HILO
XA2 KAWAIHAE

MAUI AREA:

XB1 KAHULUI
XB2 KAHOO LAWE

LANAI AREA:

XC1 LANAI CITY

MOLOKAI AREA:

XD1 KAUNAKAKAI

OAHU AREA:

XE1 HONOLULU
XE2 PEARL HARBOR, NSC
XE3 PEARL HARBOR, NAD
XE4 KANEOHE
XE5 WAIPIO POINT

XE6 HONOLULU, ARMY PIERS
XE7 PEARL HARBOR, NAVY SHIPYARD

KUAI AREA:

XF1 LIHUE
XF2 NAWLIWILI
XF3 PORT ALLEN

FRENCH FRIGATE SHOALS AREA:

XG1 TERN ISLAND

OUTER HAWAIIAN ISLANDS AREA:

XJ1 MIDWAY ISLAND
XJ2 KURE ISLAND

WAKE ISLAND AREA:

XK1 WAKE ISLAND

MARCUS ISLAND AREA:

XL1 MARCUS ISLAND

aa. North Pacific and Northwest Arctic ports

CANADA, BRITISH COLUMBIA AREA:

YA1 PORT ALICE, VANCOUVER ISLAND
YA2 QUEEN CHARLOTTE ISLAND
YA3 PRINCE RUPERT
YA4 ESQUIMALT VICTORIA, VANCOUVER ISLAND

ALASKA, SOUTHEAST AREA:

YB1 KETCHIKAN
YB2 CRAIG
YB3 WRANGEL
YB4 PETERSBURG
YB5 SITKA
YB6 JUNEAU

YB7 HAINES
YB8 SKAGWAY
YB9 DUNCAN CANAL
YBA METLAKATLA
YBB BIORKA ISLAND
YBC LEVEL ISLAND
YBF HOONAH
YBG SMUGGLER COVE
YBH ANNETTE
YBK SUMNER STRAIT AND CAPE DECISION
YBL CAPE SPENCER AND CROSS SOUND AREA
YBM SISTERS ISLAND
YBN COGHLAN ISLAND
YBP ANNETTE ISLAND, ALASKA

ALASKA, CENTRAL AREA:

YC1 CORDOVA
YC2 VALDEZ
YC3 WHITTIER
YC4 SEWARD
YC6 ANCHORAGE
YC7 HOMER
YC8 YAKUTAT
YC9 CHENEGA
YCA YAKATAGZ
YCB BOSWELL BAY
YCC POINT MCKENZIE
YCD FIRE ISLAND
YCE TATALINA
YCF CAPE HINCHINBROOKE
YCH OCEAN CAPE
YCK NIKISHKA, KENAI PENINSULA
YCL NIKISKI, KENAI PENINSULA
YCM CAPE ST ELIAS
YCN KENAI
YCP MIDDLETON ISLAND
YCQ JOHNSTONE POINT
YCR ENGLISH BAY
YCS PORT ETCHES
YCT KACHMAK
YCU TYONEK
YCV TATITLER
YCW PORT GRAHAM
YCX PORT GRAVINA

ALASKA, KODIAK AREA:

YD1 KODIAK ISLAND
YD3 SITKINAK
YD4 WOMENS BAY, KODIAK ISLAND
YD5 LARSEN BAY, KODIAK
YD6 OLD HARBOR
YD7 OUZINKIE, SPRUCE ISLAND
YD8 AKHIOK
YD9 KARLUK
YDA PORT LIONS
YDB UGASHIK

ALASKA, DUTCH HARBOR AREA:

YE1 DUTCH HARBOR
YE2 COLD BAY
YE3 CAPTAINS BAY, UNALASKA ISLAND
YE4 KING COVE
YE5 FALSE PASS

ALASKA, SOUTHWEST AREA:

YF1 NEWENHAM

YF2 BETHEL
YF3 PORT MOLLER
YF4 PORT HEIDEN
YF5 MIDDLE KUSKOKWIM, KALSKAG, AND ANIAK
YF6 MCGRATH
YF7 CLARKS POINT
YF8 GOODNEWS BAY
YF9 DILLINGHAM
YFA KUSKOKWIM
YFB NAKNEK
YFC SCAMMON POINT
YFD TOGIAK
YFE SAND POINT
YFF TANUNAK
YFG PERRYVILLE
YFH CHIGNIK LAKE
YFJ HOOPER BAY
YFK KINPNUK
YFL MEKORYUX
YFM NICHTMUTE
YFN TAKOTNA
YFP SLEETMUTE
YFQ MANOKOTAK
YFR LEVELOCK
YFS KVALINA
YFT CHIGNIK LAGOON
YFU IVANOF BAY
YFV NELSON LAGOON
YFW CHEVAK
YFX HOLLY CROSS
YFY NEWTOK
YFZ PLATINUM

ALASKA, WEST CENTRAL AREA:

YG1 CAPE ROMANZOF
YG2 ST MICHAEL
YG3 NOME
YG4 SAVOONGA, ST LAWRENCE ISLAND
YG5 GAMBELL, ST LAWRENCE ISLAND
YG6 CAPE PRINCE OF WALES
YG7 MOSES POINT
YG8 DIME LANDING
YG9 UNALAKLEET
YGA EGEGIK BAY AND KING SALMON RIVER
YGB NORTH RIVER
YGC NORTHEAST CAPE
YGD TIN CITY
YGE PORT CLARENCE
YGF ANVIL MOUNTAIN
YGG ELIM
YGH WHITE MOUNTAIN

CH 6
DoD 4500.32-R
Vol. I

YGJ BIG MOUNTAIN
 YGK GOLOVIN
 YGL TELLER
 YGM SHELDON POINT
 YGN ALAKANUK
 YGP EMMONAK
 YGQ SHISHMAREF
 YGR PILOT STATION
 YGS MOUNTAIN VILLAGE
 YGT TULUKSAK
 YGU SHAKTOOLIK
 YGV BREVIG MISSION
 YGW KOYUK
 YGX STEBBINS
 YGY LITTLE DIOMEDE ISLAND
 YGZ PITKAS POINT

ALASKA, SOUTHWEST AREA:

YHA ST MARY'S
 YHB TWIN HILLS
 YHC NEW STUYABOK
 YHD QUINHAGAK
 YHE EEK
 YHF MARSHALL
 YHG KOLIGANEK
 YHH TOKSOOK BAY, ALASKA
 YHJ ALEKNAGIK
 YHK KWETHLUK
 YHL AKIACHAK
 YHM AKIAK
 YHN KASIGLUK
 YHQ KONGIGANEK
 YHR KWIGILLINGOK
 YHS NAPAKIAK
 YHT TUNTUTULIAK
 YHU NUNAPITCHUK
 YHV CHEFORNAK
 YHW EKWOK
 YHX NAPASKIAK
 YHY OSCARVILLE
 YHZ STONY RIVER

ALASKA, NORTHWEST AREA:

YJ1 CAPE LISBURNE
 YJ2 CAPE BEAUFORT (LIZ A)
 YJ3 POINT LAY (LIZ 2)
 YJ4 ICY CAPE (LIZ B)
 YJ5 WAINWRIGHT (LIZ 3)
 YJ6 EARD BAY (LIZ C)
 YJ7 POINT BARROW (POW)
 YJ8 KOTZEBUE

YJ9 WALES (ARCTIC SECTOR)
 YJA POINT HOPE
 YJB KIANA
 YJC AMBLER
 YJD SHUNGNAK
 YJE NOORVIK
 YJF BUCKLAND
 YJG POINT BARROW (AAC CAMP)
 YJH DEERING
 YJJ NOATAK
 YJK SELAWIK
 YJL ANVIK

ALASKA, NORTH AREA:

YK1 CAPE SIMPSON (POW A)
 YK2 PITT POINT (POW 1)
 YK3 KOGRU RIVER (POW B)
 YK4 OKIKTOK POINT (POW 2)
 YK5 POINT MCINTYRE (POW C)
 YK6 SAVAKAVIK POINT (POW 3)
 YK7 CAMDEN BAY (POW D)
 YK8 BARTER ISLAND (BAR)
 YK9 ASCHOFF CAPE (BAR A)
 YKA PRUDHOE BAY
 YKB KAKTOVIK

ALEUTIAN ISLANDS AREA:

YL1 ADDAK ISLAND
 YL2 ATTU ISLAND
 YL3 SHEMYA ISLAND
 YL4 AMCHITAK ISLAND
 YL5 KISKA ISLAND
 YL6 NIKOLSKI
 YL7 DRIFTWOOD BAY
 YL8 CAPE SARICHEF
 YL9 SCOTCH CAP
 YLA ATKA ISLAND
 YLB CHERNOFSKI
 YLC AKUTAN
 YLD UMNAK ISLAND (FORT GLEN)

ARCTIC, NORTHWEST AREA:

YM1 BAGNALL BEACH (BAR 1)
 YM2 STOKES POINT (BAR B)
 YM3 BLOW RIVER (BAR 2)
 YM4 TUNUNUK CAMP (BAR C)
 YM5 TUKTUK (BAR 3)
 YM6 ATKINSON POINT (BAR D)
 YM7 TUKTOYAKTUK

ARCTIC, NORTHWEST AREA:

YN1 NICHOLSON PENINSULA (BAR 4)
YN2 HORTON RIVER (BAR E)
YN3 CAPE PARRY (PIN)
YN4 PAERCE POINT HARBOR (PIN A)
YN5 CLINTON POINT (PIN 1)

ARCTIC, NORTHWEST AREA:

YP1 CLIFTON POINT (PIN B)
YP2 YOUNG POINT (PIN 2)
YP3 BERNARD HARBOR (PIN C)
YP4 LADY FRANKLIN POINT (PIN 3)
YP4 ROSS POINT (PIN D)

ARCTIC, NORTHWEST AREA:

YQ1 NO NAME POINT (PIN 4)
YQ2 CAPE PEEL (PIN E)
YQ3 CAMBRIDGE BAY (CAM)
YQ4 STURT POINT (CAM A)

ab. Antarctica ports

ZA1 MCMURDO SOUND
ZA2 WINTER QUARTERS BAY

YQ5 JENNY LIND ISLAND (CAM 1)
YQ6 HAT ISLAND (CAM B)

PRIBOLF ISLANDS AREA:

YR1 ST PAUL ISLAND
YR2 ST GEORGE ISLAND
YR3 NEWHALEN, ILIAMNA LAKE
YR4 IGUGIG, ILIAMNA LAKE
YR5 ILIAMNA LAKE
YR6 KALTAG, YUKON RIVER
YR7 GALENA, YUKON RIVER
YR8 KOTLIK, YUKON RIVER
YR9 KOYUKUK, YUKON RIVER
YRA NULATO, YUKON RIVER
YRB RUSSIAN MISSION, YUKON RIVER
YRC CHUATHBALUK
YRD CHIGNIK
YRE PILOT POINT

Appendix F22

Other Codes in MILSTAMP

1. **General**. Other codes are included elsewhere in MILSTAMP when they relate most directly to only one specific topic or are more meaningful by such placement. These codes and their locations are listed below.

2. **MILSTAMP Document Codes**

- a. Transportation holding delay codes.

figure 2-B-6

3. **TCN Codes**

- a. Type shipment codes for non-MILSTAMP shipments.
b. Type shipment codes for nonappropriated fund purchase orders.
c. Type shipment codes for personal property.
d. SEAVAN service codes.
e. Partial and split shipment codes.

paragraph C.8.

paragraph C.4.

paragraph C.9.

paragraph C.10.

paragraph C.11.

4. **Transportation Priority Codes**

figure 2-B-1

5. **FMS Delivery Term Codes**

figure K-1

Appendix F23


Miscellaneous Codes and Charts

1. Calendar Conversion Chart

CALENDAR CONVERSION CHART (CALENDAR DAY CONVERTED TO DAY OF THE YEAR)

CALENDAR CONVERSION CHART (CALENDAR DAY CONVERTED TO DAY OF THE YEAR)																																				
DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
JAN	001	002	003	004	005	006	007	008	009	010	011	012	013	014	015	016	017	018	019	020	021	022	023	024	025	026	027	028	029	030	031					
FEB	032	033	034	035	036	037	038	039	040	041	042	043	044	045	046	047	048	049	050	051	052	053	054	055	056	057	058	059								
MAR	060	061	062	063	064	065	066	067	068	069	070	071	072	073	074	075	076	077	078	079	080	081	082	083	084	085	086	087	088	089	090					
APR	091	092	093	094	095	096	097	098	099	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120						
MAY	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151					
JUN	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181						
JUL	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212					
AUG	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243					
SEP	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273						
OCT	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304					
NOV	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334						
DEC	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365					
										LEAP YEAR - ADD 1 DAY AFTER 29 FEBRUARY																										

2. Pallet Profile Codes. Select the pallet profile code from the following drawings which are taken from AFM 28-346:



3. UMMIPS Time Standards

Time Segment	Time Standards in Calendar Days for UMMIPS Priority Designators (1)														
	EXPEDITE										ROUTINE				
	TP-1 PD 01-08 RDD of 999, N__, E__					TP-2 PD 01-08 (01-15 for 444) RDD of 444, 555, 777					TP-3 PD 01-15 Blank RDD				
A. Requisition Submission	1					1					2				
B. Passing Action	.5					1					1				
C. ICP Availability Determination (5)	1					1					1 (3)				
D. Depot Storage Site or Base Processing and Packaging(5)	1					1					5				
E. Transportation Hold and CONUS Intransit	1					4					10 (4)				
Area (2)	CONUS	1	2	3	4	CONUS	1	2	3	4	CONUS	1	2	3	4
F. POE and/or CCP Processing and Intransit to Carrier	N/A	1	1	1	3	N/A	1	1	1	3	N/A	10	10	10	21 (4)
G. Intransit Overseas	N/A	1	1	2	3	N/A	1	1	2	3	N/A	10	15	25	30
H. POD Processing	N/A	1	1	1	1	N/A	1	1	1	2	N/A	3	3	3	5
I. Intratheater Intransit	N/A	1	1	1	1	N/A	1	1	1	1	N/A	5	5	5	5
J. Receipt Takeup by the Requisitioner	.5	.5	.5	.5	.5	1	1	1	1	1	1	1	1	1	1
K. Total Order-Ship Time	5	9	9	10	13	9	13	13	14	18	22	50	55	65	83

EXPLANATION OF NOTES:

N/A = Not Applicable

Required Delivery Date (RDD):

- 999 Indicates expedited handling required for NMCS overseas customers or CONUS customers deploying overseas within 30 days.
- N__ Indicates expedited handling due to NMCS requirement CONUS customer.
- E__ Indicates expedited handling due to anticipated NMCS requirement CONUS customer.
- 555 Indicates exception to mass requisition cancellation, expedited handling required.

777 *Indicates expedited transportation required for other than the above reasons.*
444 *Indicates handling service for customers collocated with the storage activity or for locally negotiated arrangements.*

Specific date indicates handling to meet that date of delivery.

Blank RDD indicate routine handling.

(1) Pipeline standards for materiel delivery exclude weekends and holidays except for segments D and E for requirements with RDDs 999, N_ _ or E_ _ . Storage activities and transportation managers may combine the times for segments D and E as long as the combined time is not exceeded. The pipeline time standards are service level targets; they shall be met or improved upon whenever physically and economically feasible. Individual segment standards should not be considered inviolate when subsequent savings in time and improved service can be achieved.

(2) Areas:

- 1. To Alaska, Hawaii, Guam, Caribbean, or Central America.*
- 2. To United Kingdom and northern Europe.*
- 3. To Japan, Okinawa, Korea, and western Mediterranean.*
- 4. Hard lift area - all other destinations not included in 1-3 (e.g., South America, eastern Mediterranean, North Atlantic, Africa, Diego Garcia, etc.) as determined by USTRANSCOM. Current information on air and surface hard lift areas is available from the Service clearance authorities.*

(3) For manually submitted requisitions or requisitions requiring manual review, 1 day for PDs 01-08 and 3 days for PDs 09-15.

(4) Combine segments E and F as a single segment when a SEAVAN is loaded at source or when cargo is moved breakbulk to the POD.

(5) Measurement or intra/inter-Service lateral support or distribution begins at segment C or segment D (installation level).

Appendix G

Unit Moves

1. **General.** Various Service regulations, directives, and field manuals prescribe the actions required to prepare deploying units for movements. This appendix outlines the provisions of MILSTAMP which apply when the cargo belonging to these deploying units is moved by MSC arranged ships, through common user ocean terminals, or via AMC airlift.

a. Transportation data for unit cargo movement during contingencies and classified mobilization exercises is afforded the maximum protection possible within the limitations and constraints of existing systems (Defense Transportation Program Policy Memorandum-DTPPM 84-1, 7 June 1984). Since data processing in the DTS is unclassified, classified data requires handling and processing separate from other movement data.

b. When available, clearance and advance movement data updates required by this appendix may be accomplished through the Transportation Coordinator's Automated Information for Movements System (TCAIMS) being developed by each Service.

c. Host Nation Agreements

(1) Unit movements in support of an overseas contingency/exercise must comply with standard host nation agreements in addition to MILSTAMP. These agreements provide the host nation, POD, and theater commander with information necessary for terminal operations and onward movement of equipment/cargo within the theater.

(2) In NATO these agreements are known as Standard NATO Agreements (STANAGs). Figure G-1 lists movement related STANAGs, highlights those which the deploying units must follow, and provides individual Service contact points for assistance concerning STANAG requirements.

2. **Procedures.** The procedures used for MILSTAMP documentation of unit moves are minor variations from normal MILSTAMP procedures. They are detailed in paragraphs 3. through 12., below.

3. **Shipment Unit Configuration.** To limit the quantity of advance data which must be passed when transporting unit move cargo, each shipment unit is documented individually with minimal detailing of the content of unitized cargo. A T_6 record covering the NSN must be provided in the format prescribed in appendix D, figure D-9, unless the multipak or other exception provision applies.

a. Each consolidated pallet load, vehicle (loaded or empty), multiple vehicles combined as an integral unit (e.g., nested trailers), CONEX, MILVAN, or SEAVAN, is controlled and accountability of equipment and supplies loaded in a shipment unit documented as a single shipment unit visibility and are the responsibility of the deploying units.

b. Sensitive, classified, and/or hazardous material will not be loaded in unit vehicles except when operationally required and authorized by the units' service headquarters and the appropriate Transportation Component Command (TCC), AMC or MTMC. See also paragraphs 7.c. and 7.d.

c. Vehicles are to be reduced in length, width, and height for shipping according to directives of each Service.

4. **Marking of Shipment Units.** Equipment/cargo is marked in accordance with Service directives and MIL-STD 129. As a minimum, the Transportation Control Number must be indicated on each shipment unit. A DD

Form 1387-2, Special Handling Data/Certification (see chapter 2, paragraph B.4.c.), must be prepared for all hazardous material moving by air.

a. Labeling: DD Form 1387 labels with a bar coded TCN will be uniformly applied to all unit move equipment/cargo. These bar coded labels allow use of LOGMARS (Logistics Application of Automated Marking and Reading Symbols) technology to process unit move shipments through the terminals expeditiously.

(1) One label is required on each shipment unit except for vehicles and consolidated shipment units (MILVANS, SEAVANS, CONEXs, and 463L pallets) where labels will be applied on two adjacent sides.

(a) For vehicles, one label is placed on the front of the vehicle, either on the left side of the bumper or corresponding location for vehicles without bumpers. The other label is placed on the left side door or comparable location.

(b) For MILVANS, SEAVANS, and CONEXs, one label will be placed on the left rear door and the other on the adjacent side.

(2) Upon arrival at the POE or other transshipment point, the bar coded labels on the equipment/cargo are scanned to automatically update the advance movement data file and establish cargo accountability. If bar coded labels are not available upon deployment, they are applied at the POE.

(3) When completing a DD Form 1387 for a classified movement, the POD, consignee and RDD fields will be left blank.

b. Stenciling. In addition to the labels applied to each shipment unit, stenciling of the TCN will be accomplished when required by applicable service directives.

5. **Transportation Control Number.** Each shipment unit (including SEAVAN shipments) is controlled by a unique TCN. The TCN for each shipment unit is constructed as outlined below:

<u>TCN Position</u>	<u>TCMD rp</u>	<u>Explanation</u>
1	30	Service code (A-Army, F-Air Force, M-Marine Corps, N-Navy).
2-8	31-37	Army activities will enter a Unit Identification Code (UIC) beginning with TCN position 2 and putting a \$ (dollar) special character in position 8. All other Services will enter the Unit Line Number (ULN) beginning in position 2 and filling any unused positions with a \$ (dollar) special character. Army activities will generate a T_9 record containing ULN information (see Appendix D, Figure D-12, item j.).
9-10	38-39	Service use, except for code "CH" which is reserved to identify small units (10 tons of equipment or less) moving by air. Requires data entry, do not leave blank. Use zeros if no data available.
11-14	40-43	Shipment no.: increment no., or serial no.
15	44	Unit cargo TCN indicator. (A zero must always be entered.)
16-17	45-46	Split/partial shipment or complete shipment unit indicator.

6. Transportation Documentation Codes

a. Most of the various codes required for completion of transportation documentation are detailed in appendix F.

b. Transportation Account Codes (TACs). The following service TACs are used for unit movements during actual emergency deployments:

<u>Service</u>	<u>Code</u> ¹
U.S. Army	A229
U.S. Air Force	F8A0
U.S. Navy	(To be obtained from Fleet Commander in Chief or other authority directing the deployment prior to movement)
U.S. Marine Corps	(To be assigned at time of deployment)

7. Advance Movement Data Formats. Transportation data for unit moves is compiled and submitted using the formats and codes prescribed for all shipments in appendices D and F except as follows:

a. CONEX, MILVAN, and SEAVAN. Each of these containers, loaded or empty, is a single shipment unit and is not documented as a consolidated shipment. Document Identifier (DI) T_0/1 data formats and applicable trailer data as prescribed in appendix D are used unless otherwise directed by the responsible Ocean Cargo Clearance Authority (OCCA).

b. Vehicles. Each vehicle (empty or loaded) is single shipment unit and is documented using data formats with DI TV_ as detailed in appendix D. The piece count will always be 0001. For empty vehicles, the actual weight and cube of the vehicles, as shipped, will be given. For loaded vehicles, the weight and cube will reflect the actual loaded vehicle weight and cube as shipped.

c. Hazardous Material. Shipments units of hazardous material are detailed in DI TE/TJ_ data formats prescribed in appendix D. When authorized by the appropriate TCC, hazardous material loaded in unit vehicles or containers is identified by the appropriate commodity/special handling codes and detailed in DI TV9 trailer formats reflecting the proper shipping name, UN number, weight, and cube for each category of hazardous material. For ammunition and explosive material, also specify DOT hazard class, IMDGC class/division, storage compatibility group, lot number, round count (if applicable) and total net explosive weight.

d. Protected Shipments. Classified and sensitive shipment units will be identified using the appropriate commodity/special handling codes and detail T_9 trailers prescribed in appendices D and F. These codes and formats will also be used to identify transportation level of protection required for security shipments loaded in unit vehicles or containers.

8. Clearance, Routing and Advance Data Submission. Cargo and equipment must be cleared by providing advance data before actual movement to the POE can begin. This procedure allows proper routing of

¹ Problems and questions about TAC codes for contingency/deployment operations should be directed to the applicable Service focal point specified in Volume II of MILSTAMP.

the cargo to be determined and provides for coordinated movement of material into the transshipment facilities. Units should be familiar with the movement information necessary to support these routing and clearance procedures.

a. Movement data, including requests for routing, are normally prepared as far in advance as possible, maintained by the cognizant transportation element,² and updated in coordination with the supported unit. This advance preparation allows immediate submission to the appropriate clearance authority identified in appendix J when a unit move is required.

b. The cognizant transportation element² submits the advance movement data to the clearance authority unless prior arrangements have been made to provide automated movement requirements through a service system.³ Automated systems may be established for CONUS units in coordination with HQMTMC (ATTN: MTOP) or, for overseas units, with the theater commander and supporting surface and air clearance authorities. Such action is routed through the supported unit's chain of command.

(1) Commercial Transportation. When movement to the POE is to be made by commercial transportation, the cognizant transportation element² obtains a routing by submitting the movement requirements as detailed in the Defense Traffic Management Regulation (DTMR), reference (j), for CONUS or applicable theater directives overseas.

(2) Road March. When movement to the POE is to be made by road march (in organic vehicles), the cognizant transportation element² submits advance data/Export Traffic Release Requests (ETRR) and is notified by MTMC or AMC of the appropriate POE and required arrival date.³

(3) All Methods. After receiving routing information for movement of the equipment/cargo to the POE, the cognizant transportation element² submits advance data in TCMD format, as outlined in chapter 2, to the appropriate surface or airlift clearance authority listed in appendix J.⁴

c. Preparation and use of a Transportation Control and Movement Document (DD Form 1384) is not required for clearance, movement by commercial transportation, or terminal processing. The data outlined by this appendix is required and must be submitted in machine readable form, but the DD Form 1384 may be used to compile it.

d. CALM/AALPS. See appendix D, figures D-17 through D-22 for record formats.

9. Surface Booking and Terminal Processing. Advance data provides the basis for arranging ocean movement and processing unit equipment/cargo through the POE.

a. Export Traffic Releases, AUEL and movement orders/directives are used by MTMC Ocean Cargo Clearance Authority (OCCA) and Ocean Cargo Booking Offices (OCBO) to book ocean vessels and ensure adequate sealift is available at designated POEs.

² For Army and Air Force, this is generally the Transportation Officer. For the Navy, in the absence of the Transportation Officer, it is the Senior Supply Officer or designee of the Commanding Officer. For Marine Corps, it is the Traffic Management Officer (TMO) or the unit logistics planner in conjunction with the TMO.

³ U.S. Army FORSCOM active and reserve units use the Automated Unit Equipment List (AUEL).

⁴ For FORSCOM units moving through MTMC-controlled common user water ports, advance data/ETRR is not required if AUEL data are available.

b. The advance movement data (TCMD, ETR, AUCL) provided to the clearance authority and movement orders/directives are used by the water terminals to plan vessel prestow and terminal operations (marshalling and staging areas, receipt of cargo, vessel loading). Cargo receipt data are used to update the advance movement data and enable terminals to prepare final vessel stow plans, ocean cargo manifests and cargo traffic messages/STANAGs.

10. **Air Terminal Processing.** Advance movement data provided to air clearance authorities and movement orders/directives are used by AMC for planning and the receipt/processing of cargo at the terminals. Cargo receipt data are used to update the advance movement data and enable terminals to generate air cargo manifests.

11. **Hazardous Material Exemptions.** Transportation of hazardous materials during unit moves must be in compliance with Service regulations and the regulations discussed in chapter 2. The Department of Transportation (DOT) does, however, issue certain exemptions related to unit moves.

a. The Commander, MTMC is the authorized representative of the sponsoring Services in obtaining new or modified exemptions. In emergencies, the sponsoring Services are authorized to make direct contact with DOT to obtain exemptions. The Commander, MTMC, ATTN: **MTOP**, 5611 Columbia Pike, Falls Church, VA 22041-5050, is to be promptly notified of each emergency action.

b. Units may obtain specific information on exemptions from the following:

- (1) U.S. Army - HQ MTMC (see paragraph 11.a.)
- (2) U.S. Air Force - **LGT**
- (3) U.S. Navy - Refer to NAVSEA OP 2165, volume I, appendix E
- (4) U.S. Marine Corps - Refer to NAVSEA OP 2165, volume I, appendix E

12. **Transportation Discrepancies.** Discrepancies (loss, damage, etc.) are reported in accordance with the Joint Regulation Reporting of Transportation Discrepancies in Shipments, reference (q).

List of STANAGs

1. This figure highlights STANAGs which deploying units must follow, lists other movement related STANAGs, and provides STANAG information contact points for each Service.
2. The following STANAGs are of particular interest to individual units during movements in support of a NATO contingency/exercise.
 - a. STANAG 2023, Marking of Military Cargo for International Movement by all International Means of Transport. The U.S. implementing document is MIL-STD 129. Deploying units are responsible for compliance with this document which pertains to cargo only. Vehicle identification markings are in accordance with Service regulations.
 - b. STANAG 2156, Surface Transport Request and Reply to Surface Transport Request. The U.S. implementing documents are: U.S. Army - FM 55-10, U.S. Air Force - TBD, U.S. Navy - TBD, U.S. Marine Corps - TBD. Units, in conjunction with theater Commanders, are responsible for compliance with this document.
3. The following is a list of movement related STANAGs which may have application for individual units.

General Movements and Transport

2024	Military Vehicle Lighting
2025	Basic Military Road Traffic Operations
2026	NATO Travel Order
2041	Operation Orders, Tables and Graphs for Road Movements
2154	Regulations for Military Motor Vehicle Movement by Road
2155	Road Movement Documents
2159	Identification of Movement Control and Traffic Control Personnel and Agencies
2174	Military Routes and Route/Road Networks
2176	Procedures for Military Road Movements Across National Frontiers
2152	Loading Ramps Made from Railway Sleepers
2158	Identification of Military Trains
2173	Regulations for Securing of Military Tracked and Wheeled Vehicles on Railway Wagons
2175	Classification and Designation of Flat Wagons Suitable for Transporting Military Equipment
2832	Restrictions for the Transport of Military Equipment by Rail on European Railways

Figure G-1

4. Implementing document information and other pertinent details concerning STANAG requirements may be obtained by contacting the appropriate Service headquarters as follows:

- | | |
|----------------------|--|
| a. U.S. Army | Headquarters, Army Materiel Command
ATTN: AMCICP
5001 Eisenhower Avenue
Alexandria, VA 22333-0001
DSN 284-8554
Commercial (202) 274-8554 |
| b. U.S. Air Force | Headquarters, U.S. Air Force/ LGT
(ILSO), Washington, DC 20330-5058
DSN 227-2139
Commercial (703) 695-2139 |
| c. U.S. Navy | Chief of Naval Operations
ATTN: 0P953C1
Washington, DC 20350
DSN 226-5080
Commercial (703) 696-5080 |
| d. U.S. Marine Corps | Doctrine Department (C 094)
Marine Corps Combat Development Command
Code WF12E
Quantico, VA 22134-5001
DSN 278-3616
Commercial (703) 640-3616 |

Figure G-1 (cont.)

Appendix H

CONUS WATER PORT OF EMBARKATION SELECTION GUIDE

1. This appendix provides CONUS shippers with a means to select the optimum water port of embarkation (WPOE) for overseas destined LRU shipments as explained in chapter 2, paragraph B.1.b.(11)(c)2. The guide is used to the extent permitted by operational considerations. It is based primarily on the availability of service and the overall cost associated with movement from CONUS origin to the overseas destination. Deviations from the ports outlined are made only as authorized in this appendix. Recommended changes or additions to this appendix are directed to the Commander, Military Traffic Management Command, ATTN: **MTOP**, through the appropriate focal point listed in chapter 1, paragraph B.1.c.(1).

2. Certain general rules or concepts apply to use of port selections listed in this appendix.

a. Surface LRU shipments are usually routed to overseas destinations through the water ports of embarkation listed in figure H-1. This figure lists ports which are generally cost favorable for LRU shipments from CONUS to specified overseas destinations. Shipments through ports other than those listed in figure H-1 are authorized when cost or service favorable.

b. Cost favorability for a particular shipment is determined by comparing the cost to the overseas destination port via the various CONUS ports which are capable of handling shipments to that destination. The costs are determined by using the freight rates for movement to the CONUS port added to the ocean transportation costs for movement to the destination port. When cost and service are equal among two or more ports, shipments may be directed at the discretion of the shipping activity.

c. Time constraints on some shipments (e.g., TP-1, TP-2, or TP-3 and a near RDD) may override routing based solely on transportation cost considerations. To assist the shipper in evaluating transit time, the CONUS OCCA can provide approximate transit times to overseas destinations. These transit times are added to estimated CONUS inland transit times to determine the port providing service which meets the time requirements of the shipment.

d. Many of the port listings in figure H-1 have accompanying notes indicated by numbers in parentheses. A complete explanation of these notes is contained in figure H-2. For convenience, applicable notes are also condensed and listed on each page of figure H-1.

e. The full names of the CONUS port terminals cited in figure H-1 are listed in figure H-3. Consignment instructions for shipments through these ports are detailed in the appropriate terminal facilities guides listed in figure H-3.

f. WPOEs for personal property POVs, DPM, and Code 5 shipments are selected as follows:

(1) POVs are routed as prescribed in appendix N of DoD 4500.34-R, Personal Property Traffic Management Regulation.

(2) DPM and Code 5 shipments are routed as indicated in figure H-4. ITGBL Military Rate Tenders (MRTs) are not used by the shipper to select WPOEs for these shipments.

g. U.S. Postal Service packages are not sent to CONUS water terminals for reshipment overseas unless postal regulations prohibit direct mailing. Instructions for parcel post shipment are contained in sponsoring Service regulations.

3. Several exceptions to use of the ports listed in figure H-1 must be considered when routing export shipments.

a. Because of limited terminal cold storage space and refrigerated space on ships, shippers obtain an ETR before sending LRU shipments of temperature controlled cargo to any water port.

b. Shipments of small arms, small arms ammunition, narcotics, and classified items require an ETR. LRU shipments of other protected (sensitive) and protected (controlled) items are routed through a military controlled terminal authorized for use to that overseas destination. Protected (sensitive/controlled) shipments for Alaska are offered for airlift regardless of priority. The CONUS military controlled terminals are:

1GC MOT Bayonne, NJ	3DK MOT Bay Area Oakland, CA
1MJ NSC Norfolk, VA	3GA NCBC Port Hueneme, CA
2DC Gulf Outport, New Orleans, LA	

c. Routing instructions for shipments destined to Navy fleet or mobile units are obtained from:

Navy Material Transportation Office (NAVMTO)
Building Z-133, Code 0311, Naval Station
Norfolk, VA 23511-6691
Commercial (804) 444-7831, DSN 564-7831, FTS 954-7831

d. Shipments through ports not listed in figure H-1 may be authorized by the clearance authority under unusual circumstances. Shippers furnish the clearance authority all available information in support of specific requests. This includes shipments originating in the local area of the port and cleared under local agreements.

e. Inquiries seeking routing instructions for shipments to destinations not listed in this appendix or requests for further information are directed to the applicable clearance authority.

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		AL	AZ	AR	CA	CO	CT	DE
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
A N. Atlantic, except:	(2)							
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		2DC	2DC	2DC	2DC	2DC	1GC	1GC
C Caribbean								
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Dominican Republic		2DC	2DC	2DC	2DC	2DC	1GC	1GC
Puerto Rico		2DC	2DC	2DC	2DC	2DC	1GC	1GC
Down Range Islands(7)		1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		2DC	2DC	2DC	2DC	2DC	1GC	1GC
N. Colombia		2DC	2DC	2DC	2DC	2DC	1GC	1GC
D W. Coast Middle America		2DC	2DC	2DC	2DC	2DC	1GC	1GC
E W. Coast South America		1GC	2DC	2DC	2DC	1GC	1GC	2DC
F E. Coast South America								
Rio de Janeiro		2DC	1GC	1GC	1GC	1GC	1GC	1GC
Porto Alegre		2DC	2DC	2DC	2DC	2DC	1GC	1GC
Montevideo		2DC	2DC	2DC	2DC(1)	2DC	1GC	1GC
Asuncion		2DC	2DC	2DC	2DC	2DC	1GC	1GC
Buenos Aires		2DC	2DC	2DC	2DC	2DC(1)	1GC	1GC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC	1GC
H British Isles except:		2DC	3HL(10)	2DC	3DK(1)	3DK	1GC	1GC
Scotland		1GC	1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		2DC	3HL(10)	2DC	3DK(10)	3DK	1GC	1GC
Norway		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC	1GC
K W. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1GC	1MJ
Portugal		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	2DC	2DC	2DC	2DC	2DC	1GC	1GC
Italy	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1GC	1GC
Spain	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1GC	1GC

Notes: See figure H-2.

Figure H-1

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		AL	AZ	AR	CA	CO	CT	DE
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1GC	1GC
M W. Africa		2DC	1GC	1GC	1GC	1GC	1GC	1GC
N S. and E. Africa								
South Africa	(5)							
East Africa	(5)	2DC	2DC	2DC	2DC	(5)	(5)	
P Persian Gulf/Red Sea		(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India								
Calcutta		2DC	2DC	2DC	3DK	2DC	1GC	1GC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK	3DK
R China Sea								
Thailand		2DC	3DK	1MJ	3DK	3DK	1GC	1GC
Indonesia		2DC	2DC	2DC	3DK	2DC	1GC	1GC
Taiwan		3DK	3HL(9)	2DC	3DK(1) 3HL(9)	3DK	1CG	1CG
S Philippines		2DC	3HL	2DC	3DK(1) 3HL	3DK	1GC	1CG
T Central Pacific Islands, except:		2DC	3HL(9)	2DC	3DK	3DK	1GC	1GC
Kwajalein Atoll		3DK	3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin Island		2DC	3HL(9)	2DC	3DK(1) 3HL(9)	3DK	1GC	1GC
V Australia/New Zealand		3DK	3DK	3DK	3DK	3DK	3DK	3DK
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Island	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central Pacific, except:	(6)	2DC	3HL(9)	2DC	3DK(1) 3HL(9)	3DK	1GC	1GC
Midway		3DK	3DK	3DK	3DK	3DK	3DK	3DK

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		AL	AZ	AR	CA	CO	CT	DE
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
Y W. Pacific and NW Arctic, except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		DC	FL	GA	ID	IL	IN	IA
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
A N. Atlantic except:	(2)							
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		1MJ	2DC	2DC	2DC	1GC	1GC	2DC
C Caribbean								
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1E1	1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1LM	1JM	1JM	1JM	1JM	1JM	1JM
Dominican Republic		1GC	2DC	2DC	2DC	1GC	1GC	1GC
Puerto Rico		1GC	2DC	2DC	2DC	2DC	1GC	2DC
Down Range Islands	(7)	1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		1GC	2DC	2DC	2DC	1GC	1GC	2DC
N. Colombia		1GC	2DC	2DC	2DC	1GC	1GC	2DC
D W. Coast Middle America		1GC	2DC	2DC	2DC	1GC	1GC	2DC
E W. Coast South America		1GC	2DC	2DC	2DC	1GC	1GC	2DC
F E. Coast South America								
Rio de Janeiro		1GC	2DC	2DC	1GC	1GC	1GC	2DC
Porto Alegre		1GC	2DC	2DC	1GC	1GC	1GC	2DC
Montevideo		1GC	2DC	2DC	2DC	1GC	1GC	2DC
Asuncion		1GC	2DC	2DC	2DC	1GC	1GC	2DC
Buenos Aires		1GC	2DC	2DC	2DC	1GC	1GC	2DC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC	1GC
H British Isles, except:		1GC	2DC	2DC	3DK	1GC	1GC	1GC
Scotland		1GC	1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		1GC	2DC	2DC	3DK	1GC	1GC	1GC
Norway		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC	1GC

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of:	DC	FL	GA	ID	IL	IN	IA
To:							
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>					
K W. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Portugal		1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	1GC	2DC	2DC	2DC	2DC	2DC
Italy	(3)	1GC	1MJ	1MJ	1GC	1GC	1GC
Spain	(3)	1GC	1MJ	1MJ	1GC	1GC	1GC
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1GC	1MJ	1MJ	1GC	1GC	1GC
M W. Africa		1GC	2DC	2DC	1GC	1GC	2DC
N S. and E. Africa							
South Africa	(5)						
East Africa	(5)	(5)	(5)	2DC	(5)	(5)	(5)
P Persian Gulf/Red Sea	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India							
Calcutta		1GC	2DC	2DC	3DK	1GC	1GC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK
R China Sea							
Thailand		1GC	2DC	2DC	3DK	1GC	1GC
Indonesia		1GC	2DC	2DC	3DK	2DC	2DC
Taiwan		3DK	3DK	3DK	3DK	3DK	3DK
S Philippines		1GC	2DC	2DC	4DL	1GC	4DL
T Central Pacific Islands, except:	1GC	2DC	2DC	4DL	1GC	1GC	4DL
Kwajalein Atoll	3DK	3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin Island	1GC	2DC	2DC	4DL	1GC	1GC	4DL
V Australia/New Zealand	(5)	3DK	3DK	3DK	3DK	3DK	3DK
Kwajalein Atoll		3DK	3DK	3DK	3DK	3DK	3DK

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		DC	FL	GA	ID	IL	IN	IA
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Island	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central (6)		1GC	2DC	2DC	4DL	1GC	1GC	4DL
Pacific, except: Midway		3DK	3DK	3DK	3DK	3DK	3DK	3DK
Y W. Pacific and NW Arctic, except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To: <u>Area/Country</u>	<u>Note</u>	KS	KY	LA	ME	MD	MA	MI
<u>Water Ports of Embarkation</u>								
A N. Atlantic, except:	(2)							
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		2DC	1MJ	2DC	1GC	1GC	1GC	1GC
C Caribbean								
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Dominican Republic		2DC	1GC	2DC	1GC	1GC	1GC	1GC
Puerto Rico		2DC	1GC	2DC	1GC	1GC	1GC	1GC
Down Range Islands	(7)	1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		2DC	2DC	2DC	1GC	1GC	1GC	1GC
N. Colombia		2DC	2DC	2DC	1GC	1GC	1GC	1GC
D W. Coast Middle America		2DC	2DC	2DC	1GC	1GC	1GC	1GC
E W. Coast South America		2DC	2DC	2DC	1GC	1GC	1GC	1GC
F E. Coast South America								
Rio de Janeiro		1GC	2DC	2DC	1GC	1GC	1GC	1GC
Porto Alegre		2DC	2DC	2DC	1GC	1GC	1GC	1GC
Montevideo		2DC	2DC	2DC	1GC	1GC	1GC	1GC
Asuncion		2DC	2DC	2DC	1GC	1GC	1GC	1GC
Buenos Aires		2DC	2DC	2DC	1GC	1GC	1GC	1GC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC	1GC
H British Isles, except:		2DC	1MJ	2DC	1GC	1GC	1GC	1GC
Scotland		1GC	1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		2DC	1MJ	2DC	1GC	1GC	1GC	1GC
Norway		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC	1GC

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of:	KS	KY	LA	ME	MD	MA	MI
To:							
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>					
K W. Mediterranean, except:	(3)	1MJ	2DC	1GC	1MJ	1GC	1MJ
Portugal		1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	2DC	2DC	1GC	1GC	1GC	1GC
Italy	(3)	1MJ	1MJ	1GC	1GC	1GC	1GC
Spain	(3)	1MJ	1MJ	1GC	1GC	1GC	1GC
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1MJ	1MJ	1GC	1GC	1GC	1GC
M W. Africa		1GC	2DC	1GC	1GC	1GC	1GC
N S. and E. Africa							
South Africa	(5)						
East Africa		2DC	(5)	2DC	(5)	(5)	(5)
P Persian Gulf/Red Sea	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India							
Calcutta		2DC	1GC	2DC	1GC	1GC	1GC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK
R China Sea							
Thailand		3DK	1GC	1MJ	1GC	1GC	1GC
Indonesia		2DC	2DC	1GC	1GC	1GC	1GC
Taiwan		3DK	3DK	2DC	1GC	3DK	3DK
S Philippines		1GC	2DC	2DC	4DL	1GC	4DL
T Central Pacific Islands, except:	2DC	1MJ	2DC	1GC	1GC	1GC	1GC
Kwajalein Atoll	3DK	3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin Island		2DC	1MJ	2DC	1GC	1GC	1GC
V Australia/New Zealand	(5)	3DK	3DK	3DK	3DK	3DK	3DK

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		KS	KY	LA	ME	MD	MA	MI
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Island	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central Pacific,(6)								
except: Midway		2DC 3DK	1KJ 3DK	2DC 3DK	1GC 3DK	1GC 3DK	1GC 3DK	1GC 3DK
Y W. Pacific and NW Arctic, except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		MN	MS	MO	MT	NE	NV	NH
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
A N. Atlantic, except:	(2)							
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		2DC	2DC	2DC	2DC	2DC	2DC	1GC
C Caribbean								
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Dominican Republic		1GC	2DC	2DC	2DC	2DC	2DC	1GC
Puerto Rico		2DC	2DC	2DC	2DC	2DC	2DC	1GD
Down Range Islands	(7)	1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		1GC	2DC	2DC	2DC	2DC	2DC	1GC
N. Colombia		1GC	2DC	2DC	1GC	1GC	2DC	1GC
D W. Coast Middle America		1GC	2DC	2DC	2DC	2DC	2DC	1GC
E W. Coast South America		1GC	2DC	2DC	1GC	1GC	2DC	1GC
F E. Coast South America								
Rio de Janeiro		1GC	2DC	1GC	1GC	1GC	1GC	1GC
Porto Alegre		1GC	2DC	1GC	1GC	1GC	1GC	1GC
Montevideo		1GC	2DC	2DC	1GC	1GC	2DC	1GC
Asuncion		1GC	2DC	2DC	1GC	1GC	2DC	1GC
Buenos Aires		1GC	2DC	2DC	2DC	2DC	2DC	1GC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC	1GC
H British Isles, except:		1GC	2DC	2DC	3DK	2DC	3HL(10)	1GC
Scotland		1GC	1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		1GC	2DC	2DC	3DK	2DC	3HL(10)	1GC
Norway		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC	1GC
K W. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1GC
Portugal		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	2DC	2DC	2DC	1GC	1GC	2DC	1GC
Italy	(3)	1GC	1MJ	1MJ	1GC	1GC	1MJ	1GC
Spain	(3)	1GC	1MJ	1MJ	1GC	1GC	1MJ	1GC

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of:		MN	MS	MO	MT	NE	NV	NH
To:								
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1GC	1MJ	1MJ	1GC	1GC	1MJ	1GC
M W. Africa		1GC	2DC	1GC	1GC	1GC	1GC	1GC
N S. and E. Africa								
South Africa	(5)							
East Africa	(5)	(5)	(5)	2DC	1GC	1GC	(5)	(5)
P Persian Gulf/Red Sea		(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India								
Calcutta		1GC	2DC	2DC	1GC	1GC	2DC	1GC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK	3DK
R China Sea								
Thailand		1GC	2DC	1MJ	3DK	3DK	3DK	1GC
Indonesia		2DC	2DC	2DC	3DK	1GC	2DC	1GC
Taiwan		3DK	2DC	3DK	3DK	3DK	3HL(9)	1GC
S Philippines		4DL	2DC	2DC	4DL	4DL	3HL(9)	1GC
T Central Pacific Islands, except:	4DL	2DC	2DC	4DL	4DL	3HL(9)	1GC	
Kwajalein Atoll	3DK	3DK	3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin	4DL	2DC	2DC	4DL	4DL	3HL(9)	1GC	
Island								
V Australia/New Zealand	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Island	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central Pacific,	(6)	4DL	2DC	2DC	4DL	4DL	3HL(9)	1GC
except: Midway		3DK	3DK	3DK	3DK	3DK	3DK	3DK

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		MN	MS	MO	MT	NE	NV	NH
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
Y W. Pacific and NW Arctic, except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		NJ	NM	NY	NC	ND	OH	OK
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
A N. Atlantic, except:	(2)							
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		1GC	2DC	1GC	1MJ	2DC	1GC	2DC
C Caribbean								
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Dominican Republic		1GC	2DC	1GC	1GC	2DC	1GC	2DC
Puerto Rico		1GC	2DC	1GC	2DC	2DC	1GC	2DC
Down Range Islands	(7)	1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		1GC	2DC	1GC	1GC	2DC	1GC	2DC
N. Colombia		1GC	2DC	1GC	1GC	1GC	1GC	2DC
D W. Coast Middle America		1GC	2DC	1GC	1GC	2DC	1GC	2DC
E W. Coast South America		1GC	2DC	1GC	1GC	1GC	1GC	2DC
F E. Coast South America								
Rio de Janeiro		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Porto Alegre		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Montevideo		1GC	2DC	1GC	1GC	1GC	1GC	2DC
Asuncion		1GC	2DC	1GC	1GC	1GC	1GC	2DC
Buenos Aires		1GC	2DC	1GC	1GC	2DC	1GC	2DC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC	1GC
H British Isles, except:		1GC	3HL(10)	1GC	1MJ	1GC	1GC	2DC
Scotland		1GC	1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		1GC	3HL(10)	1GC	1MJ	1GC	1GC	2DC
Norway		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC	1GC
K W. Mediterranean, except:	(3)	1GC	1MJ	1GC	1MJ	1MJ	1MJ	1MJ
Portugal		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	1GC	2DC	1GC	1GC	1GC	1GC	2DC
Italy	(3)	1GC	1MJ	1GC	1MJ	1GC	1GC	1MJ
Spain	(3)	1GC	1MJ	1GC	1MJ	1GC	1GC	1MJ

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		NJ	NM	NY	NC	ND	OH	OK
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1GC	1MJ	1GC	1MJ	1GC	1GC	1MJ
M W. Africa		1GC	1GC	1GC	1GC	1GC	1GC	1GC
N S. and E. Africa								
South Africa	(5)							
East Africa		(5)	2DC	(5)	(5)	1GC	(5)	2DC
P Persian Gulf/Red Sea		(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India								
Calcutta		1GC	2DC	1GC	1GC	1GC	1GC	2DC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK	3DK
R China Sea								
Thailand		1GC	1MJ	1GC	1GC	3DK	1GC	3DK
Indonesia		1GC	2DC	1GC	1GC	1GC	1GC	2DC
Taiwan		1GC	3DK	1GC	3DK	3DK	3DK	3HL(9)
S Philippines		1GC	3HL(9)	1GC	1MJ	4DL	1GC	2DC
T Central Pacific Islands, except:		1GC	3DL	1GC	1MJ	4DL	1GC	2DC
Kwajeleln Atoll		3DK	3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin		1GC	3HL(9)	1GC	1MJ	4DL	1GC	2DC
Island								
V Australia/New Zealand	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Island	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central Pacific,	(6)	1GC	3HL(9)	1GC	1MJ	4DL	1GC	2DC
except: Midway		3DK	3DK	3DK	3DK	3DK	3DK	3DK
Y W. Pacific and NW Arctic,								
except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		NJ	NM	NY	NC	ND	OH	OK
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		OR	PA	RI	SC	SD	TN	TX
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
A N. Atlantic, except:	(2)							
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		2DC	1GC	1GC	1MJ	2DC	1MJ	2DC
C Caribbean								
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Dominican Republic		2DC	1GC	1GC	1GC	2DC	2DC	2DC
Puerto Rico		2DC	1GC	1GC	2DC	1GC	2DC	2DC
Down Range Island	(7)	1R1	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		2DC	1GC	1GC	1GC	2DC	2DC	2DC
N. Colombia		2DC	1GC	1GC	1GC	2DC	2DC	2DC
D W. Coast Middle America		2DC	1GC	1GC	1GC	2DC	2DC	2DC
E W. Coast South America		2DC	1GC	1GC	1GC	2DC	2DC	2DC
F E. Coast South America								
Rio de Janeiro		1GC	1GC	1GC	1GC	1GC	2DC	1GC
Porto Alegre		1GC	1GC	1GC	1GC	1GC	2DC	1GC
Montevideo		2DC	1GC	1GC	1GC	2DC	2DC	2DC
Asuncion		2DC	1GC	1GC	1GC	2DC	2DC	2DC
Buenos Aires		2DC	1GC	1GC	1GC	2DC	2DC	2DC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC	1GC
H British Isles, except:		3DK	1GC	1GC	1MJ	1GC	1MJ	2DC
Scotland		1GC	1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		3DK	1GC	1GC	1MJ	1GC	1MJ	2DC
Norway		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC	1GC
K W. Mediterranean, except:	(3)	1MJ	1GC	1GC	1MJ	1MJ	1MJ	1MJ
Portugal		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	2DC	1GC	1GC	2DC	2DC	2DC	2DC
Italy	(3)	1GC	1GC	1GC	1MJ	1GC	1MJ	1MJ
Spain	(3)	1GC	1GC	1GC	1MJ	1GC	1MJ	1MJ

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		OR	PA	RI	SC	SD	TN	TX
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1GC	1GC	1GC	1MJ	1GC	1MJ	1MJ
M W. Africa		1GC	1GC	1GC	1GC	1GC	2DC	1GC
N S. and E. Africa								
South Africa	(5)							
East Africa		2DC	(5)	(5)	(5)	2DC	(5)	2DC
P Persian Gulf/Red Sea		(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India								
Calcutta		3DK	1GC	1GC	1GC	2DC	2DC	2DC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK	3DK
R China Sea								
Thailand		3DK	1GC	1GC	2DC	3DK	2DC	3DK
Indonesia		3DK	1GC	1GC	2DC	3DK	2DC	2DC
Taiwan		3DK	3DK	1GC	1P2	3DK	2DC	3HL(9)
S Philippines		4DL	1GC	1GC	1MJ	4DL	1MJ	2DC
T Central Pacific Islands, except:	4DL	1GC	1GC	1GC	1MJ	4DL	1MJ	2DC
Kwajalein Atoll	3DK	3DK	3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin	4DL	1GC	1GC	1GC	1MJ	4DL	1MJ	2DC
Island								
V Australia/New Zealand	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Is	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central Pacific	(6)	4DL	1GC	1GC	1MJ	4DL	1MJ	2DC
except: Midway		3DK	3DK	3DK	3DK	3DK	3DK	3DK
Y W. Pacific and NW Arctic,								
except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:	UT	VT	VA	WA	WV	WI	WY
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>					
A N. Atlantic, except:	(2)						
Argentina		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Iceland		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
B Panama		2DC	1GC	1MJ	2DC	1GC	2DC
C Caribbean							
Bermuda		1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Bahamas		1R1	1R1	1R1	1R1	1R1	1R1
Guantanamo Bay	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Dominican Republic		2DC	1GC	1GC	2DC	1GC	2DC
Puerto Rico		2DC	1GC	1GC	2DC	1GC	2DC
Down Range Islands	(7)	1R1	1R1	1R1	1R1	1R1	1R1
Guatemala		2DC	1GC	1GC	2DC	1GC	2DC
N. Colombia		2DC	1GC	1GC	2DC	1GC	2DC
D W. Coast Middle America		2DC	1GC	1GC	2DC	1GC	2DC
E W. Coast South America		2DC	1GC	1GC	2DC	1GC	2DC
F E. Coast South America							
Rio de Janeiro		1GC	1GC	1GC	1GC	1GC	1GC
Porto Alegre		1GC	1GC	1GC	1GC	1GC	1GC
Montevideo		2DC	1GC	1GC	2DC	1GC	2DC
Asuncion		2DC	1GC	1GC	2DC	1GC	2DC
Buenos Aires		2DC	1GC	1MJ	2DC	1GC	2DC
G Azores		1GC	1GC	1GC	1GC	1GC	1GC
H British Isles, except:		3DK	1GC	1MJ	3DK	1GC	3DK
Scotland		1GC	1GC	1GC	1GC	1GC	1GC
J Northern Europe, except:		3DK(10)	1GC	1MJ	3DK	1GC	3DK(10)
Norway		1GC	1GC	1GC	1GC	1GC	1GC
Denmark		1GC	1GC	1GC	1GC	1GC	1GC
K W. Mediterranean, except:	(3)	1MJ	1GC	1MJ	1MJ	1MJ	1MJ
Portugal		1GC	1GC	1GC	1GC	1GC	1GC
Morocco		1GC	1GC	1GC	1GC	1GC	1GC
Tunisia	(3)	2DC	1GC	1GC	2DC	1GC	2DC
Italy	(3)	1MJ	1GC	1MJ	1GC	1GC	1GC
Spain	(3)	1MJ	1GC	1MJ	1GC	1GC	1GC

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		UT	VT	VA	WA	WV	WI	WY
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
L E. Mediterranean, except:	(3)	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ	1MJ
Turkey	(3)	1GC	1GC	1GC	1GC	1GC	1GC	1GC
Greece	(3)	1MJ	1GC	1MJ	1GC	1MJ	1GC	1GC
M W. Africa		1GC	1GC	1GC	1GC	1GC	1GC	1GC
N S. and E. Africa								
South Africa	(5)							
East Africa		2DC	(5)	(5)	2DC	(5)	(5)	2DC
P Persian Gulf/Red Sea		(8)	(8)	(8)	(8)	(8)	(8)	(8)
Q Burma/India								
Calcutta		2DC	1GC	1GC	3DK	1GC	1GC	2DC
Diego Garcia		3DK	3DK	3DK	3DK	3DK	3DK	3DK
R China Sea								
Thailand		3DK	1GC	1GC	3DK	1GC	1GC	3DK
Indonesia		3DK	1GC	1GC	3DK	1GC	1GC	2DC
Taiwan		3DK	1GC	3DK	3DK	3DK	3DK	3DK
S Philippines		3DK	3DK	1MJ	4DL	1GC	1GC	3DK
T Central Pacific Islands, except:	3DK		1GC	1MJ	4DL	1GC	1GC	3DK
Kwajalein Atoll	3DK		3DK	3DK	3DK	3DK	3DK	3DK
U Japan/Korea/Ryukyu and Bonin	3DK		1GC	1MJ	4DL	1GC	1GC	3DK
Island								
V Australia/New Zealand	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
W South Pacific Islands								
Pago Pago, Samoa	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
Johnston Island	(5)	3DK	3DK	3DK	3DK	3DK	3DK	3DK
X Hawaii/N. Central Pacific, except:	(6)	3DK	3DK	1MJ	4DL	1GC	1GC	3DK
Midway		3DK	3DK	3DK	3DK	3DK	3DK	3DK
Y W. Pacific and NW Arctic, except: Alaska	(4)	4DL	4DL	4DL	4DL	4DL	4DL	4DL

Notes: See figure H-2.

Figure H-1 (Cont.)

Ports Generally Cost Favorable for LRU Shipments

From States of: To:		UT	VT	VA	WA	WV	WI	WY
<u>Area/Country</u>	<u>Note</u>	<u>Water Ports of Embarkation</u>						
Z Alaska	(11)	4E1	4E1	4E1	4E1	4E1	4E1	4E1

Notes: See figure H-2.

Figure H-1 (Cont.)

Explanatory Notes For Entries in Figure H-1

The following list explains the notes indicated in parentheses in figure H-1.

- (1) Use the port which is most economical for transportation from the point of origin.
- (2) Service is available only during July through September.
- (3) Hazardous material (as defined in appendix A) destined to the countries listed below is routed only through the following WPOEs:

<u>Hazardous material to WPOD:</u>	<u>Is routed through WPOE:</u>
Cuba	1MJ Norfolk
Tunisia	1GC Bayonne
Italy	1MJ Norfolk
Spain	1MJ Norfolk
Greece	1MJ Norfolk
Crete	1MJ Norfolk
Cyprus	1GC Bayonne
Libya	1GC Bayonne
Turkey	1GC Bayonne

- (4) LRU shipments of protected (sensitive) and protected (controlled) cargo to Alaska are offered for airlift regardless of priority.
- (5) All LRU cargo to this destination through this port requires an ETR prior to shipment.
- (6) When 1MJ or 1GC is indicated as the WPOE, use 3DK as the WPOE for Navy-sponsored shipments.
- (7) Includes Eleuthra (CB3); Andros (CB5); Grand Turk (CC2); St. Thomas, V.I. (CM1); St. Croix, V.I. (CM2); Antigua (CN2); Barbados (CP3); and St. George's, Grenada (CP4).
- (8) All LRU shipments to the Persian Gulf/Red Sea are to be routed to the DLA CCP or to the Service CCP/specified destination as follows:

Army	New Cumberland CCP (W25N14)
Navy	FISC Norfolk (N00189)
Air Force	DDSP-New Cumberland Facility (W25N14)
Marine Corps	DDJC-Sharpe Facility (W62N2A)
AAFES	Forest Park (HX7EAW)

- (9) Use WPOE 3DK for Air Force sponsored LRU and outsized shipments. (Air Force-sponsored shipments to the designated port are not generating sufficient volume to produce full container loads in a timely manner.)

Figure H-2

Explanatory Notes For Entries in Figure H-1

(10) Use WPOE 1GC for Air Force sponsored LRU and outsized shipments. (Air Force-sponsored shipments to the designated port are not generating sufficient volume to produce full container loads in a timely manner.)

(11) Movement of Alaskan cargo outside the DTS, known as Cool Barge, will no longer exist beyond 1995. Beginning in FY 96, all DoD cargo moving to Alaska will be processed into the DTS and the proper WPOE for shipments to Alaska will now cite 4E1.

Water Ports Capable of Receiving LRU Shipments

Detailed consignment instructions for ports capable of receiving LRU shipments are contained in the following consignment guides:

- a. For Army-operated water ports, use AR 55-355 et al, (reference j, volume 2).
- b. For the Navy-operated water port at the Naval Supply Center, Norfolk, use AR 55-355 et al, (reference j, volume 3).
- c. For the Navy-operated water port at Charleston Naval Shipyard (1PB); specified for personal property shipments to Holy Loch, Scotland; use NSC Charleston entry in the Personal Property Consignment Instruction Guide Worldwide, Volume I, CONUS.
- d. For the water port at Jacksonville, FL, use the consignment instructions in note (1) of figure H-4.
- e. For the Air Force-operated water port at Cape Canaveral, use the "Terminal Facilities Guide, U.S. Air Force" (AR 55-359/NAVSUP PUB 447/AFM 75-42/MCO P4600.11A/DLAH 4510.3).
- f. The following list explains the codes used in this appendix.

1GC	Military Ocean Terminal, Bayonne, New Jersey
1MJ	Naval Supply Center, Norfolk, Virginia
1P2	South Atlantic Outport, Charleston, South Carolina
1PB	Charleston Naval Shipyard, Charleston, South Carolina
1R1	Cape Canaveral, Florida
1R3	Jacksonville, Florida (Guantanamo Bay, Cuba Code 5 personal property only)
2DC	Gulf Outport, New Orleans, Louisiana
3DK	Military Ocean Terminal, Bay Area, Oakland, California
3HL	Southern California Outport, Compton, California
4DL	Pacific Northwest Outport, Seattle, Washington
4E1	Pacific Northwest Outport, Port Dock, Tacoma, Washington

Figure H-3

CONUS Export Shipments of Code 5 and DPM Household Goods

From	Iceland, New- foundland, Bermuda, Cuba(1)	Panama	Puerto Rico	Down Range Islands (2)	Morocco, Turkey, Scotland, Portugal, Azores	Greenock, Scotland	Belgium, Germany, Nether- lands, England
AL	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
AZ	1MJ	2DC	2DC	1R1	1GC	1PB	3HL
AR	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
CA(N)	1MJ	2MJ	2DC	1R1	1GC	1PB	3DK
CA(S)	1MJ	2DC	2DC	1R1	1GC	1PB	3HL
CO	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
CT	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
DE	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
DC	1MJ	1MJ	1GC	1R1	1GC	1PB	1GC
FL	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
GA	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
ID	1MJ	2DC	2DC	1R1	1GC	1PB	3DK
IL	1MJ	1GC	2DC	1R1	1GC	1PB	1GC
IN	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
IA	1MJ	2DC	2DC	1R1	1GC	1PB	1GC
KS	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
KY	1MJ	1MJ	1GC	1R1	1GC	1PB	1MJ
LA	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
ME	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
MD	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
MA	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
MI	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
MN	1MJ	2DC	2DC	1R1	1GC	1PB	1GC
MS	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
MO	1MJ	1GC	2DC	1R1	1GC	1PB	2DC
MT	1MJ	2DC	2DC	1R1	1GC	1PB	1GC
NE	1MJ	1GC	2DC	1R1	1GC	1PB	2DC
NV	1MJ	2DC	2DC	1R1	1GC	1PB	3HL
NH	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
NJ	1MJ	1GC	1GC	1R1	1GC	1PB	1GC

(1) All shipments to Cuba are routed via DPM *through* Norfolk, VA.

(2) Includes Eleuthra; Andros; Grand Turk; St. Thomas; St. Croix, Antigua; Barbados; and St. George's, Grenada.

Figure H-4

From	Iceland, New- foundland, Bermuda, Cuba(1)	Panama	Puerto Rico	Down Range Islands (2)	Morocco, Turkey, Scotland, Portugal, Azores	Greenock, Scotland	Belgium, Germany, Nether- lands, England
NM	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
NY	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
NC	1MJ	1MJ	2DC	1R1	1GC	1PB	1MJ
ND	1MJ	2DC	2DC	1R1	1GC	1PB	1GC
OH	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
OK	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
OR	1MJ	2DC	2DC	1R1	1GC	1PB	3DK
PA	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
RI	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
SC	1MJ	1MJ	2DC	1R1	1GC	1PB	1MJ
SD	1MJ	2DC	2DC	1R1	1GC	1PB	1GC
TN	1MJ	1MJ	2DC	1R1	1GC	1PB	1MJ
TX	1MJ	2DC	2DC	1R1	1GC	1PB	2DC
UT	1MJ	2DC	2DC	1R1	1GC	1PB	3DK
VT	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
VA	1MJ	1MJ	1GC	1R1	1GC	1PB	1MJ
WA	1MJ	2DC	2DC	1R1	1GC	1PB	3DK
WV	1MJ	1MJ	1GC	1R1	1GC	1PB	1MJ
WI	1MJ	1GC	1GC	1R1	1GC	1PB	1GC
WY	1MJ	2DC	2DC	1R1	1GC	1PB	1GC

(1) All shipments to Cuba are routed via DPM through Norfolk, VA.

(2) Includes Eleuthra; Andros; Grand Turk; St. Thomas; St. Croix, Antigua; Barbados; and St. George's, Grenada.

Figure H-4 (Cont.)

CH 6
DoD 4500.32-R
Vol. I

From	Spain, Italy, Greece, Bahrain (3)	Guam, Hawaii Philip- pines, Japan, Korea, Okinawa	Australia New Zealand	Alaska(4)
AL	1MJ	2DC	3DK	4DL
AZ	1MJ	3HL	3DK	4DL
AR	1MJ	2DC	3DK	4DL
CA(N)	1MJ	3DK	3DK	4DL
CA(S)	1MJ	3HL	3DK	4DL
CO	1MJ	3DK	3DK	4DL
CT	1GC	1GC	3DK	4DL
DE	1GC	1GC	3DK	4DL
DC	1GC	1GC	3DK	4DL
FL	1MJ	2DC	3DK	4DL
GA	1MJ	2DC	3DK	4DL
ID	1GC	4DL	3DK	4DL
IL	1GC	1GC	3DK	4DL
IN	1GC	1GC	3DK	4DL
IA	1GC	4DL	3DK	4DL
KS	1MJ	2DC	3DK	4DL
KY	1MJ	1MJ	3DK	4DL
LA	1MJ	2DC	3DK	4DL
ME	1GC	1GC	3DK	4DL
MD	1GC	1GC	3DK	4DL
MA	1GC	1GC	3DK	4DL
MI	1GC	1GC	3DK	4DL
MN	1GC	4DL	3DK	4DL
MS	1MJ	2DC	3DK	4DL
MO	1MJ	2DC	3DK	4DL
MT	1GC	4DL	3DK	4DL
NE	1GC	4DL	3DK	4DL
NV	1MJ	3HL	3DK	4DL
NH	1GC	1GC	3DK	4DL
NJ	1GC	1GC	3DK	4DL

(3) Shipments to Bahrain are routed to NCS Norfolk. All documents are prepared for surface move from 1MJ to KJ2 FFT (BAH) via AMC.

(4) DPM only.

Figure H-4 (Cont.)

From	Spain, Italy, Greece, Bahrain (3)	Guam, Hawaii Philip- pines, Japan, Korea, Okinawa	Australia New Zealand	Alaska(4)
NM	1MJ	3HL	3DK	4DL
NY	1GC	1GC	3DK	4DL
NC	1MJ	1MJ	3DK	4DL
ND	1GC	4DL	3DK	4DL
OH	1GC	1GC	3DK	4DL
OK	1MJ	2DC	3DK	4DL
OR	1GC	4DL	3DK	4DL
PA	1GC	1GC	3DK	4DL
RI	1GC	1GC	3DK	4DL
SC	1MJ	1MJ	3DK	4DL
SD	1GC	4DL	3DK	4DL
TN	1MJ	1MJ	3DK	4DL
TX	1MJ	2DC	3DK	4DL
UT	1MJ	3DK	3DK	4DL
VT	1GC	1GC	3DK	4DL
VA	1MJ	1MJ	3DK	4DL
WA	1GC	4DL	3DK	4DL
WV	1MJ	1MJ	3DK	4DL
WI	1GC	1GC	3DK	4DL
WY	1GC	3DK	3DK	4DL

(3) Shipments to Bahrain are routed to NCS Norfolk. All documents are prepared for surface move from 1MJ to KJ2 FFT (BAH) via AMC.

(4) DPM only.

Figure H-4 (Cont.)

Appendix I

CONUS WATER PORT OF DEBARKATION SELECTION GUIDE

1. This appendix provides overseas shippers with a means to select the preferable water port of debarkation (WPOD) for shipments to CONUS. The guide is used to the extent permitted by operational considerations and Service limitations. More detailed guidance for particular breakbulk and container shipments, CONUS terminal capabilities, and the availability of linehaul service to CONUS inland destinations can be obtained from the appropriate CONUS ocean clearance authority as listed in appendix J. Recommended changes or additions to this appendix are directed to the Commander, MTMC, ATTN: **MTOP**, through the appropriate focal point listed in chapter 1, paragraph B.1.c.(1).

2. Certain general rules or concepts apply to all routings suggested by this appendix. Unless otherwise indicated in this paragraph or in paragraph 3, all retrograde SEAVAN shipments are routed to the WPOD which provides cost effective service to the final destination of the cargo.

a. Unless provided specific instructions to the contrary, SEAVANs loaded with cargo for one consignee are consigned to that consignee.

b. SEAVANs loaded with cargo for multiple consignees which cannot be served by stop-off delivery are consigned to the military activity providing breakbulk service and cost effective onward movement.

c. For MILVANs, use the same procedures as for SEAVANs, unless directed otherwise by the sponsoring Service.

3. Certain types of shipments are exceptions to the normal WPOD selection procedures.

a. Ammunition (for other than small arms) and explosives are routed only through ammunition ports. Small arms ammunition may be routed through these ports when in the best interest of the Government; otherwise, it is routed in accordance with paragraph 3.b. The CONUS ammunition ports are:

1G5	NAD Earle, NJ
1N4	Southport (MOT Sunny Point), NC
3CD	Port Chicago (NAD Concord), CA

b. Classified and protected (sensitive/controlled) items destined to CONUS from Alaska are offered for airlift.

c. Classified and protected (sensitive/controlled) items, including small arms ammunition, but not other ammunition or explosives, are routed only through the military controlled ports listed below. Whenever possible, protected (sensitive) cargo is consolidated into SEAVANs, or other protective packing for ocean lift. SEAVANs containing protected (sensitive) cargo moving in commercial service, are consigned to military controlled ports. SEAVANs are routed by direct ship rather than by substitute or linehaul service in which an ocean carrier serves a port by overland movement. The CONUS military controlled ports are:

1E5	NCBC Davisville, RI
1GC	MOT Bayonne, NJ
1MJ	NSC Norfolk, VA
2DC	Gulf Outport, New Orleans, LA
3DK	MOT Bay Area, Oakland, CA

3JA NSC San Diego, CA

d. WPODs for personal property POVs, DMP, and Code 5 shipments are selected as follows:

(1) POVs are routed in accordance with appendix N of DoD 4500.34-R, Personal Property Traffic Management Regulation.

(2) DPM and Code 5 shipments are routed as indicated in figure I-3. ITGBL Military Rate Tenders (MRTs) are not used by the shipper to select WPODs for these shipments.

CONUS Import Shipments of Code 5 and DPM Household Goods (3)

From	Iceland, New- foundland, Bermuda, Cuba (1)	Panama	Puerto Rico	Down Range Islands (2)	Morocco, Turkey, Portugal, Azores	Greenock Scotland
AL	1MJ	2DC	2DC	1R1	1GC	1PB
AZ	1MJ	2DC	2DC	1R1	1GC	1PB
AR	1MJ	2DC	2DC	1R1	1GC	1PB
CA(N)	1MJ	2DC	2DC	1R1	1GC	1PB
CA(S)	1MJ	2DC	2DC	1R1	1GC	1PB
CO	1MJ	2DC	2DC	1R1	1GC	1PB
CT	1MJ	1GC	1GC	1R1	1GC	1PB
DE	1MJ	1GC	1GC	1R1	1GC	1PB
DC	1MJ	1MJ	1GC	1R1	1GC	1PB
FL	1MJ	2DC	2DC	1R1	1GC	1PB
GA	1MJ	2DC	2DC	1R1	1GC	1PB
ID	1MJ	2DC	2DC	1R1	1GC	1PB
IL	1MJ	1GC	2DC	1R1	1GC	1PB
IN	1MJ	1GC	1GC	1R1	1GC	1PB
IA	1MJ	2DC	2DC	1R1	1GC	1PB
KS	1MJ	2DC	2DC	1R1	1GC	1PB
KY	1MJ	1MJ	1GC	1R1	1GC	1PB
LA	1MJ	2DC	2DC	1R1	1GC	1PB
ME	1MJ	1GC	1GC	1R1	1GC	1PB
MD	1MJ	1GC	1GC	1R1	1GC	1PB
MA	1MJ	1GC	1GC	1R1	1GC	1PB
MI	1MJ	1GC	1GC	1R1	1GC	1PB
MN	1MJ	2DC	2DC	1R1	1GC	1PB
MS	1MJ	2DC	2DC	1R1	1GC	1PB
MO	1MJ	1GC	2DC	1R1	1GC	1PB

(1) All shipments from Cuba are routed via DPM through Norfolk, VA.

(2) Includes Eleuthra; Andros; Grand Turk; St. Thomas; St. Croix, Antigua; Barbados; and St. George's, Grenada.

(3) For a list of codes used to identify the water terminal responsible for arranging the onward movement or pickup of personal property shipments see appendix H, figure H-2, paragraph (f).

Figure I-1

From	Iceland, New- foundland, Bermuda, Cuba (1)	Panama	Puerto Rico	Down Range Islands (2)	Morocco, Turkey, Portugal, Azores	Greenock Scotland
MT	1MJ	2DC	2DC	1R1	1GC	1PB
NE	1MJ	1GC	2DC	1R1	1GC	1PB
NV	1MJ	2DC	2DC	1R1	1GC	1PB
NH	1MJ	1GC	1GC	1R1	1GC	1PB
NJ	1MJ	1GC	1GC	1R1	1GC	1PB
NM	1MJ	2DC	2DC	1R1	1GC	1PB
NY	1MJ	1GC	1GC	1R1	1GC	1PB
NC	1MJ	1MJ	2DC	1R1	1GC	1PB
ND	1MJ	2DC	2DC	1R1	1GC	1PB
OH	1MJ	1GC	1GC	1R1	1GC	1PB
OK	1MJ	2DC	2DC	1R1	1GC	1PB
OR	1MJ	2DC	2DC	1R1	1GC	1PB
PA	1MJ	1GC	1GC	1R1	1GC	1PB
RI	1MJ	1GC	1GC	1R1	1GC	1PB
SC	1MJ	1MJ	2DC	1R1	1GC	1PB
SD	1MJ	2DC	2DC	1R1	1GC	1PB
TN	1MJ	1MJ	2DC	1R1	1GC	1PB
TX	1MJ	2DC	2DC	1R1	1GC	1PB
UT	1MJ	2DC	2DC	1R1	1GC	1PB
VT	1MJ	1GC	1GC	1R1	1GC	1PB
VA	1MJ	1MJ	1GC	1R1	1GC	1PB
WA	1MJ	2DC	2DC	1R1	1GC	1PB
WV	1MJ	1MJ	1GC	1R1	1GC	1PB
WI	1MJ	1GC	1GC	1R1	1GC	1PB
WY	1MJ	2DC	2DC	1R1	1GC	1PB

(1) All shipments from Cuba are routed via DPM through Norfolk, VA.

(2) Includes Eleuthra; Andros; Grand Turk; St. Thomas; St. Croix, Antigua; Barbados; and St. George's, Grenada.

Figure I-1 (Cont.)

From	Belgium, England, Nether- lands, West Germany	Greece, Spain, Italy, Bahrain (4)	Guam, Hawaii, Philip- pines, Japan, Korea, Okinawa	Australia, New Zealand	Alaska
AZ	3HL	1MJ	3HL	3DK	4DL
AR	2DC	1MJ	2DC	3DK	4DL
CA(N)	3DK	1MJ	3DK	3DK	4DL
CA(S)	3DK	1MJ	3HL	3DK	4DL
CO	3DK	1MJ	3DK	3DK	4DL
CT	1GC	1GC	1GC	3DK	4DL
DE	1GC	1GC	1GC	3DK	4DL
DC	1GC	1GC	1GC	3DK	4DL
FL	2DC	1MJ	2DC	3DK	4DL
GA	2DC	1MJ	2DC	3DK	4DL
ID	3DK	1GC	4DL	3DK	4DL
IL	1GC	1GC	1GC	3DK	4DL
IN	1GC	1GC	1GC	3DK	4DL
IA	1GC	1GC	4DL	3DK	4DL
KS	2DC	1MJ	2DC	3DK	4DL
KY	1MJ	1MJ	1MJ	3DK	4DL
LA	2DC	1MJ	2DC	3DK	4DL
ME	1GC	1GC	1GC	3DK	4DL
MD	1GC	1GC	1GC	3DK	4DL
MA	1GC	1GC	1GC	3DK	4DL
MI	1GC	1GC	1GC	3DK	4DL
MN	1GC	1GC	4DL	3DK	4DL
MS	2DC	1MJ	2DC	3DK	4DL
MO	2DC	1MJ	2DC	3DK	4DL

(4) Shipments to Bahrain are routed to MSC Norfolk. All documents are prepared for movement from Norfolk to Bahrain via MSC.

Figure I-1 (Cont.)

From	Belgium, England, Nether- lands, West Germany	Greece, Spain, Italy, Bahrain (4)	Guam, Hawaii, Philip- pines, Japan, Korea, Okinawa	Australia, New Zealand	Alaska
MT	3DK	1GC	4DL	3DK	4DL
NE	2DC	1GC	4DL	3DK	4DL
NV	3HL	1MJ	3HL	3DK	4DL
NH	1GC	1GC	1GC	3DK	4DL
NJ	1GC	1GC	1GC	3DK	4DL
NM	3HL	1MJ	3HL	3DK	4DL
NY	1GC	1GC	1GC	3DK	4DL
NC	1MJ	1MJ	1MJ	3DK	4DL
ND	1GC	1GC	4DL	3DK	4DL
OH	1GC	1GC	1GC	3DK	4DL
OK	2DC	1MJ	2DC	3DK	4DL
OR	3DK	1GC	4DL	3DK	4DL
PA	1GC	1GC	1GC	3DK	4DL
RI	1GC	1GC	1GC	3DK	4DL
SC	1MJ	1MJ	1MJ	3DK	4DL
SD	1GC	1GC	4DL	3DK	4DL
TN	1MJ	1MJ	1MJ	3DK	4DL
TX	2DC	1MJ	2DC	3DK	4DL
UT	3DK	1MJ	3DK	3DK	4DL
VT	1GC	1GC	1GC	3DK	4DL
VA	1MJ	1MJ	1MJ	3DK	4DL
WA	3DK	1GC	4DL	3DK	4DL
WV	1MJ	1MJ	1GC	3DK	4DL
WI	1GC	1GC	3DK	3DK	4DL
WY	1GC	1GC	1MJ	3DK	4DL

(4) Shipments to Bahrain are routed to MSC Norfolk. All documents are prepared for movement from Norfolk to Bahrain via MSC.

Figure I-1 (Cont.)

Appendix J

CLEARANCE AUTHORITIES AND BOOKING OFFICES

1. This appendix contains an explanation of how to select the appropriate clearance authority and a list of clearance authorities located throughout the world. The clearance authorities are listed separately for shipments by water and by air. Liaison offices operated by sponsoring Services at some transshipping activities (ports) are also listed with the appropriate clearance authorities. Also listed are applicable ocean cargo booking offices.

2. The responsibility for developing and maintaining the information contained in this appendix rests with the Service organizations as listed below. These organizations provide revisions to the DoD MILSTAMP System Administrator for inclusion in this appendix. For this regulation, each overseas country listed is identified, by area, with a letter in parentheses as follows: (A) for Alaska, (C) for Panama (including Central and South America), (E) for Europe, (L) for Atlantic, and (P) for Pacific.

Responsible Organization

Area/Mode (Service)

Commander, Military Traffic Management Command	CONUS, ocean. Alaska, except Adak, ocean. Europe, ocean functions under its cognizance. Pacific, ocean functions under its cognizance. Panama, ocean.
HQ, U.S. Army Materiel Command	CONUS, air (Army). Alaska, air. Panama, air.
Commander, Naval Supply Systems Command	CONUS, air (Navy). Alaska, Adak, ocean and air.
Commandant of the Marine Corps	CONUS, air (Marines).
Commander-in-Chief, Pacific	Pacific theater, ocean (other than MTMC) and air.
Commander-in-Chief, Europe	European theater, ocean (other than MTMC) and air.
Commander-in-Chief, Atlantic	Atlantic theater, ocean (other than MTMC) and air.

3. The clearance authorities are listed in this appendix according to the mode of shipment and the location of the clearance authority.

a. The procedures used for selecting the appropriate clearance authority are detailed preceding each mode and area. The groupings are:

Location/Mode

Paragraph

CONUS, ocean	J-4
CONUS, export air	J-5
Overseas, ocean	J-6
Overseas, air	J-7

b. Whenever applicable, the information listed for each clearance authority includes the:

(1) Location.

- (2) Sponsoring Service and area responsibility.
- (3) Title of the clearance organization.
- (4) Mailing address.
- (5) DSN number.
- (6) Commercial telephone number.
- (7) Routing indicator codes.
- (8) ETM or TWX routing indicator codes

4. CONUS water clearance authorities (WCAs) are designated by the Military Traffic Management Command based on the location of the water port without regard to the Service sponsoring the shipment. Listed below are the two CONUS WCAs, as well as the booking offices which secure the actual ocean carriage. Each entry provides the responsible organization, its mailing address, telephone number(s), routing indicator code, and message address. The addresses included here, as well as the areas of responsibility, are for MILSTAMP data only; requests for ETRs are submitted as directed in the DTMR (reference j)

a. Eastern Area

(1) Location: Bayonne, NJ

(a) Water clearance authority for all Services

1 Responsibility: All water shipments through CONUS ports on the east and gulf coasts (port indicator codes 1__ and 2__) except the city of St. Louis, MO.

2 Organization: Military Traffic Management Command, Eastern Area.

3 Mail: Commander, Military Traffic Management Command, Eastern Area, ATTN: MTE-ITD, Bayonne, NJ 07002-5302.

4 DSN: 247-7191, export traffic releases. 247-6215/7237, ocean manifest, cargo traffic messages. 247-7365/66, tracer actions. 247-7236/37/7314, advance TCMD.

5 Telephone: (201) 823- plus appropriate extension.

6 **Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).**

7 ETM: RUEOBMT/Data Control Branch (EMISO-ADP, MTMC) Bayonne, NJ (disciplined TCMD format) RUEOBMA/CDR MTMCEA (all other narrative messages)

(b) Booking office:

1 Responsibility: All water shipments from CONUS east and gulf coast ports, other North/South Atlantic ports, ports in Mexico (east coast), Central and South America, the Caribbean, Iceland, and the Azores. (Port codes beginning with 1, 2, A, B, C, D (except DA_), E, F, and G.)

5302

2 Organization: Military Traffic Management Command, Eastern Area

3 Mail: Commander, MTMC Eastern Area, ATTN: MTE-ITE, Bayonne, NJ 07002-

4 DSN: 247-6383

5 Telephone: (201) 823-6383

6 DDN: COMM RI RUEOBMA

7 Message address: CDR MTMCEA BAYONNE NJ//MTE-ITE//

b. Western Area

(1) Location: Oakland, CA

(a) Water clearance authority for all Service

1 Responsibility: All water shipments through CONUS ports on the west coast (port indicator codes 3__ and 4__) as well as the city of St. Louis, MO.

2 Organization: Military Traffic Management Command, Western Area.

3 Mail: Commander, Military Traffic Management Command Western Area, ATTN: MTW-ITD, Oakland, CA 94626-0001.

4 DSN: 859-2461, ocean manifests, cargo traffic messages. 859-2462, tracers. 859-2465, advance TCMD data.

5 Telephone: (415) 466- plus appropriate extension

6 **Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).**

7 ETM: RUWADMP/CDR MTMCWA OAKLAND CA//MTW-ITD// (disciplined TCMD format) RUWADMA/CDR MTMCWA OAKLAND CA//MTW-ITD// (all other narrative messages)

(b) Booking office:

1 Responsibility: All water shipments from CONUS west coast ports, ports located in the North American pacific area except Alaska (see Seattle, WA), ports in Mexico (west coast), and all other ports in the central pacific area except Hawaii (see Hawaii). (Port codes beginning with 3, 4, DA, TL, TS, YA, Z.)

2 Organization: Military Traffic Management Command, Western Area

3 Mail: Commander, Military Traffic Management Command, Western Area, ATTN: MTW-ITX, Oakland Army Base, Oakland, CA 94626-0001

4 DSN: 859-3416/3417/3418/3419

5 Telephone: (415) 466-3416/3417/3418/3419

6 *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

7 Message address: CDR MTMCWA OAKLAND CA//MTW-ITX//

(2) Location: Seattle, WA

(a) Water clearance authority; see Oakland, CA

(b) Booking office:

1 Responsibility: All water shipments to and from Alaskan ports. (Port codes beginning with Y except YA.)

2 Organization: MTMC OCBO Seattle

3 Mail: Commander, Military Traffic Management Command, Pacific Northwest Outport, ATTN: OCBO, 4735 East Marginal Way South, Seattle, WA 98134-2391

4 DSN: 744-3104

5 Telephone: (206) 764-8512/8513/8514

6 *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

7 Message address: CDR MTMC PNW OPT SEATTLE WA//MTW-S-OP//

5. CONUS export ACAs are maintained by each of the sponsoring Services.

a. The correct ACA is usually determined from the first position of the TAC as indicated below. For DLA TAC's, both the first position of the TAC and the first position of the consignee DoDAAC or TCN are used to determine the correct ACA. If the TAC cannot be determined, the appropriate ACA is determined from the first position of the consignee DODAAC or TCN as indicated below. The appropriate ACA for FMS shipments is determined by the first position of the TCN.

If first position of the

<u>TAC is</u> and/ <u>or</u>	<u>consignee</u> <u>DoDAAC or</u> <u>TCN is</u>	<u>The Service</u> <u>or Agency is</u>	<u>The ACA is</u>	<u>Listed in</u> <u>paragraph</u>
A, B, C	A, B, C, W	Army	Army	5.b.
D, F	D, E, F, J	Air Force	Air Force	5.d.
	G	GSA	Air Force	5.d.
H	H	Other DOD Agencies	Air Force	5.d.

<u>TAC is</u>	<u>and/ or</u>	<u>consignee DoDAAC or TCN is</u>	<u>The Service or Agency is</u>	<u>The ACA is</u>	<u>Listed in paragraph</u>
K, L, M		K, L, M	Marine Corps	Marine Corps ¹	5.e.
N, P		N, P, Q, R, V	Navy	Navy	5.c.
S		E, F, J, S, T, U	DLA	Air Force ²	5.d.
S		A, C, W	DLA	Army	5.b.
S		N, Q, R, V, Z	DLA	Navy	5.c.
S		L, M	DLA	Marine Corps ¹	5.e.
T			Contractor	Air Force	5.d.
X			Other Government Agencies	Air Force ²	5.d.
Z		Z	Coast Guard	Navy	5.c.
0/			Postal Concentration Centers	Air Force	5.d.
		0/9	Other Civil Agencies (excluding GSA)	Army ³ Air Force	5.d.

b. Army CONUS export *AACA*

- (1) Responsibility: All Army-sponsored CONUS export air cargo as listed in paragraph 5.a.
- (2) Organization: U.S. Army Materiel Command Logistics **Support** Activity (**LOGSA**)
- (3) Mail: U.S. **Army Materiel Command Logistics Support Activity**, ATTN: **AMXLS-RTA**, **Redstone Arsenal, AL 35898-7466**.
- (4) *The **ACCA** normal duty hours are 0600-1800 CST, Mon-Fri. Commercial (205) 955-9763/9764/9817/9785, DSN 645, Facsimile x9559; Chief, **ACCA**: x9767. After duty hours: HQs USAMC Missile Command SDO, 205-876-3331/DSN 746.*
- (5) DDN: COMM RI **RUDQLCB** (for clearance and offerings); **RUDQLCA** (for receipt and lift)
- (6) ETM: **DIR LOGSA REDSTONE ARS AL//AMXLS-RTA//**

c. Navy CONUS export *ACA*

- (1) Responsibility: All Navy- and Coast Guard-sponsored CONUS export air cargo as well as certain Marine Corps cargo as listed in paragraph 5.a.
- (2) Organization: Navy Material Transportation Office

¹ Shipments of aircraft parts for Marine Corps consignees are referred to the Navy ACA (paragraph 5.c) since these items are stocked and funded by the Navy.

² DLA subsistence for all destinations is cleared by the Air Force ACA (paragraph 5.d). Other DLA and GSA funded shipments are cleared by the ACA determined in accordance with the table in paragraph 5.a.

³ Most mail is pre-cleared.

(3) Mail: Commanding Officer, Navy Material Transportation Office, **1837 Morris Street, Ste 600**, Norfolk, VA 23511-3492

(4) DSN: 564-7831

(5) Telephone: (804) 444-7831

(6) DDN: COMM RI **RUQANSC**/NAVMTO NORFOLK VA

(7) ETM: RUCOTCA/NAVMTO NORFOLK VA

d. Air Force CONUS export ACA

(1) Responsibility: All Air Force-sponsored CONUS export air cargo as well as the other CONUS export air cargo for which the Air Force is listed as ACA in paragraph 5.a.

(2) Organization: Air Force Shipper Service Control Office, Wright-Patterson Air Force Base

(3) Mail: AFMC-**LSO/LOTA**, 4375 Chidlaw Road, Suite 6, Wright-Patterson Air Force Base, OH 45433-5006

(4) DSN: 787-4946/**4947/4948/4949** (Advance TCMDs, tracer actions, status, and general information on overseas shipments; Monday-Friday 0700L-2000L (**1200Z-0100Z**), **Saturday 0800L-1600L (1300Z-2100Z)**.)

(5) Telephone: (513) 257-4946/**4947/4948/4949**; FAX (513) 257-3185 (After normal duty hours (0700-2000, Monday-Friday **and 0800-1600, Saturday**), contact the duty officer at DSN 787-6314 or (513) 257-6314.)

(6) DDN *thru* **DAASC**: COMM RI **RUQABBD**. (*Address applies to ATCMDs only.*)

(7) DDN: COMM RI **RUVAAEA/AFDCO Wright Patterson AFB, OH/LOTA**.

(8) ETM: None

e. Marine Corps CONUS Export ACA

(1) Responsibility: All Marine Corps-sponsored CONUS export air cargo as listed in paragraph 5.a.

(2) Organization: Marine Corps Logistics Base, Barstow, CA

(3) Mail: Commanding Officer (Code B325), Marine Corps Logistics Base, Traffic Management Office, Box 110325, Barstow, CA 92311-5014

(4) DSN: 282-6796/6842⁴

(5) Telephone: (619) 577-6796/6842⁴

⁴ After normal duty hours (0700 - 1530, Monday - Friday), contact the duty officer at telephone (619) 577-6611 or DSN 282-6611.

(6) FAX: DSN 282-6679, Commercial (619) 577-6679

(7) DDN: COMM RI *RUEOBNA*

(8) ETM: CO MCLB BARSTOW CA//B325//*ACA*

6. Overseas WCAs are listed alphabetically by the country in which they are located.

a. The listings detail the WCAs responsible for specific areas and sponsoring Services. Included with each WCA is the related booking office responsible for securing the actual ocean carriage. The listings also include established liaison offices at the designated locations. Each entry provides the responsible organization, its mailing address, telephone number(s), routing indicator code, and message address. If an WCA cannot be located in this list for a specific geographic area, contact the booking office directly for assistance.

b. The theater commander designates the WCAs, in appropriate coordination with MTMC. The letter in parentheses following the country indicates the theater designation as listed in paragraph 2. Booking offices are designated by MTMC.

(1) Alaska: (A)

(a) Location: Naval Air Station Adak

1 WCA for all Services

a Responsibility: All water shipments through the port of Adak, Alaska (YL1)

b Organization: Naval Air Station, Adak, Alaska

c Mail: Commanding Officer, Box 1, Naval Air Station, Adak, FPO AP 98791-

d DSN: (317) 592-4208/8031

e Telephone: (907) 592-4208/8031

f DDN: COMM RI RUWMEEA

g Message Address: NAS ADAK AK

2 Booking Office: See Seattle, WA

(b) Location: Elmendorf Air Force Base

1 WCA for all Services

a Responsibility: All water shipments through the ports of Alaska, except Adak

b Organization: Chief, Military Traffic Management Command, Alaska, Elmendorf

1201

AFB, AK

c Mail: Chief, Military Traffic Management Command Office - Alaska, Bldg. 31-270, Room 105, Elmendorf Air Force Base, AK 99506-5000

d DSN: 752-2010/3091/6315; Facsimile: 752-3913

e Telephone: (907) 272-2010/3091/6315

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g ETM: RUWMBKA, MTMC ALASKA, ELMENDORF AFB AK//MTW-S-AK//

2 Booking Office: See Seattle, WA

a Responsibility: All export ocean cargo through ports in Alaska

b Organization: MTMC OCCA Alaska

c Mail: MTMC OCCA AK Elmendorf AFB, Alaska 99506-5000

d DSN: (317) 552-3091/2010

e Telephone: (907) 552-3036

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g Message Address: CHMTMC OCCA-AK ELMENDORF AFB AK

(2) Argentina: See Panama

(3) Australia: (P)

(a) Location: Canberra

1 WCA for all Services

a Responsibility: All water shipments through the ports of Australia except Exmouth (northwest Cape, VA3)

b Organization: Traffic Management Office, USDODSA U.S. Embassy, Canberra, Australia

c Mail: Traffic Management Office, USDODSA U.S. Embassy, APO AP 96404-5000

d DSN: N/A

e Telephone: 61-62-70-5879

f DDN: COMM RI N/A

g Message Address: USDODSA CANBERRA AS//LGT//

h TELFAX NR: 61-62-70-5970

2 Booking Office: See Japan, Yokohama

(b) Location: Exmouth, Western Australia

1 WCA for all Services

a Responsibility: All water shipments consigned to or shipped from Naval Communications Station, Harold E. Holt, Exmouth, Australia

b Organization: U.S. Navy Sea Cargo Coordinator (NAVSEACARCOORD), Exmouth, western Australia

c Mail: Navy Sea Cargo Coordinator, Naval Communication Station, Box 30, FPO AP 96680-1800

d DSN: 821-1945

e Telephone: 099-49-3214

f DDN: COMM RI RUHJKBA NAVCOMMSTA HAROLD E. HOLT EXMOUTH AS

g TWX: RUMASAA NAVCOMMSTA HAROLD E. HOLT EXMOUTH AS

2 Booking Office: See Japan, Yokohama

(4) Azores: (L)

(a) Location: Praia da Vitoria, Terceira, Azores

1 WCA for all Services

(GA_ series) a Responsibility: All water shipments through the ports of the Azores, Portugal

b Organization: MTMC TTU Azores

c Mail: (US) Commander, MTMC TTU Azores, ATTN: MTG-AZ-O, APO AE 09406-5000. (Civil Post) Commander, MTMC TTU Azores, U.S. Army Post, Praia da Vitoria, Terceira, Azores, Portugal.

d DSN: 895-3490, Ext 7291 or 6256

e Telephone: N/A

f Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).

g ETM: Same as AUTODIN

2 Booking Office: See CONUS OCCA, Eastern Area

(5) BAHRAIN: (E)

(a) Location: Bahrain Island

1 WCA for all Services

a Responsibility: All water shipments through Bahrain Island ports of Bahrain (PK1) and the United Arab Emirates area ports of Dubai (PQ1), Abu Dhabi (PQ2), Mina Jabal Ali (PQ3), and Al Fujayrah (PQ4)

b Organization: Administrative Support Unit (ASU) Southwest Asia (SWA)
Bahrain (Code 40)

c Mail: Supply Officer (Code 40), AWU SWA Box 397, FPO AE 09834-2800

d DSN: (318) 439-4256

e Telephone: (0973) 724-256

f DDN: COMM RI RUFTNKA

g ETM: ADMIN SUPU SWA BAHRAIN//40

2 Booking Office: See Naples, Italy

(6) Belgium: See Germany

(7) Bolivia: See Panama

(8) Brazil: See Panama

(9) Chile: See Panama

(10) Colombia: See Panama

(11) Costa Rica: See Panama

(12) Crete: See Greece

(13) Cuba: (L)

(a) Location: U.S. Naval Base, Guantanamo Bay

1 WCA for all Services

a Responsibility: All water shipments through the ports of Cuba (CD_, CE_, &

CF_)

b Organization: U.S. Naval Base, Guantanamo Bay, Cuba

c Mail: Receiving Officer, PSC 1005, Box 33, FPO AE 09593-0133

d DSN: 723-3960, Ext 4495

e Telephone: 011-53-99-4495

f DDN: COMM RI RUEBAHA

g ETM: NAVSTA GUANTANAMO BAY CU

h TWX: RUEBAHA NAVSTA GUANTANAMO BAY CU//23

2 Booking Office: See CONUS OCCA, Eastern Area

(14) Denmark: See Germany

(15) Diego Garcia: (P)

(a) Location: Naval Support Facility, Diego Garcia

1 WCA for all Services

a Responsibility: All water shipments through the port of Diego Garcia (QF1)

b Organization: U.S. Navy Support Facility Diego Garcia

c Mail: U.S. Navy Support Facility, Box 20, FPO AP 96685-2000

d DSN: 870-0111, Ext 4140/4331/5567

e Telephone: N/A

f DDN: COMM RI RUVNSAA, NAVSUPPFAC DIEGO GARCIA

g TWX: NAVSUPPFAC DIEGO GARCIA

2 Booking Office: See Japan, Yokohama

(16) Dominican Republic: See Panama

(17) Egypt: See Naples, Italy

(18) El Salvador: See Panama

(19) England: See United Kingdom

(20) Ecuador: See Panama

(21) Ethiopia: See Naples, Italy

(22) France: See Germany and Naples, Italy

(23) Germany: (E)

(a) Location: Bremerhaven, Germany

1 WCA for all Services

a Responsibility: All water shipments from ports in continental northern Europe bordering the Baltic and North Sea and French Atlantic area, French and Spanish Bay of Biscay area, and the Rhine River (port codes beginning with J).

b Organization: MTMC TTCE OCCA-North, Bremerhaven, Germany

c Mail: (US) Chief, MTMC TTCE OCCA-North, ATTN: MTC-TOPS-TMN, APO AE 09069-5000. (Civil Post) Chief, MTMC TTCE OCCA-NORTH, ATTN: MTC-TOPS-TMN, Geb 227, Carl Schurz Kaserne, 2850 Bremerhaven, West Germany

d DSN: (314) 342-8778/8406

e Telephone: 49-471-82348

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g Message Address: **CDR MTMCTTCE OCCA-N BREMERHAVEN GE**

h Telex: Primary: Country 41 No 238880. Alternate: Country 41 No 238743

i MILNET/DDN: OCCACL @ MINET-OBL-EM

2 Air Force Liaison offices

a Responsibility: To be identified

b Organization: US Air Force Water Port Liaison Office

c Mail: DET 3, 7300 Matron, APO AE 09069-5000

d DSN: (314) 342-8715/8368

e Telephone: N/A

f DDN: COMM RI N/A

g Message Address: DET 3, 7300 MATRON BREMERHAVEN GE//WPLO//

h Telex: 238880 USAF Liaison

i MINET: WPLOOLE or OBL Mode

3 Booking Office: Same as WCA except:

a DSN: (314) 342-8736/8455

b MILNET/DDN: OCCAK @ MINET-OBL-EM

(24) Gibraltar: See United Kingdom

(25) Greece: (E)

(a) Location: Piraeus, Greece

1 WCA for All Services

a Responsibility: All water shipments through the ports of Greece (LD_, LE_, and

b Organization: Military Traffic Management Command, Transportation Terminal

Unit Greece

c Mail: (US) Commander, MTMC TTU Greece (MTG-GR), APO AE 09253-5000.
(Civil Post) Commander, MTMC TTU Greece, Saint George Bay, Keratsini, Piraeus, Greece

d DSN: 622-1110

e Telephone: 30-1-462-3173 (Operations), 462-6774 (Documentation)

f **Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).**

g ETM: RUQMZA CDE MTMC TTU GREECE//MTG-GR//

h Telex: Country 601, No 212492

2 Booking Office: See Naples, Italy

(26) Guam: See Mariana Islands

(27) Guatemala: See Panama

(28) Hawaii: (P)

(a) Location: Pearl Harbor, Hawaii

1 WCA for all Services

a Responsibility: All water shipments through the ports of the Hawaiian Islands
(including all port identifier codes beginning with "X")

b Organization: U.S. Navy Sea Cargo Coordinator (NAVSEACARCOORD) Pearl
Harbor, Hawaii

c Mail: Deputy Director, Terminals Department/NAVSEACARCOORD, Naval Supply Center, Pearl Harbor, HI 96860-5300

d DSN: (315) 471-9684/9352

e Telephone: (808) 471-9108/9684/9352

f DDN: COMM RI RUHHLHA

g TWX: RUHHLHA, NAVSEACARCOORD, Pearl Harbor, HI

2 Air Force Liaison offices:

a Responsibility: Air Force sponsored water shipments through the Hawaiian Area

b Organization: U.S. Air Force Water Port Liaison Office

c Mail: 15 Trans Sq/LGTTWPLO, Hickam Air Force Base, HI 96853-5000

d DSN: 430-0111

e Telephone: (808) 471-8168

f DDN: COMM RI RUHVAAA

g TWX: RUHVAAA/15 TRN SS HICKAM AFB HI//LGTTWPLO//

3 Booking Office:

a Responsibility: All water shipments from ports in the Hawaiian, Midway, Wake, Johnson, Marshall, and Samoan Islands (port codes beginning with TJ, TK, W, AND X.)

b Organization: MTMC OCBO Hawaii

c Mail: MTMC OCBO, Naval Supply Center, Box 300, Pearl Harbor, HI 96860-5000

d DSN: 474-5217

e Telephone: (808) 474-2230

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g Message Address: CH MTMC OCBO NSC PEARL HARBOR HI

(29) Honduras: See Panama

(30) Iceland: (L)

(a) Location: Keflavik

1 WCA for all Services

- a Responsibility: All water shipments through the ports of Iceland (AU_)
- b Organization: U.S. Naval Air Station, Keflavik, Iceland
- c Mail: Material Division Officer, U.S. Naval Air Station, Keflavik, PSC 1003, Box
- d DSN: 450-4125/4126
- e Telephone: 011-354254125/4126
- f DDN: COMM RI RUEOBML
- g ETM: NAVAIRSTA KEFLAVIK IC
- h TWX: NAVSTA KEFLAVIK IC//405

21, FPO AE 09728-0321

2 Booking Office: See CONUS OCCA, Eastern Area

(31) Ireland: See United Kingdom

(32) Israel: (E)

(a) Location: Tel Aviv

1 WCA point of contact for all Services

- a Responsibility: Point of contact for all ocean shipments through Israel
- b Organization: USDAO, American Embassy Tel Aviv
- c Mail: USDAO, American Embassy Tel Aviv, APO AE 09672-5000
- d DSN: N/A
- e Telephone: 00972-3-654338, Ext 361
- f DDN: COMM RI N/A
- g ETM: USDAO TEL AVIV IS

2 Booking Office: See Naples, Italy

(33) Italy: (E)

(a) Location: Leghorn

1 WCA for all Services

a Responsibility: All water shipments through the ports of Italy except those in the immediate vicinity of Naples and Sigonella

b Organization: MTMC Leghorn Terminal

c Mail: (US) Commander, MTMC Leghorn Terminal, ATTN: MTG-LH, APO AE 09019-5000. (Civil Post) Commander, MTMC Leghorn Terminal, Camp Darby, 56018 Tirrenia/Pisa, Italy

d DSN: 633-8046

e Telephone: Country 39, Area 586, No 92165

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g Message Address: Same as *DDN*

h Telex: Country 43 No 5002671

i MILNET/DDN: MTC-LH @ MINET-LON-EM

2 Air Force Liaison offices:

a Responsibility: To be identified

b Organization: U.S. Air Force Water Port Liaison Officer

c Mail: OL-L 7300 MATRON, APO AE 09019

d DSN: 633-7784

e Telephone: 947784

f DDN: COMM RI N/A

g Message Address: OL-L 7300 MATRON LEGHORN IT//WPLO//

3 Booking Office: See Naples

(b) Location: Naples

1 WCA for all Services

Naples

a Responsibility: All water shipments through the ports in the immediate vicinity of

b Organization: U.S. Naval Support Activity, Naples

c Mail: (USPS) U.S. Naval Support Activity, Box 5, FPO AE 09521-5000. (Civil Post) U.S. Naval Support Activity, Via E. Scarfoglio, Pozzuoli (Napoli) 80078

d DSN: 625-1110, Ext 4146/4290

e Telephone: 39-81-724-4146/4290 or 39-81-261709

f DDN: COMM RI RUFLSKA

g Message Address: WCA, US NAV SUP ACT NAPLES, IT

h MINET terminal: MATNSA @ MINET-CPO-EM WFTNAP @ MINET-CPO-EM

2 Booking Office:

a Responsibility: All water shipments from ports in the Mediterranean, Spain, Portugal, Africa, Red Sea, Persian Gulf, and Pakistan (port codes beginning with K, L, M, N, P, and QA)

b Organization: MTMC TTCE OCCA-South, Naples, Italy

c Mail: Chief, MTMC TTCE OCCA-South, Box 38, FPO AE 09521-5000

d DSN: 625-4102/4103

e Telephone: 39-81-724-4102/4103

f DDN: COMM RI RUFLSKA

g Message address: CH MTMC TTCE NAPLES ITALY//MTC-TOPS-TMS//

(c) Location: Sigonella

1 WCA for all Services

Sigonella

a Responsibility: All water shipments through the ports in the immediate vicinity of

b Organization: Naval Air Station, Sigonella, Italy

c Mail: U.S. Naval Air Station, N04500, FPO AE 09523-5000

d DSN: 624-1110, Ext 5518/5519

e Telephone: 095-861110, Ext 5518/5519

f DDN: COMM RI RUFLEWA

g Message Address: WCA, USNAS, SIGONELLA IT/N04500

h MILNET/DDN: OCCA-S @ MINET-LON-EM

2 Booking Office: See Naples

(34) Japan: Including Okinawa (P)

(a) Location: Iwakuni (Southern Area)

1 WCA for the Navy and Marine Corps

the port of Iwakuni (UL7) a Responsibility: All Navy- and Marine Corps-sponsored water shipments through

Iwakuni, Japan b Organization: U.S. Marine Corps Traffic Management Office, Marine Air Station,

5000 c Mail: Traffic Management Office, Marine Corps Air Station, FPO AP 98764-

d DSN: 253-3456

e Telephone: 242-3456, Ext 3077/4269

f DDN: COMM RI RHARSAA

g TWX: RHARSAA

2 Booking Office: See Yokohama

(b) Location: Kadena Air Base, Okinawa

1 WCA for the Navy

Okinawa a Responsibility: All Navy-sponsored water shipments through the ports of

b Organization: Commander, Fleet Activities, Okinawa

AP 98770-1150 c Mail: COMFLEACT Okinawa, ATTN: Log Dept., Matl Div, Box Log/Dept, FPO

d DSN: 630-1110 (operator)

e Telephone: 634-1447/1059

f DDN: COMM RI RUYRSAA, COMFLEACT Okinawa JA

2 Booking Office: See Naha, Okinawa

(c) Location: Naha Okinawa

1 WCA for all Services except Navy (see Kadena)

ports: a Responsibility: All non-Navy-sponsored water shipments through the following

UB1 (Naha)

UB2 (Buckner Bay)

UBB (Kin)

UBC (Tengan)
UB5 (Ie Shima)
UB8 (Okino)

UB3 (Chimu-Wan)
UB6 (Kume)
UB9 (Yaeyama)

UB4 (Ishigaki)
UB7 (Miyako)
UBF (Aja Port)

b Organization: MTMC Terminal Okinawa

c Mail: Commander, MTMC Terminal, Okinawa, APO AP 96331-5000

d DSN: 637-3724/3726

e Telephone: 637-1166

f DDN: COMM RI RUADBEA/MTW-N

g TWX: RUADBEA/CDRMTMC Terminal Okinawa JA//MTW-N//

2 Booking Office:

with UB)
a Responsibility: All water shipments from ports in Okinawa (port codes beginning

b Organization: MTMC OCBO, Okinawa

96331-5000
c Mail: Commander, MTMC Terminal Naha Japan, ATTN: MTW-NOC, APO AP

d DSN: 634-7736

e Telephone: 098938-1111 ask for 7-3724/3726

f DDN: COMM RI RUADBEA

g Message Address: CDR MTMC TML NAHA JAPAN //MTW-NOC//

3 Booking Office: See Yokohama

(35) Korea: (P)

(a) Location: Pusan

1 WCA for all Services

a Responsibility: All water shipments through the Korean ports of Inchon (UC2), ITGBL commercial containers only; Chinhae (UDA), ammunition only; and Pusan (UD6 and UDC)

b Organization: MTMC OCCA, Pusan

96259-5000
c Mail: Commander, MTMC Terminal, Pusan, ATTN: MTW-P-FC, APO AP

d DSN: 263-3730/3731

e Telephone: (051) 67-7912

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g TWX: RUAGNPQ

2 Air Force Liaison offices:

a Responsibility: All Air Force-sponsored shipments from installations in Korea

b Organization: U.S. Air Force Water Port Liaison Office

c Mail: MTMC Terminal, Pusan, U.S. Air Force Water Port Liaison Office, APO

AP 96259-5000

d DSN: 271-1239

e Telephone: 263-3269

f DDN: COMM RI RUAGNPQ

g TWX: RUAGNPQ

3 Booking Office:

a Responsibility: All water shipments from ports in Korea (port codes beginning with UC, UD, and UE)

b Organization: MTMC OCBO, Pusan

c Mail: Commander, MTMC Terminal Pusan, Chief, MTMC Freight Traffic Division, APO AP 96259-5000

d DSN: 263-3730/3731

e Telephone: (051) 67-7912

f DDN: COMM RI RUAGNPQ

g Message Address: CDR MTMC TML PUSAN KOREA //MTW-P-F//

(36) Lebanon: (E)

(a) Location: Beirut

1 WCA point of contact for all Services

a Responsibility: Point of contact for all ocean shipments through Lebanon

b Organization: USOMC Beirut

0001

c Mail: USOMC Beirut, State Department Pouch Room, Washington, DC 20520-

d DSN: N/A

e Telephone: Beirut Lebanon 452-964

f DDN: COMM RI N/A

g ETM: USOMC BEIRUT LE

2 Booking Office: See Naples, Italy

(37) Liberia: (E)

(a) Location: Monrovia

1 WCA point of contact for all Services

a Responsibility: Point of contact for all ocean shipments through Liberia

b Organization: U.S. Military Mission to Liberia

c Mail: U.S. Military Mission to Liberia, APO AE 09155-5000

d DSN: N/A

e Telephone: Monrovia, Liberia 221755/224137

f DDN: COMM RI N/A

g ETM: LIBMISH MONROVIA LI

2 Booking Office: See Naples, Italy

(38) Mariana Islands: (P)

(a) Location: Guam

1 WCA for all Services

a Responsibility: All water shipments through the ports of Guam (TA1, TA2 and

TA6)

b Organization: U.S. Navy Sea Cargo Coordinator (NAVSEACARCOORD),

Guam, Mariana Islands

c Mail: U.S. Navy Sea Cargo Coordinator, U.S. Naval Supply Depot (Code 400),

FPO AP 96630-5000

d DSN: (315) 339-5180/7239

e Telephone: (671) 339-5180/7239

f DDN: COMM RI RUHJHFT (data)

g TWX: RUHGXPA, NAVSEACARCOORD GUAM

2 Booking Office:

a Responsibility: All water shipments from ports in Guam, Saipan, and the Mariana Is (port codes beginning with TA)

b Organization: MTMC OCBO, Guam

c Mail: Chief, MTMC OCBO Guam, NSD Naval Station, FPO AP 96630-5000

d DSN: 339-6245/3184 or 339-7221

e Telephone: N/A

f DDN: RUHGXPA

g Message Address: CH MTMCTY OCBO GUAM

(39) Midway Island: (P) See Hawaii

(40) Morocco: See Naples, Italy

(41) Netherlands: See Germany

(a) Location: Rotterdam

1 Air Force Liaison offices:

a Responsibility: To be identified

b Organization: US Air Force Water Port Liaison Office

c Mail: OL-D 7300 MATRON, APO AE 09159

d DSN: 362-1110, Ext. 118/119

e Telephone: 31-10-518911, Ext 118/119

f DDN: COMM RI N/A

g Message Address: OL-D 7300 MATRON ROTTERDAM NL/WPLO//

(42) New Zealand: (P)

(a) Location: Christchurch International Airport

1 WCA for all Services

a Responsibility: All DoD water shipments for New Zealand

b Organization: Naval Support Force Antarctica, Detachment Christchurch

c Mail: Officer in Charge, Naval Support Force Antarctica, Detachment
Christchurch, FPO AP 96690-2900

d DSN: N/A

e Telephone: Christchurch 583-079, Ext 8016/8013/8017

f DDN: COMM RI RUHHWEA, NAVSUPFORANTARCTICA DET

CHRISTCHURCH NZ

g TWX: N/A

2 Booking Office: See Yokohama, Japan

(43) Nicaragua: See Panama

(44) Norway: See Germany

(45) Okinawa: See Japan

(46) Panama: (C)

(a) Location: Balboa, Panama

1 WCA for all Services

a Responsibility: All water shipments through the ports of Central and South
America (port identifier codes B__, CQ__, CR__, CS__, CT__, CU__, CV__, CW__, D__, E__, and F__)

b Organization: MTMC Terminal Panama

c Mail: Commander, MTMC Terminal Panama, Drawer 21, APO AA 34004-5000

d DSN: (313) 282-3851/3105

e Telephone: N/A

f *Defense data network/internet (DDN/internet), Email, Defense Automated
Addressing System Center (DASC), Value Added Network (VAN).*

g ETM: CDR MTMC TERM PAN BALBOA PN //MTE-PN//

2 Booking Office: See CONUS OCCA, Eastern Area

(47) Paraguay: See Panama

(48) Peru: See Panama

(49) Philippines: (P)

(a) Location: Subic Bay

1 WCA for all Services

Philippines

a Responsibility: All water shipments through the ports in the Republic of the

Supply Depot, Subic Bay

b Organization: US Navy Sea Cargo Coordinator (NAVSEACAR COORD) Naval

1504

c Mail: Navy Sea Cargo Coordinator, U.S. Naval Supply Depot, FPO AP 96651-

d DSN: 844-1101

e Telephone: 882-3295

f DDN: COMM RI RUHJWUA, NAVSEACARCOORD Subic Bay, RP

g TWX: N/A

2 Air Force Liaison offices:

Bay (SA3)

a Responsibility: All Air Force-sponsored shipments through the port of Subic

b Organization: U.S. Air Force, 3 Trans/Water Port Liaison Office

c Mail: USAF WPLO (Code 402C), Box 33, NSD S-8, FPO AP 96651-5000

d DSN: 844-1101

e Telephone: 882-3082/3812

f DDN: COMM RI RHMOGOA, USAF WPLO Subic Bay RP

g TWX: RHMOGOA, USAF WPLD Subic Bay RP

3 Booking Office:

a Responsibility: All water shipments from ports in the Republic of the Philippines
(port codes beginning with S)

b Organization: MTMCTY OCBO, Subic Bay, Philippines

c Mail: Chief, MTMCTY OCBO, Subic Bay RP, Box 33, FPO AP 96651-5000

d DSN: 382-3532

e Telephone: 011-63-898-23532

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g Message Address: CH MTMCTY OCBO SUBIC BAY RP

(50) Portugal: (E)

(a) Location: Lisbon

1 WCA for all Services

a Responsibility: All water shipments through the ports of Portugal (KA_)

b Organization: MTMC Outport Lisbon

c Mail: Chief, MTMC Outport Lisbon, ATTN: MTC-LB, APO AE 09678-0001.
(Civil Post) Chief, MTMC Outport, Lisbon, American Embassy, Av. Forcas Armadas, Sete Rios, 1600 Lisbon, Portugal

d DSN: 723-1110, ask for MAAG Portugal

e Telephone: Country 35, Area 11, No 726-5632 or 726-6659/8880. 8670, Ext

2281/1182

f DSN: 723-1110, Ask for American Embassy, and then the MTMC Outport

g ETM: CHIEF MTMC OUTPORT LISBON PO//MTC-LB//

h TELEX: Country 404 No 12528 (AMEMB P)

2 Booking Office: See Italy, Naples

(51) Puerto Rico: (L)

(a) Location: U.S. Naval Station, Roosevelt Roads

1 WCA for all Services

a Responsibility: All water shipments through Roosevelt Roads (CK2)

b Organization: U.S. Naval Station, Roosevelt Roads, Puerto Rico

c Mail: Supply Department, Code N405, Box 3002, PSC 1008, FPO AA 34051

d DSN: 831-3348/3098

e Telephone: (809) 865-3348/3098

f DDN: COMM RI RUCLDHA

g ETM: NAVSTA ROOSEVELT ROADS PR

h TWX: NAVSTA ROOSEVELT ROADS PR//N405

2 Booking Office: See CONUS OCCA, Eastern Area

(b) Location: San Juan

1 WCA for All Services

a Responsibility: All water shipments through the ports of San Juan (CK1 & CKA)

b Organization: MTMC Terminal, San Juan, Puerto Rico

Puerto Rico 00934

c Mail: CDR MTMC Terminal, Bldg. 20, Mail & Distribution Ctr, Fort Buchanan,

d DSN: N/A

e Telephone: (809) 793-2895/781-5102

f TWX: CDRMTMC TERMINAL PR//MTEA-SAO-PR

2 Booking Office: See CONUS OCCA, Eastern Area

(52) Sicily: See Italy

(53) Scotland: See United Kingdom

(54) Spain: (E)

(a) Location: Rota

1 WCA for all Services

a Responsibility: All water shipments *through the ports of Spain (JL_, KJ_, and KL_)*. *Does not include Gibraltar (KJ4)*.

b Organization: U.S. Naval Station, Rota, Spain

c Mail: (USPS) WCA, US Naval Station, **PSC 819, Box 8, Code SUMT**, FPO AE **09645-1600**. (Civil Post) Supply Department, **Code SUMT**, Apartado 33, Base Naval de Rota, **CADIZ**, Spain **(11520)**

d DSN: 727-2255/2966/2790

e Telephone: 34-56-822255/822966/822790

f DDN: Host @0 192.42.245.2

g **SALTS: NAVAL STATION ROTA SUPPLY DEPARTMENT**

h. **E-MAIL: ROTATRANS@CPO-LINK.EUCOM.MIL**

2 Booking Office: See Naples, Italy

(55) Taiwan: (P)

(a) Location: Taipei⁵

1 WCA for all Services. Questions connected with the movement of all DoD personnel and material to/from Taiwan should be directed to:

a Address: American Institute on Taiwan, 7, Lane 134, HSIN, YI Road, Section 3,
Taipei

b Telephone: 708-4150

c TWX: AIT TAIPEI TW

2 Booking Office: See Japan, Yokohama

(56) Tunisia: (E)

(a) Location: Tunis

1 WCA point of contact for all Services

a Responsibility: Point of contact for all ocean shipments through Tunisia

b Organization: USLO-Tunisia

c Mail: USLO-Tunisia, State Department Pouch Room, Washington, DC 20520-

0001

d DSN: N/A

e Telephone: 00216-1-282-566, Ext 2191

f DDN: COMM RI N/A

g ETM: USLOT TUNIS TS

2 Booking Office: See Naples, Italy

⁵ The Air Asia Company LTD, Air Force Contractor - E-systems will continue to operate indefinitely in Taiwan. Future Shipments destined for Air Asia Company LTD will be routed to 18 TRNSS/LGTT, Kadena AB, JA, M/F Air Asia Company LTD, as delineated by PACAF.

(57) Turkey: (E)

(a) Location: Iskenderun

1 WCA for all Services

a Responsibility: All water shipments through the port of Iskenderun (LQ1)

b Organization: MTMC Outport, Iskenderun, Turkey

c Mail: (US) Chief, MTMC Outport Iskenderun, ATTN: MTC-IK, APO AE 09289-5000. (Civil Post) Chief, MTMC Outport Iskenderun, ATTN: MTC-IK, P.K. 99, Iskenderun, Turkey

d DSN: 676-1110, ask for Iskenderun

e Telephone: 90-881-13353/11989

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g ETM: CHIEF MTMC OUTPORT ISKENDERUN TU//MTC-IK//

h Telex: Country 607 No 68126

2 Booking Office: See Naples, Italy

(b) Location: Istanbul

1 WCA for all Services

a Responsibility: All water shipments through ports in vicinity of Istanbul (LR2, LR3, LR6, and LR7)

b Organization: MTMC Outport, Istanbul, Turkey

c Mail: (US) Chief, MTMC Outport Istanbul, ATTN: MTC-IT, APO AE 09380-5000. (Civil Post) Chief, MTMC Outport Istanbul, ATTN: MTC-IT, 1 No. Lu denizilik Bankasi Ambari, Salipazari, Istanbul, Turkey

d DSN: 672-1110

e Telephone: 90-11-451266/451267

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g ETM: CHIEF MTMC OUTPORT ISTANBUL TU//MTC-IT//

h Telex: Country 607, No 22619

2 Booking Office: See Naples, Italy

(c) Location: Izmir

1 WCA for all Services

a Responsibility: All water shipments through the port of Izmir (LR1)

b Organization: MTMC TTU TURKEY, Izmir, Turkey

c Mail: (US) Commander, MTMC TTU Turkey, ATTN: MTC-IM, APO AE 09224-5000. (Civil Post) Commander, MTMC TTU Turkey ATTN: MTC-IM, Sair Esref Bulvari 31/3, Izmir, Turkey

d DSN: 672-1110, ask for 3480/3411/3406

e Telephone: 90-51-145360 or 145367, Ext 3411/3480

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g ETM: CDR, MTMC TTU TURKEY IZMIR TU//MTC-IM/ (no punch card data)

h Telex: Country 607 No. 52377

2 Booking Office: See Naples, Italy

(58) United Kingdom: (E)

(a) Location: Felixstowe, Suffolk, England

1 WCA for all Services

a Responsibility: All water shipments through the ports of England (HA_, HB_, and HC_), Ireland (HD_), certain ports of Scotland (i.e., HED, HEF, HE4, HFZ, HF4, and HF6) and **Gibraltar (KJ4)**.

b Organization: MTMC Terminal United Kingdom

c Mail: (USPS) Commander, MTMC Terminal United Kingdom, ATTN: MTC-UK-TM, APO AE 09755-5000 (Civil Post) Commander, MTMC Terminal United Kingdom ATTN: MTC-UK-TM, Nr 2 Bldg., Parker Avenue, Felixstowe, Suffolk, England

d DSN: 225-1110, ask for U.S. Army Felixstowe

e Telephone: Country 44, Area 394, No 282357

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g ETM: Same as AUTODIN

h Telex: Country 51 No 98449

i MILNET/DDN: MTMCUK @ MINET-LON-EM

2 Booking Office:

beginning with H)

a Responsibility: All water shipments from United Kingdom ports (port codes

b Organization: MTMC TTCE OCBO-UK

5000

c Mail: Chief, MTMC TTCE OCBO-UK, ATTN: MTC-TMD-UK, APO AE 09755-

d DSN: 225-1110, ask for US Army Felixstowe

e Telephone: 44-394-282965

f *Defense data network/internet (DDN/internet), Email, Defense Automated Addressing System Center (DASC), Value Added Network (VAN).*

g Message Address: CH MTMC OCBO-UK FELIXSTOWE UK //MTC-TMD-UK//

h Telex: Country 51, No 98449

i MILNET/DDN: OCBO @ MINET-LON-EM

(59) Uruguay: See Panama

(60) Venezuela: See Panama

(61) Wake Island: See Hawaii

(62) Zaire: (E)

(a) Location: Kinshasa

1 WCA Point of contact for all Services

a Responsibility: Point of contact for all ocean shipments through Zaire

b Organization: U.S. Military Mission to Zaire

c Mail: U.S. Military Mission to Zaire, APO AE 09662-5000

d DSN: N/A

e Telephone: Kinshasa, Zaire 22591

f DDN: COMM RI N/A

g ETM: ZAMISH KINSHASA CG

2 Booking Office: See Naples, Italy

7. Overseas ACAs are listed alphabetically according to their location. The listings detail the ACA's responsibility for specific areas and sponsoring Services. Each entry provides the mailing address, telephone number(s), routing indicator codes, and message (ETM/TWX) address. The letter in parentheses following the country indicates the theater designation as listed in paragraph 2.

a. Alaska: (A)

(1) Location: Elmendorf AFB, Alaska

(a) Service: All

1 Responsibility: Alaska

2 Organization: 11AF/LGTTB, Elmendorf AFB, Alaska

3 Mail: Commander, 11AF/LGTTB, Elmendorf AFB, AK 99506-2150

4 DSN: (317) 552-4320 or 4936

5 Telephone: (907) 552-4320 or 4936

6 DDN: COMM RI RHKAALA

7 ETM: 11AF Elmendorf AFB AK//LGTTB//

b. Antigua: See West Indies

c. Argentina: See Panama

d. Australia: (P)

(1) Location: Canberra

(a) Service: All

1 Responsibility: All DoD air cargo routed through Australia aerial ports except

Learmonth

2 Organization: Traffic Management Office, USAFLO USCINCPACREP, Canberra,

Australia

3 Mail: Traffic Management Office, USAFLO USCINCPACREP, U.S. Embassy APO

AP 96404-5060

4 DSN: N/A

5 Telephone: 062-732-229

6 DDN: COMM RI N/A

7 Message Address: CINCPACREPAUST CANBERRA AS

(2) Location: Learmonth, W. Australia

(a) Service: All

1 Responsibility: All DOD-sponsored air cargo routed through Learmonth

2 Organization: AMC Representative, Learmonth, U.S. Naval Communications
Station, Harold E. Holt, Australia

3 Mail: AMC Representative, U.S. Naval Communication Station, FPO AP 96680-
5000

4 DSN: N/A

5 Telephone: 099-49-3367

6 DDN: COMM RI RUHJKBA, NAVCOMMSTA, Harold E. Holt, Exmouth, AS

7 TWX: RUYASAA, NAVCOMMSTA, Harold E. Holt, Exmouth, AS

e. Azores: See Spain

f. Bahrain: (E)

(1) Location: Bahrain

(a) Service: All

1 Responsibility: Bahrain Island

2 Organization: Commander, Middle East Force, Bahrain

3 Mail: Administrative Support Unit, FPO AE 09526-5000

4 DSN: (324) 237-1110, Ext 65

5 Telephone: (973) 243277, Ext 65

6 DDN: COMM RI RUDDHAA

7 ETM: ADMINSUPU BAHRAIN

g. Belgium: See Germany

h. Bolivia: See Panama

i. Brazil: See Panama

j. Canada: (L)

(1) Location: Argentia, Newfoundland

(a) Service: All

1 Responsibility: All DoD air shipments destined for Communications Research Squadron, Gander, Newfoundland Island

2 Organization: U.S. Naval Facility, Argentia, Newfoundland

3 Mail: Personal Property Office, Box 1, U.S. Naval Facility, FPO AE 09597-1103

4 DSN: 622-1690, Ext 32

5 Telephone: (709) 227-5643

6 DDN: COMM RI N/A

7 ETM: ARGENTIA CAN

8 TWX: 016-3144

k. Chile: See Panama

l. Colombia: See Panama

m. Costa Rica: See Panama

n. Crete: See Greece

o. Cuba: (L)

(1) Location: Guantanamo Bay

(a) Service: All

1 Responsibility: All DoD air cargo consigned through U.S. Naval Station and U.S. Naval Air Station, Guantanamo Bay

2 Organization: U.S. Naval Base, Guantanamo Bay, Cuba

3 Mail: Receiving Officer, PSC 1005, Box 33, FPO AE 09593-0133

4 DSN: 723-3960, Ext 4495

5 Telephone: 011-53-99-4495

6 DDN: COMM RI RUEBAHA

7 ETM: NAVSTA GUANTANAMO BAY CU

8 TWX: RUEBAHA NAVSTA GUANTANAMO BAY CU//23

p. Denmark: See Germany

q. Diego Garcia: (P)

(1) Location: Diego Garcia

(a) Service: All

1 Responsibility: All DoD air cargo routed to/through Diego Garcia (NKW)

2 Organization: U.S. Navy Support Facility Diego Garcia

3 Mail: U.S. Navy Support Facility, Box 20, FPO AP 96685-2000

4 DSN: 870-0111, Ext 4140/4331/5567

5 Telephone: None

6 DDN: COMM RI RUVNSAA, NAVSUPPFAC DIEGO GARCIA

7 TWX: NAVSUPPFAC DIEGO GARCIA

r. Dominican Republic: See Panama

s. Egypt: See Spain, Torrejon AB

t. El Salvador: See Panama

u. England: See United Kingdom

v. Ecuador: See Panama

w. Ethiopia: See Spain, Torrejon AB

x. France: See Germany

y. Germany: (E)

(1) Location: Ramstein

(a) Service: All

1 Responsibility: Benelux, Denmark, France, Germany, Norway, and Switzerland for all air cargo including class A & B explosives.

2 Organization: 7300 MATRON, Ramstein AB, Germany

3 Mail: 7300 MATRON/LGT ACA, APO AE 09012

4 DSN: 424-5213/5314

5 Telephone: None

6 DDN: COMM RI None

7 ETM: 7300 MATRON RAMSTEIN AB GE//ACA//

(2) Location: Rhein Main

(a) Service: All

1 Responsibility: Benelux, Denmark, France, Germany, Norway, and Switzerland for all air cargo except class A & B explosives

2 Organization: Det 2 7300 MATRON, Rhein Main AB, Germany

3 Mail: Det 2 7300 MATRON ACA, APO AE 09057

4 DSN: 330-6707/3207

5 Telephone: None

6 DDN: COMM RI None

7 ETM: Det 2 7300 MATRON Rhein Main AB, Germany//ACA//

z. Greece: (E)

(1) Location: Hellenikon AB

(a) Service: All

1 Responsibility: Crete, Greece, and Italy (Brindisi) for all DoD air cargo

2 Organization: 7206 Air Base Group, Hellenikon AB, Greece

3 Mail: 7206 ABG/LGTT (ACA), APO AE 09223-5000

4 DSN: 662-5556

5 Telephone: None

6 DDN: COMM RI None

7 ETM: 7206 ABG HELLENIKON AB GR//LGTT ACA//

aa. Guam: See Mariana Islands

ab. Guatemala: See Panama

ac. Hawaii: (P)

(1) Location: Honolulu

(a) Service: Army

- 1 Responsibility: All Army-sponsored air shipments through Hickam AFB (HIK)
- 2 Organization: U.S. Army, ACA, Hickam AFB
- 3 Mail: USAACA, Hawaii, Hickam Air Force Base, HI 96853
- 4 DSN: 430-0111
- 5 Telephone: (808) 449-6770
- 6 DDN: COMM RI RUHHHMA
- 7 TWX: RUHHHMA/CDRUSASCH Ft Shafter, HI//APZV-DIT-C//

(b) Service: Navy, Marine Corps, and Coast Guard

- 1 Responsibility: All Navy, Marine Corps and Coast Guard air shipments through Hickam AFB (HIK) and Honolulu International Airport
- 2 Organization: Naval Supply Center, Pearl Harbor, Hawaii
- 3 Mail: Director, Air Cargo Br/NOACT, AMC Air Freight Terminal, Bldg. 4069, Hickam Air Force Base, HI 96853-5000
- 4 DSN: 430-0111
- 5 Telephone: (808) 449-6532/6621/6436
- 6 DDN: COMM RI N/A
- 7 Message Address: NOACT HICKAM AFB HI

(c) Service: Air Force

- 1 Responsibility: All Air Force-sponsored air shipments through Hickam AFB (HIK)
- 2 Organization: Air Force ACA, Hickam AFB, Hawaii
- 3 Mail: 15 Transportation Squadron/LGTTACA, Hickam AFB, HI 96853-5000
- 4 DSN: 430-0111
- 5 Telephone: (808) 449-5072
- 6 DDN: COMM RI RUHVAAA
- 7 TWX: RUHVAAA/15 TRNSS HICKAM AFB HI //LG TACA

ad. Honduras: See Panama

ae. Iceland: (L)

(1) Location: Keflavik

(a) Service: All

1 Responsibility: All DoD air shipments through Keflavik (KEF)

2 Organization: U.S. Naval Air Station, Keflavik, Iceland

3 Mail: Material Division Officer (HHG), U.S. Naval Air Station, Keflavik, PSC 1003,
Box 21, FPO AE 09278-0321

4 DSN: 450-7998/4618/4336

5 Telephone: 011-354-25-7998/4618/4336

6 DDN: COMM RI RUEOBML

7 ETM: NAVAIRSTA KEFLAVIK IC

8 TWX: NAVSTA KEFLAVIK IC//405

af. Ireland: See United Kingdom

ag. Israel: (E)

(1) Location: Tel Aviv

(a) Service: All

1 Responsibility: Point of contact for air shipments through Israel

2 Organization: USDAO, American Embassy Tel Aviv

3 Mail: USDAO, American Embassy Tel Aviv, APO AE 09672-5000

4 DSN: N/A

5 Telephone: 00972-3-654338, Ext 361

6 DDN: COMM RI N/A

7 ETM: USDAO TEL AVIV IS

ah. Italy: (E) (also see Greece)

(1) Location: Naples

(a) Service: All

- 1 Responsibility:** Immediate vicinity of Naples
- 2 Organization:** U.S. Navy Support Activity, Naples
- 3 Mail:** (USPS) U.S. Naval Support Activity, Box 5, FPO AE 09521-5000. (Civil Post)
U.S. Naval Support Activity, via E. Scarfoglio, Pozzuoli (Napoli) 80078
- 4 DSN:** 625-1110, Ext 4290/4291
- 5 Telephone:** 0039-081-724-4290/4291
- 6 DDN:** COMM RI RUFLSKA
- 7 ETM:** ACA, US NAVSUPPACT, NAPLES IT
- 8 MINET Terminal:** Matnsa CPO

(2) Location: Sigonella

(a) Service: All

- 1 Responsibility:** Immediate vicinity of Sigonella
- 2 Organization:** Naval Air Station, Sigonella, Italy
- 3 Mail:** ACA, U.S. Naval Air Station, FPO AE 09523-5000
- 4 DSN:** 624-1110, Ext 5371/5375
- 5 Telephone:** 095-861110, Ext 5371/5375
- 6 DDN:** COMM RI REFLEWA
- 7 ETM:** ACA, US NAV AIR STA, SIGONELLA, IT

(3) Location: Aviano AB

(a) Service: All

- 1 Responsibility:** Northeastern Italy
- 2 Organization:** 40 TAC GP Aviano AB, Italy
- 3 Mail:** 40 TAC GP/LGTT (ACA), APO AE 09293-5000
- 4 DSN:** 623-1110, Ext 646
- 5 Telephone:** None

6 DDN: COMM RI None

7 ETM: 40 TAC GP AVIANO AB ITALY/LGTT ACA

ai. Japan: (including Okinawa) (P)

(1) Location: Iwakuni

(a) Service: All

1 Responsibility: Iwakuni, Japan

2 Organization: Marine Corps Air Station Iwakuni

3 Mail: Marine Corps Air Station Iwakuni, FPO AP 98764-5000

4 DSN: 253-3456

5 Telephone: None

6 DDN: COMM RI RHARSAA

7 TWX: RJOI

(2) Location: Kadena, Okinawa

(a) Service: Army

1 Responsibility: All Army-sponsored air shipments through Kadena AB (DNA)

2 Organization: U.S. Army Garrison, Okinawa, Director of Logistics

3 Mail: U.S. Army Garrison, Okinawa, Director of Logistics, ATTN: AJGO-LT (ATCO),

APO AP 96331-0008

4 DSN: 634-1450/1457

5 Telephone: No commercial telephone

6 DDN: COMM RI CDR USAGO MAKIMINATO JA //AJGO-LT//

7 TWX: RUADBEA CDRUSAGO MAKIMINATO JA //AJGO-LT//

(b) Service: Navy

1 Responsibility: All Navy-sponsored air shipments through Okinawa aerial ports

2 Organization: Commander, Fleet Activities, Okinawa

3 Mail: COMFLEACT Okinawa, ATTN: Log Dept, Matl Div, Box Log Dept, FPO AP

98770-1150

4 DSN: 630-1110 (operator)

5 Telephone: 634-1447/1059

6 DDN: COMM RI RUYRSAA, COMFLEACT OKINAWA JA

7 TWX: N/A

(c) Service: Air Force

1 Responsibility: All Air Force-sponsored air shipments through Kadena AB (DNA)

2 Organization: HQ 313 Air Division, Kadena AB, Japan

3 Mail: 313 Air Division/LGTL, APO AP 96239-5000

4 DSN: 630-1110

5 Telephone: 634-4492/3306

6 DDN: COMM RI RUADKEA/313 AD KADENA AB JA/LGTL

7 TWX: RUADKEA/313 AD KADENA AB JA/LGTL

(d) Service: Marine Corps

(DNA) 1 Responsibility: All Marine Corps-sponsored air shipments through Kadena AB

2 Organization: U.S. Marine Corps, Traffic Management Officer, Third Force Service Support Group, Camp Kinser, Okinawa

3 Mail: Traffic Management Office, Third Force Service Support Group, Fleet Marine Force, FPO AP 96602-5000

4 DSN: 640-1110

5 Telephone: 637-3919

6 DDN: COMM RI RUADBEA/CG Third FSSG

7 TWX: N/A

(3) Location: Misawa

(a) Service: All

1 Responsibility: Misawa AB, Japan

2 Organization: Traffic Management Office, Misawa AB

3 Mail: 6112 ABW/LGTACA, APO AP 96519-5000

4 DSN: 248-1101

5 Telephone: 266-3292/5629

6 DDN: COMM RI RUKWAA

7 TWX: 6112 ABW MISAWA AB JA/LGTACA

(4) Location: Yokota

(a) Service: Army

1 Responsibility: All Army-sponsored air shipments through Yokota AB (OKO)

2 Organization: U.S. Army, Air Traffic Coordinating Office, Yokota US Army

Garrison, Honshu

3 Mail: U.S. Army ATCO, U.S. Army Garrison, Honshu APO AP 96328-5000

4 DSN: 242-1101

5 Telephone: 225-7002/8700

6 DDN: COMM RI RUMMJNA/ATTN: Army ATCO

7 TWX: RUMMJNA/U.S. ARMY ATCO YOKOTA JA //IO-TR-ZA//

(b) Service: Navy, Marine Corps, and Coast Guard

1 Responsibility: All Navy-, Marine Corps-, and Coast Guard-sponsored air shipments through Yokota AB (OKO)

2 Organization: U.S. Navy Overseas Air Cargo Terminal (NOACT)

3 Mail: Chief Petty Officer in Charge, U.S. Navy Overseas Air Cargo Terminal (NOACT), Building 79, APO AP 96328

4 DSN: 248-1101, then ask for local number below

5 Telephone: 225-9428/9514/8979/8782

6 DDN: COMM RI RUADJNA, NOACT YOKOTA AB, JA

7 TWX: RUADJTA, NOACT YOKOTA AB, JA (commercial refuel point)

(c) Service: Air Force

1 Responsibility: All Air Force sponsored air shipments through Yokota AB (OKO)

3 Mail: 475 Trans Sq/LGTAC, APO AP 96328-5000

4 DSN: 248-1101

5 Telephone: 225-8874/9041

6 DDN: COMM RI 475TRNSS YOKOTA AB JA/LGTAC

7 TWX: 475TRNSS YOKOTA AB JA/LGTAC

aj. Korea: (P)

(1) Location: Kunsan

(a) Service: All

1 Responsibility: Kunsan Air Base activities

2 Organization: Kunsan AB, Korea

3 Mail: 8TFW/LGTT, APO AP 96264

4 DSN: 272-2345

5 Telephone: 5418/5345

6 DDN: COMM RI RUAKMLA

7 TWX: RUAKMLA/8 TFW KUNSAN AB KOREA//LGTT//

(2) Location: Kwang Ju

(a) Service: All

1 Responsibility: Kwang Ju Air Base

2 Organization: 6171 Combat Support Squadron

3 Mail: 6171 AB SQ/LGTT, APO AP 96324-5000

4 DSN: 271-1234 (Osan AB), ask for Kwang Ju number below

5 Telephone: 4016/4784

6 DDN: COMM RI N/A

7 TWX: RUAKLSA/6171 ABS KWANG JU AB KOREA//LGTT//

(3) Location: Osan

(a) Service: All

(a) Service: All

1 Responsibility: All DoD-sponsored air shipments through Osan AB, Kimpo, and Taegu except Air Force-sponsored shipments through Osan and Taegu

2 Organization: Commander, 25th Transportation Center (MC)

3 Mail: Commanding Officer, U.S. Army/Navy Air Traffic Coordinating Office, 25th Transportation Center (MC), APO AP 96301-5000

4 DSN: 262-3715/3985

5 Telephone: 293-5675

6 DDN: COMM RI CDR 25th TRANSCON (MC) SEOUL KOR//EATC-MF//

7 TWX: RUAGAAA

(b) Service: Air Force

1 Responsibility: All Air Force-sponsored air shipments through Osan Air Base

2 Organization: Osan Air Base, Korea

3 Mail: 51 Trans Sq/LGTT, APO AP 96570-5000

4 DSN: 271-1234

5 Telephone: None

6 DDN: COMM RI RUAKKRA

7 TWX: 51 COMPW OSAN AB KOREA//LGTT//

(4) Location: Taegu

(a) Service: All

1 Responsibility: Taegu AB Korea

2 Organization: 6168 AB SQ/LGTT

3 Mail: 6168 CSS, APO AP 96213-5000

4 DSN: 271-1234 (Osan AB) ask for Taegu number below

5 Telephone: 4725/4328

6 DDN: COMM RI N/A

7 TWX: RUAKRSA/6168 ABS TAEGU AB KOREA//LGTT//

5000

(1) Location: Beirut

(a) Service: All

- 1 Responsibility: point of contact for air shipments through Lebanon
- 2 Organization: USOMC, Beirut
- 3 Mail: USOMC, Beirut, State Department Pouch Room, Washington, DC 20520-
- 4 DSN: N/A
- 5 Telephone: Beirut, Lebanon 452-964
- 6 DDN: COMM RI N/A
- 7 ETM: USOMC BEIRUT LE

al. Liberia: (E)

(1) Location: Monrovia

(a) Service: All

- 1 Responsibility: point of contact for air shipments through Liberia
- 2 Organization: U.S. Military Mission to Liberia
- 3 Mail: U.S. Military Mission to Liberia, APO AE 09155-5000
- 4 DSN: N/A
- 5 Telephone: Monrovia, Liberia 221755/224137
- 6 DDN: COMM RI N/A
- 7 ETM: LIBMISH MONROVIA LI

am. Mariana Islands: (P)

(1) Location: Guam

(a) Service: Air Force

- 1 Responsibility: Guam, except Navy and Marine Corps
- 2 Organization: Air Force Clearance Authority, Anderson AFB, Guam
- 3 Mail: 43d CSG/LGTT, APO AP 96334-5000

3 Mail: 43d CSG/LGTT, APO AP 96334-5000

4 DSN: 322-1110

5 Telephone: 362-3140 or 366-5272

6 DDN: COMM RI RUHJOFA

7 TWX: RUHGSAA/43 CSG ANDERSON AFB GU//LGTT//

(b) Service: Navy and Marine Corps

1 Responsibility: All Navy- and Marine Corps-sponsored air shipments through Anderson AFB (UAM) and NAS Agana/Guam International Airport (GUM)

2 Organization: U.S. Naval Supply Depot, Guam, Mariana Islands

3 Mail: Commanding Officer, U.S. Naval Supply Depot (Code 400), FPO AP 96630-

5000

4 DSN: (315) 339-5180/7239

5 Telephone: (671) 339-5180/7239

6 DDN: COMM RI RUHJHFT (data)

7 TWX: RUHGXPA NSD GUAM

an. Midway Island: (P)

(1) Location: Midway Island

(a) Service: All

1 Responsibility: All air shipments through Midway Island

2 Organization: Naval Air Facility, Midway Island

3 Mail: Officer-In-Charge, NAF Midway Island, FPO AP 96614-5000

4 DSN: 430-0111, Ext 400/814/541

5 Telephone: Via Honolulu, Hawaii International Operator (808) 422-0531, Ext

400/814/541

6 DDN: COMM RI N/A

7 Message Address: NAF MIDWAY ISLAND

ao. Morocco: See Spain, Torrejon AB

aq. New Zealand: (P)

(1) Location: Christchurch International Airport

(a) Service: All

1 Responsibility: All DoD air shipments for New Zealand

2 Organization: Naval Support Force Antarctica, Detachment Christchurch

3 Mail: Officer in Charge, Naval Support Force Antarctica, Detachment Christchurch,
FPO AP 96690-2900

4 DSN: N/A

5 Telephone: Christchurch 583-079, Ext 8016/8013/8017

6 DDN: COMM RI RUHHWEA, NAVSUPFORANTARCTICA DET
CHRISTCHURCH NZ

7 TWX: N/A

ar. Nicaragua: See Panama

as. Norway: See Germany

at. Okinawa: See Japan

au. Panama: (C)

(1) Location: Ft Clayton, Panama

(a) Service: All

1 Responsibility: Central America, South America, and Dominican Republic

2 Organization: Air Traffic Coordinating Office, 193d Infantry Brigade (Panama)

3 Mail: Commander, 193d Infantry Brigade (Panama), Transportation Division, ATTN:
AFZU-DIT, APO AA 34004-5000.

4 DSN: (312) 285-5616

5 Telephone: Overseas Operator 87 plus Ext. 5616

6 DDN: COMM RI RULPAKA, CDR 193D INF BDE (PAN) FT CLAYTON PN//AFZU-
DIT-C//

7 ETM: RULPAKA, CDR 193D INF BDG (PAN) FT CLAYTON PN//AFZU-DIT-C//

av. Paraguay: See Panama

av. Paraguay: See Panama

aw. Peru: See Panama

ax. Philippines: (P)

(1) Location: Clark Air Base

(a) Service: Army and Air Force

the Philippines

1 Responsibility: All Army- and Air Force-sponsored air shipments in the Republic of

2 Organization: U.S. Air Force ACA, Clark AB

3 Mail: 3 TFW/LGTTA, APO AP 96274-5000

4 DSN: 822-1101

5 Telephone: 21107/24118

6 DDN: COMM RI RUMIAAA

7 TWX: RUMIAAA/3 TFW CLARK AP RP/LGTTA

(b) Service: Navy, Marine Corps, and Coast Guard

through Clark AB (CRK)

1 Responsibility: All Navy-, Marine Corps-, and Coast Guard-sponsored air shipments

Depot, Subic Bay, RP

2 Organization: U.S. Navy Overseas Air Cargo Terminal (NOACT), Naval Supply

3 Mail: Navy Overseas Air Cargo Terminal, Clark Air Base, APO AP 96274-5000

4 DSN: 822-1101, Ext 33555

5 Telephone: 89-33555

6 DDN: COMM RI RHMIAAA, NOACT Clark AB, RP

7 TWX: N/A

(2) Location: NAS Cubi Point

(a) Service: Navy, Marine Corps, Coast Guard, and Air Force

shipments through NAS Cubi Point (CUA)

1 Responsibility: All Navy-, Marine Corps-, Coast Guard-, and Air Force-sponsored air

2 Organization: U.S. Navy, Naval Air Station, Cubi Point, RP

4 DSN: 885-3211

5 Telephone: 885-3211/3749

6 DDN: COMM RI RUHHWIB

7 Message Address: RUHHWIA AIR TERMINAL NAS CUBI PT RP

ay. Portugal: See Spain

az. Puerto Rico: (L)

(1) Location: U.S. Naval Station, Roosevelt Roads

(a) Service: All

1 Responsibility: All DoD air shipments through Roosevelt Roads (NRR)

2 Organization: U.S. Naval Station, Roosevelt Roads, Puerto Rico

3 Mail: Supply Department, Code N405, Box 3002, PSC 1008 FPO AA 34051-3002

4 DSN: 831-3348/3098

5 Telephone: (809) 865-3348/3098

6 DDN: COMM RI RUCLDHA

7 ETM: NAVSTA ROOSEVELT ROADS PR

8 TWX: NAVSTA ROOSEVELT ROADS PR/N405

ba. Scotland: See United Kingdom

bb. Sicily: See Italy

bc. Spain: (E)

(1) Location: Rota

(a) Service: All

1 Responsibility: Immediate vicinity of Rota, Spain

2 Organization: U.S. Naval Station, Rota, Spain

3 Mail: ACA, U.S. Naval Station, FPO AE 09540-1261

4 DSN: 727-1110, Ext 2170

5 Telephone: 36-56-862780, Ext 2170

5 Telephone: 36-56-862780, Ext 2170

6 DDN: COMM RI RUTKSHH

7 ETM: ACA, U.S. NAVSTA ROTA, SPAIN

(2) Location: Torrejon Air Base

(a) Service: All

1 Responsibility: North Africa, Portugal, and Spain (other than Rota)

2 Organization: Det 4, 7300 MATRON, Torrejon AB, Spain

3 Mail: Det 4, 7300 MATRON/ACA, APO AE 09283-5000

4 DSN: 723-6170/6842

5 Telephone: N/A

6 DDN: COMM RI N/A

7 ETM: Det 4, 7300 MATRON, TORREJON AB SPAIN//ACA//

bd. TAIWAN: (P)

(1) Questions connected with the movement of all DoD personnel and materiel to/from Taiwan should be directed to The Air Asia Company LTD, Air Force Contractor - E-systems will continue to operate indefinitely in Taiwan. Future shipments destined for Air Asia Company LTD will be routed to 18 TRNSS/LGTT, Kadena AB, JA, M.F Air Asia Company LTD, as delineated by PACAF

(a) Address: American Institute on Taiwan, 7, Lane 134, HSIN YI Road, Section 3, Taipei

(b) Telephone: 708-4150

(c) TWX: AIT TAIPEI TW

be. Tunisia: (E)

(1) Location: Tunis

(a) Service: All

1 Responsibility: Point of contact for all air shipments through Tunisia

2 Organization: USLO-Tunisia

3 Mail: USLO-Tunisia, State Department Pouch Room, Washington, DC 20520-5000

4 DSN: N/A

6 DDN: COMM RI N/A

7 ETM: USLOT TUNIS TS

bf. Turkey: (E)

(1) Location: Incirlik, Turkey

(a) Service: All

1 Responsibility: Turkey

2 Organization: Det 6, 7300 MATRON, Incirlik, Turkey

3 Mail: Det 6, 7300 MATRON/ACA, APO AE 09289-5000

4 DSN: 676-6707/3207

5 Telephone: N/A

6 DDN: COMM RI N/A

7 ETM: Det 6, 7300 MATRON, INCIRLIK TU//ACA//

bg. Uganda: (E)

(1) Location: Kampala

(a) Service: All

1 Responsibility: Point of contact for all air shipments through Uganda

2 Organization: American Embassy Kampala

3 Mail: American Embassy Kampala, State Department Pouch Room, Washington,

DC 20520-5000

4 DSN: N/A

5 Telephone: Kampala Uganda 59791

6 DDN: COMM RI N/A

7 ETM: AMEMBASSY KAMPALA

bh. United Kingdom: (E)

(1) Location: Dublin, Ireland

(a) Service: All

1 Responsibility: Point of contact for all air shipments through Ireland

2 Organization: USDAO, American Embassy Dublin

3 Mail: USDAO, American Embassy Dublin, State Department Pouch Room,
Washington, DC 20520-5000

4 DSN: N/A

5 Telephone: 00351-1-688777, Ext 257

6 DDN: COMM RI N/A

7 ETM: USDAO DUBLIN IR

(2) Location: RAF Mildenhall, UK

(a) Service: All

1 Responsibility: All of the UK except Ireland and Scotland

2 Organization: Det 1, 7300 MATRON, RAF Mildenhall, United Kingdom

3 Mail: Det 1, 7300 MATRON/ACA, APO AE 09127-5000

4 DSN: 238-2232/2703

5 Telephone: 0638-712511, Ext 2232/2703

6 DDN: COMM RI N/A

7 ETM: Det 1, 7300 MATRON RAF MILDENHALL UK//ACA//

(3) Location: Prestwick, Scotland

(a) Service: All

1 Responsibility: All air shipments through Scotland

2 Organization: OL P 313 Aerial Port Squadron, Prestwick IAP, Scotland

3 Mail: (USPS) OL P 313 APS, FMA Box 50, APO AE 09049-5000 (Civil Post) OL P
313 APS (AMC), Prestwick International Airport, Prestwick, Ayrshire, Scotland KA92PO

4 DSN: 238-1110, ask for Prestwick

5 Telephone: 01144 292 79866

6 DDN: COMM RI RUDONAA

7 ETM: OL P 313 APS PRESTWICK IAP SCOTLAND

bi. Uruguay: See Panama

bj. Venezuela: See Panama

bk. Wales: See United Kingdom

bl. West Indies: (L)

(1) Location: Antigua

(a) Service: All

1 Responsibility: All DoD air shipments through Antigua

2 Organization: U.S. Naval Facility, Antigua

3 Mail: U.S. Naval Facility Antigua, FPO AA 34054-1040

4 DSN: 854-1110, Ext 450/479

5 Telephone: N/A

6 DDN: COMM RI N/A

7 ETM: NAVFAC ANTIGUA

bm. Zaire: (E)

(1) Location: Kinshasa

(a) Service: All

1 Responsibility: All air shipments through Zaire

2 Organization: U.S. Military Mission to Zaire

3 Mail: U.S. Military Mission to Zaire, APO AE 09662-5000

4 DSN: N/A

5 Telephone: Kinshasa, Zaire 22591

6 DDN: COMM RI N/A

7 ETM: ZAMISH KINSHASA CG

bn. Zambia: (E)

(1) Location: Lusaka

(a) Service: All

20520-5000

- 1 Responsibility: Point of contact for all air shipments through Zambia
- 2 Organization: American Embassy Lusaka
- 3 Mail: American Embassy Lusaka, State Department Pouch Room, Washington, DC
- 4 DSN: N/A
- 5 Telephone: Lusaka, Zambia 214911
- 6 DDN: COMM RI N/A
- 7 ETM: AMEMBASSY LUSAKA

Appendix K

SECURITY ASSISTANCE PROGRAM SHIPMENTS FOREIGN MILITARY SALES AND MILITARY ASSISTANCE PROGRAM

1. Shipments made under the Security Assistance Program require slightly different processes than most shipments in the DTS. In addition, security assistance shipments require an understanding of several terms not common to other shipments. This appendix explains those different processes and special terms, and is used with the general transportation procedures explained throughout MILSTAMP.

2. For transportation purposes, security assistance is defined in two categories:

a. The FMS program is that portion of United States security assistance under which the recipient provides reimbursement for defense articles and services transferred. It is authorized by the Foreign Assistance Act of 1961, as amended, and The Arms Export Control Act, as amended. The majority of FMS shipments involves a country freight forwarder located in CONUS as detailed in paragraph 3.d.(1), below.

b. The MAP is that portion of United States security assistance program which provides defense articles and services to recipients on a nonreimbursable or grant basis. MAP is authorized by the Foreign Assistance Act of 1961, as amended. Since MAP cargo is usually accepted by the recipient alongside the vessel at an overseas WPOD, the movement is normally made in the DTS until title transfers.

c. Both types of security assistance shipments (FMS and MAP) are identifiable by the unique character in the first position of the TCN or MILSTRIP requisition document number. The character used for shipments sponsored by the Army is a "B"; by the Air Force, a "D"; by the Marines, a "K"; and by the Navy, a "P." FMS and MAP shipments can be differentiated from each other by the entries in the fifth position of the document number and first position of the supplementary address as explained in paragraph 3.b., below, and figure K-2 respectively.

3. Prior to making a security assistance program shipment, the shipper determines information somewhat differently than for MILSTRIP shipments to DoD activities.

a. The TCN for a security assistance shipment is based on the MILSTRIP requisition document number. It is constructed and assigned as detailed in appendix C, paragraph 3. The MILSTRIP document number appears on the DD Form 1348-1A, Issue Release/Receipt Document; DD Form 250, Material Inspection and Receiving Report; DD Form 1149 Requisition and Invoice/Shipping Document; Purchase Request; Contract; Amended Shipping Instruction (ASI); or any other document which may result in a security assistance shipment. Unlike other MILSTRIP shipments, a new requisition and document number must be obtained from the requisitioner if the number of multiple shipments is too great to be accommodated by partial and split shipment codes; locally assigned TCNs are not used.

b. All FMS shipments are a result of a negotiated agreement. One of the elements included in the agreement is represented by the delivery term code (DTC).

(1) The DTC identifies the point at which the responsibility for moving an FMS shipment passes from the DoD to the purchasing nation or international organization. It is the fifth position (rp 34) of the MILSTRIP requisition number and perpetuated in MILSTAMP transactions to indicate the agreed terms of responsibility for delivery of the materiel. Title to the materiel usually passes at the origin regardless of the delivery terms. Figure K-1 is a list of DTCs complete with explanations.

(2) Accurate use of the DTC is essential since the cost of all transportation services is paid by the purchaser either through inclusion of the cost in the price of the item, by direct payment to the carrier(s), or by reimbursement to the United States. The Security Assistance Accounting Center (SAAC) reimburses the DoD Services and Agencies for all services performed in administering the FMS program. Using standard accessorial rates, the SAAC billing system adds the costs of packing, crating, and handling (PC&H) as well as transportation to the selling price of the materiel being shipped. While FMS customers are billed according to standard accessorial rates, SAAC reimburses the TCCs according to TCC billing rates.

(3) If materiel must be shipped by means or under conditions different than specified by the DTC, the SAAC is notified in order to avoid over or under billing the recipient. The activity which determines the need for a deviation notifies the sponsoring service International Logistics Control Office (ILCO) (see figure K-3) prior to making the deviation. If deviation is approved, the ILCO notifies the SAAC. These deviations may be required for a variety of reasons such as:

(a) When the freight forwarder working for the FMS customer is unable to arrange transportation from a CONUS POE to the recipient country and it is necessary to divert the shipment to the DTS.

(b) When one DTC has been negotiated for an entire FMS case (purchase contract) and a few items of that case are ineligible for shipment under the terms of the assigned DTC. Such ineligible shipments are usually "exception materiel" as described in subparagraph (4).

(4) Exception materiel is materiel which, due to its peculiar nature or increased transportation risks, requires special transportation handling and deviation from normal shipping procedures. This materiel includes classified items, firearms, explosives, lethal chemicals and other hazardous materials that require rigid movement control, and air cargo of such size that the item exceeds commercial capability. While some freight forwarders can process some exception materiel, most of these shipments receive special consideration.

(a) Freight forwarders who have been cleared to handle classified shipments are listed in the MAPAD as indicated in subparagraph 3.d., below. All other shipments of classified materiel are forwarded (by GBL) to a military controlled POE, the country's embassy (consulate, mission, etc.), or other recipient determined by the sponsoring Service ILCO.

(b) Shipments of firearms are forwarded to the POE on a GBL. If the United States is responsible for over ocean movement, that segment is also by the DTS. Shipments are controlled according to DoD and Service regulations established for the protection of these items.

(c) Explosives must be shipped on a GBL or by the DTS to the POE.

(d) Air cargo which will not fit on commercial aircraft due to the item size may be moved in the DTS.

c. The consignee of a security assistance shipment is identified by the six position MAPAC instead of the DoDAAC. The MAPAC is not the first six positions of the TCN, but is constructed from the MILSTRIP requisition number (or TCN) and the MILSTRIP supplementary address. The methods used to construct a MAPAC are detailed in figure K-2

d. After determining the MAPAC, the clear text address and other shipping information is obtained by referring to DoD 4000.25-8-M, Military Assistance Program Address Directory (MAPAD).

(1) The MAPAD is a sole source directory containing the addresses of country representatives and freight forwarders, or other ship to/mark for locations, for use of the Services and Agencies when releasing FMS and MAP shipments and related documentation. It is separated into three sections. Section A contains policy and procedures, section B contains addresses for FMS shipments, and section C contains MAP addresses. The addresses listed are often for an international freight forwarder which is a private firm serving as an agent for an FMS customer. The forwarder usually receives, consolidates, and stages materiel within the United States for onward movement to the purchasing country. Note that sections B and C of the MAPAD are alphabetized by the two digit country code instead of the full country name.

(2) In the MAPAD, both sections B and C have columns headed TAC, SII, WPOD, and APOD in addition to the MAPAC and clear text address. These columns contain information essential to properly ship and document FMS or MAP materiel.

(a) In the MAPAD, TAC stands for type of address code and indicates the circumstances for using each of the several addresses listed. This type of TAC can only be found in the MAPAD; it is not shown on any MILSTRIP or MILSTAMP documents. The meaning of each TAC is detailed in Section A of the MAPAD and summarized below:

<u>TAC</u>	<u>EXPLANATION</u>
1	Unclassified materiel moving by small parcel carrier.
A	Classified materiel moving by small parcel carrier.
2	Unclassified materiel moving by other surface or air freight carrier.
B	Classified materiel moving by other surface or air freight carrier
3	FMS - For sending the notice of availability (NOA). MAP - For sending the supply and shipment status as well as copies of release/receipt documents.
4	For sending FMS supply and shipment status.
5	For sending copies of the FMS release/receipt documents on TAC 1 shipments.
6	For sending copies of the FMS release/receipt documents on TAC 2 shipments.
7	For identifying the activity responsible for payment of FMS transportation charges and to receive the consignee's copy of the inland carrier GBL. (If a TAC 7 address appears under a MAPAC and the DTC is 4 or E, a commercial bill of lading is used with the TAC 7 address in the "bill to" space.)
9	For identifying obsolete MAPACs and the new, correct MAPAC.
M	For identifying a clear text "mark for" address used on FMS and MAP freight shipments. (Mark for addresses on small parcels are placed in a manner to prevent post office problems in identifying ZIP and APO/FPO codes; e.g., use only the MAPAC as the mark for address.)

(b) The special instruction indicator (SII) column provides additional information necessary to either document or ship the materiel. Specific explanations are detailed in the MAPAD.

(c) The WPOD and APOD columns indicate the overseas WPOD/APOD respectively, and are used on MILSTAMP documents when applicable. Unless the delivery term code is 7, alternate PODs are not used without first contacting the sponsoring Service ILCO.

4. Prior to releasing some FMS shipments, a notice of availability (NOA) DD Form 1348-5, is forwarded to the freight forwarder or other country representative as indicated in the MAPAD.

a. An NOA is required for classified, hazardous, or sensitive shipments, as well as those potentially difficult to receive, handle, or store due to size or weight. In addition, an NOA is required for shipments with a "Y" or "Z" entry in the offer/release position (rp 46) of the supplementary address shown on the requisition document. An entry in the SII column of the MAPAD may indicate additional circumstances when an NOA is required. When an ETR is required, the ETR request and the NOA are sent at the same time.

b. When the NOA reply is received, the shipper processes the shipment as directed. If both an NOA and ETR are required, the ETR, not the NOA reply, is followed. Questionable instructions are coordinated with the sponsoring Service ILCO.

If rp 46 entry is	And no response to the NOA is received <u>within 15 days, then the shipper</u>
----------------------	---

Y	Releases the shipment as indicated in the MAPAD.
---	--

Z or as described in paragraph the 4.a.	Continues to hold the shipment and sends a second NOA (indicating it is a second notice) to the contact point designated (on the first page of the country section) in the MAPAD. If a reply is still not received, shipper contacts the ILCO as listed in figure K-3.
--	--

c. Additional instructions on use of the NOA are detailed in the MAPAD and in Service or Agency implementation of MILSTRIP. Note that NOAs are sent to the TAC 3 address unless the materiel is classified, in which case, the NOAs are sent to the country representative.

5. The shipper and other transportation entities must comply with other special considerations when processing security assistance shipments.

a. Security assistance shipments are labeled as outlined in chapter 2, paragraph B.4.b., and unique labels, color codes, or other special markings are not authorized. When such requests are received, the country representative is advised that such services must be obtained from the country's freight forwarder.

b. When FMS items are sold on a credit basis, the movement overseas must be on U.S. flag vessels unless specifically authorized otherwise. Shipments which are financed by credit are indicated by a "Z" in the Type of Assistance position (rp 35) of the TCN.

c. Many commercial carriers have established reduced rates for U.S. Government shipments under Section 10721 of the 1978 revision to the Interstate Commerce Act. These rates do not apply to FMS shipments; instead, commercial carrier's tariffs are used. A notation is made on bills of lading as follows: "This is an FMS shipment, Section 10721 rates do not apply." Likewise, reduced rates under the MSC Shipping Agreement or Container Agreement are not applicable to FMS shipments. FMS shipments moving on American flag ships within the DTS are booked under the commercial carrier's ocean tariff rate.

d. Shipments may be held or suspended as outlined in DoD 5105.38-M, Security Assistance Management Manual (SAMM), as well as individual Service directives.

e. When commercial bills of lading are used, the no recourse clause (section 7) is executed.

6. FMS shipment problems which cannot be resolved by the shipper and/or freight forwarder are referred to the Freight Forwarder Assistance Office at the Service ILCO. These contact points are listed in figure K-3 and in the MAPAD.

FMS Delivery Term Codes

Part I: Origin in CONUS

1. This part describes the DoD responsibility for transportation and handling costs incurred on FMS shipments originating in CONUS (see DTC 2 for exception). Paragraph a., is a summary of the responsibility and paragraph b., is a detailed explanation.

a. Summary of DoD responsibility:

DTC **DoD Delivers**

- | | |
|---|--|
| 2 | To a CONUS inland point (or overseas inland point when the origin and destination are both in the same geographic area). |
| 3 | At the CONUS POE alongside the vessel or aircraft. |
| 4 | At the point of origin and usually forwards collect to a freight forwarder within CONUS, or contractor delivery of material procured offshore to designated freight forwarder of country representative. |
| 5 | At the CONUS POE on the inland carrier's equipment. |
| 6 | At the overseas POD on board the vessel or aircraft. |
| 7 | At an overseas inland destination on board the inland carrier's equipment. |
| 8 | At the CONUS POE onboard the vessel or aircraft. |
| 9 | At the overseas POD alongside the vessel or aircraft. |

b. Detailed explanation of DoD responsibility for CONUS originated FMS shipments.

DTC **Explanation**

- | | |
|---|---|
| 2 | Delivery to an inland destination with origin and destination in CONUS or origin and destination in the same overseas geographic area. The DoD is responsible for transportation to the specified destination at which the customer is responsible for unloading, accepting custody, and subsequent onward movement. Expenses to the DoD for accessorial costs are reimbursable. This code which has limited use, is normally associated with shipments such as training items sent to DoD activities training foreign officers or excess materiel of one country filling a requirement of another country in the same geographic area. |
| 3 | Delivery to a point alongside vessel or aircraft at the POE (free alongside, port of embarkation, FAS POE). The DoD is responsible for transportation to a point within reach of the ship's tackle or alongside the vessel or aircraft. The customer is responsible for loading aboard the vessel or aircraft and subsequent onward movement. Expenses to the DoD for accessorial costs are reimbursable. This code has limited use. |

Figure K-1

FMS Delivery Term Codes

DTC **Explanation**

- 4 Delivery at the origin. The materiel is made available to the customer at the point of origin (usually a depot, vendor's loading dock, or a disposal activity). The customer is responsible for all transportation and related costs. Accordingly, the shipment is sent to a freight forwarder designated by the customer with transportation by prepaid parcel post, on a CBL prepaid by the freight forwarder, or paid for on a collect CBL. (If a TAC 7 address is listed for the MAPAC, a CBL is issued and "billed to" that address rather than sending the shipment collect.) This code is considered the standard code and is applied to most FMS transactions.
- Offshore procurement. Delivery at origin if customer has provided point of contact for offshore procured items. If no point of contact is provided, delivery will be at destination. Contractor is responsible for movement to designated freight forwarder of country representative.
- 5 Delivery to a POE (free onboard, FOB POE). The DoD is responsible for movement to the POE. The customer is responsible for unloading the shipment from the inland carrier at the POE, delivery alongside the vessel or aircraft, and all subsequent onward movement. Expenses to the DoD for accessorial costs are reimbursable. This code has limited use and is applied only when prior arrangements for the use of port facilities at the customer's expense have been made.
- 6 Delivery to an overseas POD. The DoD is responsible for transportation from the point of origin to the overseas POD. The customer is responsible for discharging the vessel or aircraft, port handling, and subsequent onward movement. Expenses to the DoD for accessorial costs are reimbursable. Shipments are made on GBLs and in the DTS (including AMC, MTMC water ports, and/or MSC). Port handling at CONUS and overseas air terminals is provided without direct reimbursement by the customer when shipment is made under actual AMC tariff rates (which include such services). The customer does provide reimbursement for port handling when movement costs are charged using the DoD accessorial rate. At United States operated overseas water ports, handling costs are reimbursed according to local agreements between the United States and the customer; at other overseas air and water ports, charges are paid directly by the customer. This code is the standard code for materiel that is restricted from movement to a freight forwarder. The code is normally applied to shipments of firearms, classified and explosive materiel, and in other instances specifically directed in the FMS case agreement.
- 7 Delivery to an inland point in the recipient country. The DoD is responsible for transportation, including transocean and overseas inland movement, from the point of origin, to a specified inland location. The customer is responsible for unloading the shipment from the inland carrier at the specified location and for all subsequent onward movement. Expenses to the DoD for accessorial costs are reimbursable. This code has limited use and normally applies to the shipment of materiel to those countries which have no seaports (e.g., Bolivia, Paraguay, Switzerland, and Austria). The shipper provides modes and routing from the origin to the consignee location by TGBL or by special arrangement with AMC, MSC, or U.S. military activities within the country for movement from the POD to the consignee location.

Figure K-1 (Cont.)

FMS Delivery Term Codes

DTC Explanation

- 8 Delivery onboard a vessel or aircraft at the POE. The DoD is responsible for transportation from the point of origin to the vessel at the POE including unloading from the inland carrier, port handling, and stowage aboard the vessel or aircraft. The customer is responsible for all subsequent onward movement. Expenses to the DoD for accessorial costs are reimbursable. Shipments are made on GBLs. This code is especially applicable for explosive materiel prohibited from movement by a freight forwarder, but which must be moved through military controlled port with onward movement arranged by and coordinated with the country freight forwarder.
- 9 Delivery to POD. The DoD is responsible for transportation from the point of origin to the overseas POD, including discharge from the vessel or aircraft. The customer is responsible for all subsequent handling and onward movement. Expenses to the DoD for accessorial costs are reimbursable.

Part II: Origin Overseas

1. This part describes the DoD responsibility for transportation and handling costs for FMS shipments originating overseas, moving to CONUS, and returning overseas. Paragraph a., is a summary of the responsibility and paragraph b., is a detailed explanation.

a. Summary of DoD responsibility:

DoD Provides Movement and Handling

<u>DTC</u>	<u>From</u>	<u>Through</u>	<u>To</u>
A	Overseas POE	CONUS destination	Overseas POD onboard the vessel or aircraft
B	Overseas POE	CONUS destination	CONUS POE onboard the vessel or aircraft
C	CONUS POD onboard the vessel or aircraft	CONUS destination	CONUS POE onboard the vessel or aircraft
D	CONUS POD onboard the vessel or aircraft	CONUS destination	Overseas POD onboard the vessel or aircraft
E	Customer has complete responsibility		
F	Overseas inland point	CONUS destination	Overseas inland destination

Figure K-1 (cont.)

<u>DTC</u>	<u>From</u>	<u>Through</u>	<u>To</u>
G	Overseas POE	CONUS destination	Overseas POD alongside vessel or aircraft
J	CONUS inland point (classified cryptographic materiel)		Overseas inland destination

b. Detailed explanation of DoD responsibility for FMS repair and return shipments originating from and returning to overseas:

FMS Delivery Term Codes

<u>DTC</u>	<u>Explanation</u>
A	The DoD is responsible for transportation from a designated overseas POE to a CONUS destination and subsequent return to a designated overseas POD. The customer is responsible for overseas inland transportation of materiel to and from the overseas POE/POD and overseas port handling.
B	The DoD is responsible for transportation from a designated overseas POE to a CONUS destination, return to a CONUS POE and CONUS port handling. The customer is responsible for overseas inland transportation to the overseas POE, overseas port loading, and all return transportation from the CONUS POE to ultimate destination.
C	The DoD is responsible for CONUS port unloading from the customer arranged carrier, transportation to and from a designated CONUS destination, and CONUS port loading of a customer arranged carrier. The customer is responsible for movement of materiel to and from the CONUS POD/POE.
D	The DoD is responsible for CONUS port unloading from the customer arranged carrier, transportation to a CONUS destination, and return to an overseas designated POD. The customer country is responsible for transportation to a CONUS POD, overseas port unloading, and overseas inland transportation to ultimate destination.
E	The customer is responsible for all transportation from the overseas point of origin to the CONUS destination and return to an overseas destination.
F	The DoD is responsible for transportation from an overseas inland location to an overseas POE, overseas port handling, transportation to a CONUS POD, CONUS port handling, inland transportation to a designated CONUS destination, and return to an overseas destination.
G	The DoD is responsible for overseas port handling through an overseas POE, transportation to a CONUS POD, CONUS port handling, inland transportation to a CONUS destination, return to an overseas POD and overseas port handling. Customer country is responsible for overseas inland transportation to and from the overseas POE/POD.

Figure K-1 (Cont.)

<u>DTC</u>	<u>Explanation</u>
H	The customer is responsible for all transportation from the overseas point of origin to the CONUS destination. The DoD is responsible for return transportation from the CONUS activity to the CONUS POE. The customer is responsible for return CONUS port handling and all transportation to the overseas destination. This code is required for return, repair or exchange, and reshipment of classified materiels.
J	The customer is responsible for all transportation from the overseas point of origin to the CONUS destination. The DoD is responsible for all transportation from the CONUS activity to the overseas destination. This code is required for return, repair or exchange, and reshipment of classified cryptographic materiels.

Figure K-1 (Cont.)

Constructing an MAPAC

An MAPAC is constructed from the requisition document number and supplementary address. The MAPAC is used as the consignee code on TCMDs and to find complete addressing information in the MAPAD. The following four examples illustrate the different methods of MAPAC construction.

Example A

FMS Shipment Through the DTS to Overseas




Figure K-2

Constructing an MAPAC

Example B

FMS Shipment to a Freight Forwarder




Figure K-2 (cont.)

Constructing an MAPAC

Example C

FMS Shipment to a Canadian Customer (Ship Directly)




Figure K-2 (cont.)

Constructing an MAPAC

Example D

Military Assistance Program (MAP) Shipment




Figure K-2 (cont.)

International Logistics Control Offices Freight Forwarder Assistance

a. Army

(1) East Coast:

Commander
US Army Security Assistance Center
Freight Forwarder Assistance Office-East
ATTN: AMSAC-OP/T (40), Room 804 E
90 Church Street
New York, NY 10007-9998
Telephone: Commercial: (212) 264-2742/2743
DSN: 796-2742/2743

(2) West Coast:

Commander
US Army Security Assistance Center
Freight Forwarder Assistance Office-West
ATTN: AMSAC-OP/T, Building 201
Presidio of San Francisco, CA 94129-7846
Telephone: Commercial: (415) 561-6055/6223
DSN: 586-6055/6223

b. Navy and Marine Corps

Navy International Logistics Control Office
Code **252**
700 Robbins Avenue, **Bldg. 4B**
Philadelphia, PA 19111-**5095**
Telephone: Commercial: (215) 697-**5071**
DSN: **442-5071**

c. Air Force

Air Force Logistics Command
ATTN: AFMC/LGTT
4375 Chidlaw Road, Suite 6
Wright-Patterson AFB, OH 45433-**5006**
Telephone: Commercial: (513) 257-3422/**2919**
DSN: 787-3422/**2919**

Figure K-3

Appendix L

INTRANSIT DATA REPORTING

1. This appendix details the general requirements and procedures for collecting data used in transportation evaluation. The procedures contained in this appendix apply to all shipments requiring intransit data reporting as detailed in the applicable MILSTAMP chapters; i.e., shipper, transshipper, and receiver.

2. The data collected using these procedures provide input to uniform defense wide logistics performance reports prescribed by DoD 4000.23-M, Military Supply and Transportation Evaluation Procedures (MILSTEP). Supply and transportation data are combined in MILSTEP reports to meet the following DoD objectives:

- a. Validation or revision of the UMMIPS time standards.
- b. Evaluation of performance against UMMIPS time standards.
- c. Evaluation of performance of each segment of the transportation pipeline by point to point and carrier performance reports.
- d. Determination of supply systems workload and materiel availability.
- e. Analysis of the use of issue and movement priorities.
- f. Provide intransit data to support transportation planning.
- g. Provide a basis for traffic pattern analysis.

3. Certain types of shipments are excluded from these procedures. Intransit data is not collected on the following:

- a. Transactions specifically excluded from MILSTRIP.
- b. On base local issues of retail stocks.
- c. Shipments of retail stocks originating at installations (e.g., bases, posts, camps, stations, etc.).
- d. U.S. Postal Service and small package carrier shipments including mode/method of shipment codes G, H, J, 5, 6, and 7. For these shipments total order and ship time is measured through use of the materiel receipt acknowledgment card (MILSTRAP DI D6S).
- e. Vendor shipments from commercial suppliers direct to the customer (first destination shipments as defined in applicable chapters of Vol II, MILSTAMP). This exclusion does not include ammunition shipped from Army ammunition plants.
- f. Security assistance (FMS and MAP) shipments to a freight forwarder (other security assistance shipments in the DTS are not excluded).

4. The DoD MILSTEP central data collection point (CDCP) has been established by the **DUSD(L)** at the Defense Automatic Addressing System Office, Tracy, CA. The MILSTEP CDCP is responsible for collecting, processing, editing, and redistributing to the Services and Agencies all intransit data reports as required by MILSTEP.

a. Intransit information is reported to the MILSTEP CDCP by **DDN**, mail, or courier. **DDN** is the primary method used for submission of intransit data. If mail or courier are the only means of communication, the intransit information is forwarded in an envelope or package, i.e., not by exposed card¹.

b. Activities report daily to the MILSTEP CDCP all intransit data except receipt and lift (DI TK6/TK7). In CONUS, MTMC area commands forward the surface receipt and lift data record tape (DI TK7) to the MILSTEP CDCP so it arrives not later than the fifth calendar day following the monthly reporting period. AMC forwards the air receipt and lift data record tape (DI TK6/TK7) to the MILSTEP CDCP daily. Activities report shipments with discrepancies as received on the day of initial delivery (or offering for delivery) not on the day discrepancies are resolved.

c. Reporting activities forward intransit data using the appropriate address as follows:

(1) CDCP **DDN**:

Routing Indicator - RUWTBPA
Content Indicator - IKCZ
Precedence (Normal) - routine
Precedence (MINIMIZE) - Mail

(2) CDCP Mail:

DAASC, Western Division
ATTN: DOD MILSTEP CDCP
Defense Depot Tracy, CA 95376-5000

5. Activities report intransit data in the same format whether using **DDN**, mail, or courier. Figures L-1 through L-6 contain detailed instructions for preparing intransit data submission. Different formats are used to report data needed for measuring transportation performance by segment. The formats and the segments covered are identified by the following document identifiers.

a. TK1, intratheater airlift initial terminal. This format indicates the period from receipt (GMT hour/day) by the initial air terminal to shipment (GMT hour/day) to the next (intermediate or final) air terminal (see figure L-1).

b. TK2, intratheater airlift intermediate terminal. This format indicates the period from receipt (GMT hour/day) by the intermediate air terminal to shipment (GMT hour/day) to the next (intermediate or final) air terminal (see figure L-1).

c. TK3, intratheater airlift final terminal. This format indicates the period from receipt (GMT hour/day) by the final air terminal to shipment (GMT hour/day) to the consignee. The format also allows entry of the date (day of year) received by the consignee transportation element. The DI TK3 is not prepared for shipments intended for onward movement overseas by AMC since the information would duplicate that on DI TK7 (see figure L-2).

d. TK4, GBL shipment within CONUS or overseas intratheater and retrograde shipment. This format indicates the period from shipment (day of year) by the consignor to receipt (day of year) by the consignee transportation element or CONUS transshipper (CCP/POE terminal). The shipper makes all entries on the TK4 (including consignee receipt date) when, under the provisions of guaranteed traffic agreements,

¹ Activities submitting intransit data by mail when **DDN** facilities are available are notified by letter of the correct procedure. Persistent nonuse of **DDN** is reported to the parent Service/Agency for corrective action.

electing to use the carrier delivery receipt to obtain the information. For overseas retrograde shipments, this format only provides the shipment date (day of year). All overseas use is mandatory for the Air Force and optional for the other Services (see figure L-3).

e. TK6, AMC APOD receipt and lift. This format indicates the period from receipt (GMT hour/day) at the APOD to the date (GMT hour/day) forwarded to the consignee. The format also allows entry of the date (day of year) received by the consignee transportation element when an appropriate local agreement has been reached with the consignee (see figure L-4).

f. TK7, AMC/WCA POE receipt and lift.

(1) For AMC, this format indicates the period from the earlier of offer or receipt (GMT hour/day) at the APOE to shipment (GMT hour/day) from the APOE (see figure L-5).

(2) For the WCA (WPOE), this format indicates the period from the earlier of offer or receipt (day of year) at the WPOE to vessel discharge (day of year) at the WPOD. The format also includes entry of the date (day of year) the vessel was loaded at the WPOE (see figure L-5).

g. TK8, Air Force consignee report. This format is prepared only by the Air Force and indicates the consignee receipt date (day of year). In CONUS, it is used when the TK\$ is not received by the consignee; overseas, when the APOD does not enter the consignee receipt date on the format with DI TK6 (see figure L-6).

6. When previously submitted intransit data must be corrected, completely new information is submitted. The corrected information is distributed to the same activities as the original with the document identifier (DI) changed as follows:

<u>Original DI</u>	<u>Changed DI</u>	<u>Original DI</u>	<u>Changed DI</u>
TK1	TKA	TK6	TKF
TK2	TKB	TK7	TKG
TK3	TKC	TK8	TKH
TK4	TKD		

7. Under MILSTEP, the Service and Agency central processing points (CPPs) and the MILSTEP CDCP are responsible for editing intransit data to ensure validity. Letters, intransit data error reports, and response rate analysis reports are sent to activities responsible for the errors or poor response. Activities receiving such correspondence from the CDCP/CPP take the corrective measures necessary to prevent recurrence.

**Intransit Data Entries for Intratheater Airlift Origin and Intermediate Terminals
(TK1/TK2)**

Data Field rp	<u>Procedure</u>
1-3	Origin terminal; enter TK1. Intermediate terminal; enter TK2.
4-8	Leave blank.
9-14	Enter DoDAAC of the consignor.
15-17	Leave blank.
21-23	Enter air terminal identified code for air terminal preparing the intransit data (appendix F4).
24-26	Enter code for GMT shipment shipped from the air terminal.
27	Enter applicable mode/method code (appendix F13).
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-49	Leave blank.
50-52	Enter air terminal identifier code for the next air terminal.
53	Enter the transportation priority.
54-71	Leave blank.
72-76	Enter total weight of shipment unit, preceded by blanks if less than five positions.
77-80	Leave blank.

Figure L-1

Intransit Data Entries for Intratheater Airlift Final Terminal (TK3)

**Data
Field
rp**

Procedure

1-3	Enter TK3 (this format not used for movement by AMC).
4-8	Leave blank.
9-14	Enter DoDAAC of the consignor.
15-17	Enter the three position code for the day of the year the consignee received the shipment. This entry may be made by the air terminal under local agreement with the consignee.
18-20	Enter the GMT code for the date shipment was received at the air terminal (appendix F7).
21-23	Enter the air terminal identifier code for the final terminal (appendix F4).
24-26	Enter the GMT code for the date the air terminal forwarded the shipment to the consignee.
27	Enter the applicable mode/method code for movement from the air terminal to the consignee (appendix F13).
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee.
53	Enter the transportation priority.
54-71	Leave blank.
72-76	Enter the total weight of the shipment, preceded by blanks if less than five positions.
77-80	Leave blank.

Figure L-2

**Intransit Data Entries for GBL Shipments Within CONUS and
Overseas Intratheater/Retrograde Shipments
(TK4)**

Data Field rp	Procedure
1-3	Enter TK4 (preparation of this format overseas is mandatory for the Air Force and optional for other Services).
4	Leave blank.
5-8	Enter origin carrier SCAC, preceded by blanks if less than four positions.
9-14	Enter the DoDAAC of the consignor.
15-17	Enter the three position day-of-the-year code for the date shipment received by the consignee.
18-26	Leave blank.
27	Enter the mode/method code for movement from consignor (appendix F13).
28	If the ICP and the consignor are not of the same Service or Agency, enter one of the following ICP codes. <div style="display: flex; justify-content: space-around;"> A - Army N - Navy F - Air Force </div> <div style="display: flex; justify-content: space-around;"> M - Marines S - DLA </div>
29	Leave blank.
30-46	For Air Force, enter the shipment unit TCN. For non Air Force shipments: 30-35 Enter DoDAAC of the consignor. 36 Enter B. 37-44 Enter the complete GBL number 45-46 Leave blank.
47-52	Enter the consignee or transshipper as follows: For shipments with the consignee in CONUS, enter the consignee DoDAAC. For shipments to a transshipping point: 47-49 Leave blank. 50-52 Enter the air terminal or water port identifier code (appendix F4 and F21, respectively.)
53	Enter the highest transportation priority shown on the GBL.
54-59	Leave blank.
60-62	Enter the three position day-of-the-year code for the date the consignor shipped the materiel.

Figure L-3

**Intransit Data Entries for GBL Shipments Within CONUS and
Overseas Intratheater/Retrograde Shipments
(TK4)**

**Data
Field
rp**

Procedure

63-71

Leave blank.

72-76

Enter the total weight of the shipment, preceded by blanks if less than five positions.

77-80

Leave blank.

Figure L-3 (Cont.)

Intransit Data Entries for AMC APOD Receipt and Lift (TK6)

Data Field rp	<u>Procedure</u>
1-3	Enter TK6.
4-14	Leave blank.
15-17	Enter three position day-of-the-year code the shipment was received by the consignee. This entry may be made by the APOD under local agreement with the consignee.
18-20	Enter the GMT code for the date shipment was received at the APOD (appendix F7).
21-23	Enter the air terminal identifier code for the APOD. (appendix F4.).
24-26	Enter the GMT code for the date the APOD forwarded, or offered for forwarding, the shipment to the consignee.
27	Enter the mode/method code by which the APOD forwarded the shipment to the consignee (appendix F13).
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-80	Leave blank.

Figure L-4

Intransit Data Entries for AMC/WCA POE Receipt and Lift (TK7)

Data Field	Procedure
rp	
1-3	Enter TK7.
4-8	Enter the flight number or voyage number, preceded by blanks if less than five positions.
9-14	Enter the DoDAAC of the consignor.
15-17	Leave blank except for air shipments; the CDCP will enter the date received by the consignee from TK6 data.
18-20	Enter the date the shipment was received or offered for delivery, whichever is earliest, at the POE. For air shipments, enter the GMT code. For water shipments, enter the day-of-the-year code (appendix F7).
21-23	Enter the air or water port identifier code for the POE (appendices F4 and F21).
24-26	Enter the date shipment forwarded by the POE. For air shipments, enter the GMT code. For water shipments, enter the day-of-the-year code.
27	Enter mode/method code F for air shipments and V or Z for water.
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee, except for Air Force-sponsored cargo; enter the following: 47-49 Leave blank. 50-52 Enter the air terminal identifier code for the next air terminal.
53	Enter the transportation priority.
54-56	<i>Enter 999 for nonmission capability supply shipments, otherwise leave blank.</i>
57-62	Leave blank.
63-65	Enter the date shipment received at the POD. For air shipments, leave blank. The GMT code for date of receipt at the APOD is entered by the CDCP from TK6 data. For water shipments, enter the day-of-the-year code for the date the vessel was completely unloaded.
66-68	Enter the air or water (appendices F4 and F21) terminal identifier for the POD.

Figure L-5

Intransit Data Entries for AMC/WCA POE Receipt and Lift (TK7)

**Data
Field
rp**

Procedure

69-71	For air shipments, the GMT code for the date the shipment is forwarded to the consignee is entered by the CDCP.
72-76	Enter the total weight of the shipment unit. Preced with blanks if less than five positions.
77-80	Leave blank.

Figure L-5 (Cont.)

Intransit Data Entries for Air Force Consignees (TK8)

Data Field rp	<u>Procedure</u>
1-3	Enter TK8.
4-14	Leave blank.
15-17	Enter the day-of-the-year code for the date the shipment was received by the consignee.
18-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee.
53-80	Leave blank.

Figure L-6

Appendix M

SHIPMENT TRACING, DIVERTING, AND HOLDING

1. This appendix details the procedures and formats for tracing, diverting, or holding shipments in the DTS. The basic requirements associated with each of these actions are detailed in the individual chapters.

a. Tracer, diversion, or hold actions are documented using either electronic data records or ETMs. Those activities which do not have automated capability or which consider messages more advantageous may use ETMs. The ETM must contain the same data as the automated record unless specifically excluded by this appendix, be in the same format, and be sent using "Priority" communications precedence. The same medium and precedence are used throughout the entire processing cycle.

b. The formats for tracing, diverting, and holding shipments are illustrated along with completion instructions in figures M-1 through M-10.

2. Tracing through MILSTAMP allows use of modified supply system shipment status data to locate a shipment unit in the DTS.

a. Before tracing a shipment, the activity initiating the tracer ensures the following prerequisites have been met.

- (1) The normal transit time or specified RDD has elapsed.
- (2) The destination carrier has not offered the shipment for delivery.
- (3) The normal delivery time has expired and undue delay has occurred.
- (4) The shipment was not forwarded from CONUS more than 90 days prior to tracing.

(5) All data necessary to initiate the tracer have been collected; specifically, the TCN, the DoDAAC of the shipper, date of shipment or lift, and the POE. This information is generally available in the MILSTRIP shipment status record or in other documentation such as the bill of lading (TGBL, GBL, or CBL).¹

b. When all of the prerequisites have been met, tracing activities prepare a request for transportation status using the format with DI TM1 as illustrated in figure M-1 or M-2. If the flight or voyage number is known, the tracing activity sends the request to the clearance authority for the POD; if not known, to the clearance authority for the POE.

c. The clearance authority receiving the transportation status request (DI TM1):

(1) Determines the status or disposition of the shipment; e.g., enroute, onhand, etc.

(2) Notifies the tracing activity of the status with a transportation tracer reply using the format with DI TMA or TMJ as illustrated in figure M-3 or M-4. The clearance authority sends separate replies (DI TMA or TMJ) for each split shipment.

¹ Army activities use the data in the Shipment Detail Lift Notice (DI BDD) which, if not received, is requested by submitting a requisition (document) number inquiry to the AMC Logistics Control Activity (LCA). The request is submitted using DAAS or by mail to the LCA, ATTN: AMCLC-L, Presidio of San Francisco, CA 94129-6000.

(3) Provides a negative status when no records of the shipment are found in the advance TCMD, receipt, or lift files.²

d. Upon receiving a negative status from the clearance authority (or, for Army activities, a second negative status from the LCA), the tracing activity verifies the accuracy of the data (TCN, date shipped, POE) with the shipping activity. If valid, the shipping activity (as requested by the tracing activity) transmits the data by ETM to the clearance authority. The shipping activity includes additional data such as the bill of lading number or routing to assist in tracing the shipment. Tracing actions are not presented to the clearance authority more than 150 days after shipment.

3. As specified in the individual chapters of MILSTAMP, a diversion or hold may be necessary and authorized for cargo moving in the DTS.

a. Requests for diversion are prepared using the format with DI TM2 as illustrated in figure M-5 or M-2. If complete diversion data including the new consignee and fund citation are not available at the time, a hold request (with DI TM3 and illustrated in figure M-8 or M-2) is prepared instead of the diversion. The diversion or hold request/authorization is sent to the appropriate POE or POD clearance authority.

b. The clearance authority receiving the diversion (DI TM2) or hold (DI TM3) request:

(1) Determines whether or not the shipment is available to be diverted or held.

(2) Notifies the requesting/authorizing activity of the status of the shipment. This notification is forwarded to the requesting activity and consignee within 48 hours and takes one or more of the following forms:

(a) TMB, Diversion Confirmation. This format (figure M-6 or M-7) verifies receipt of, and compliance with, the diversion request/authorization.

(b) TMC, Shipment Hold Acknowledgment. This format (figure M-9 or M-10) verifies receipt of, and compliance with, the hold request/authorization.

(c) TMK, Diversion Denial. This format (figure M-6 or M-7) indicates the POE/POD cannot comply with the diversion request because the shipment has already been lifted, loaded, or is otherwise uneconomical to divert.

(d) TML, Shipment Hold Denial. This format (figure M-9 or M-10) indicates the POE/POD cannot comply with the hold request because the shipment has already been lifted, loaded, or is otherwise uneconomical to divert.

(e) TMS, Disposition Instructions. This format (figure M-8) provides the clearance authority with the new consignee and fund citation (TAC) for a shipment which has been held.

(f) TMT, Disposition Request. This format (figure M-9 or M-10) provides the clearance authority (or POE/POD) a means to request the new consignee and fund citation (TAC) for a shipment being held.

² Army activities receiving a DI TMA/TMJ negative status for a surface shipment verify the accuracy of the request (DI TM1) then submit a new request (DI TM1) to the LCA. This second request is submitted, within 120 days of shipment, by **DDN** (Routing Identifier RUWJHRA) or mail to Commander, AMC, ATTN: AMCLC-L, Presidio of San Francisco, CA 94129-6900.

c. Activities authorized to issue diversion or holding instructions use the data provided by the clearance authority to update supply status requirements.

Tracing Request (TM1)

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TM1 for tracing request.
4-9	Enter DoDAAC of the shipping activity.
10-12	Enter date shipped code from appendix F7.
13-16	Leave blank.
17-19	Enter air terminal or water port identifier code (appendix F4 or appendix F21) from shipment status record or other advance notification.
20-23	Leave blank.
24-29	Enter DoDAAC of tracing activity.
30-46	Enter TCN of the shipment.
47-51	If sent to POE clearance authority, leave blank; otherwise, enter basic flight number, without date, or voyage number preceded by blanks if less than five positions.
52-54	Leave blank.
55-57	If sent to POE clearance authority, leave blank; otherwise, enter the air or water POD identifier code (appendix F4 or appendix F21).
58-71	Leave blank.
72-77	Enter DoDAAC of consignee.
78-80	Leave blank.

Figure M-1

**ETM Entries for MILSTAMP Tracing (TM1), Diversion (TM2),
and Hold Request (TM3)**

Prepare the standard ETM Joint Message Form (DD Form 173 (series)) as prescribed by various telecommunications publications and include:

1. Enter "TC" (tape to card) in the LMF block of the header line.
2. In the message body:
 - a. Enter subject; i.e., MILSTAMP TRACER, DIVERSION, or HOLD.
 - b. Use symbols as follows:
 - Use a slash (/) to separate entries,
 - Use a slash and ampersand (/&) at end of each shipment unit.
 - Use an ampersand (&) to begin additional message form pages.
 - Use a zero (0) to fill blank spaces in a data field.
 - c. Enter data detailed in figures M-1, M-5, and M-8.
 - d. Make the entries cited in paragraph 2.c., on two lines with the first line ending with a slash (/) after record position 46.

Figure M-2

Tracing Reply (TMA)

<u>Data Field</u>	<u>Procedure</u>
From POE Clearance Authority	
1-3	Enter TMA for tracer reply.
14-16	Enter date code (appendix F7) for date shipment arrived at POE or its ETA. If no record on file, enter XXX.
20-22	Enter date code (appendix F7) to indicate when shipment was, or is expected to be forwarded.
23	Enter the mode/method code (appendix F13) used to forward shipment.
68-72	Enter last five positions of MILVAN/SEAVAN number; otherwise, leave blank.
74-79	Enter DoDAAC of consignee.

From the POD Clearance Authority

1-3	Enter TMA for tracer reply.
52-54	Enter date code (appendix F7) for date shipment arrived at POD or its ETA. If no record on file, enter XXX.
58-60	Enter date code (appendix F7) to indicate when shipment was, or is expected to be forwarded.
61	Enter the mode/method code (appendix F13) used to forward shipment.
62-67	Enter DoDAAC for transshipping point; in none, leave blank.
68-72	Enter last five positions of MILVAN/SEAVAN number; otherwise, leave blank.
74-79	Enter DoDAAC of the consignee.

Figure M-3

ETM Entries for Tracing Reply (TMJ)

Prepare the standard ETM Joint Message Form (DD Form 173 (series)) as prescribed by various telecommunications publications and include:

1. The subject is MILSTAMP TRACER REPLY.
2. Use one line for each shipment unit described.
 - a. If the responding activity is reporting No Record, the only entries required are the document identifier, the TCN, and XXX.
 - b. In all other cases, the responding activity reports:

Document identifier (TMJ)
The TCN
Date received or ETA date
POE
Flight or voyage number
POD
Actual/expected date of lift from POE or POD. If the date received is an ETA, leave blank.
MILVAN or SEAVAN number
DoDAAC for consignee or transshipping point.
 - c. All entries are separated by a slash (/).
 - d. Blank spaces in a data field are zero (0) filled.

Figure M-4

Diversion Request (TM2)

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TM2 for diversion request.
4-9	Enter consignor DoDAAC; if unknown, leave blank.
10-12	Enter the date code (appendix F7) for the date shipment left the consignor.
13-16	Leave blank.
17-19	Enter air terminal or water port identifier code (appendix F4 or F21).
20-23	Leave blank.
24-29	Enter the DoDAAC of the activity requesting (authorizing) the diversion.
30-46	Enter the TCN of the shipment unit.
47-51	If sent to POE clearance authority, leave blank; otherwise, enter basic flight number, without date, or voyage number preceded by blanks if less than five positions.
52-54	Leave blank.
55-57	If sent to POE clearance authority, leave blank; otherwise, enter the air or water POD identifier code (appendix F4 or appendix F21).
58-67	Leave blank.
68-71	Enter the TAC applicable for the new consignee.
72-77	Enter the DoDAAC for the new consignee.
78-80	Leave blank.

Figure M-5

Diversion Request Reply Confirmation (TMB), or Denial (TMK)
by the POE Clearance Authority

For shipments which can be diverted, the POE clearance authority changes the diversion request as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMB for diversion confirmation.
20-22	Enter the date code (appendix F7) for the date the shipment forwarded to the new consignee. Send copy of confirmation to new consignee.
23	Enter the mode/method code (appendix F13) used to forward shipment.

For shipments which cannot be diverted, the POE clearance authority changes the diversion request as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMK for diversion denial.
20-22	If the shipment has been lifted, enter the date code (appendix F7) for the date the shipment was forwarded. If the shipment has been loaded or is otherwise uneconomical to divert, enter XXX. In either case send copy of denial to new consignee.
23	Enter the mode/method code (appendix F13) used to forward shipment.
47-51	If shipment has been lifted, enter basic flight number, without date, or voyage number preceded by blanks if less than five positions; otherwise, leave blank.
55-57	If the shipment has been lifted, enter the air terminal or water port identifier code (appendix F4 or appendix F21) for the POD; otherwise, leave blank.

Figure M-6

Diversion Request Reply Confirmation (TMB), or Denial (TMK)
by the POD Clearance Authority

For shipments which can be diverted, the POD clearance authority changes the diversion request as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMB for diversion confirmation.
58-60	Enter the date code (appendix F7) for the date the shipment will be forwarded to the new consignee. Send copy of confirmation to the new consignee.
61	Enter the mode/method code (appendix F13) used to forward shipment.

For shipments which cannot be diverted, the POD clearance authority changes the diversion request as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMK for diversion denial.
58-60	If the shipment has been lifted, enter the date code (appendix F7) for the date the shipment was forwarded. If the shipment has been loaded or is otherwise uneconomical to divert, enter XXX. In either case send copy of denial to new consignee.
61	Enter the mode/method code (appendix F13) used to forward shipment, if applicable.

Figure M-7

Shipment Hold Request/Authorization (TM3)
Disposition Instruction (TMS)

When a shipment is to be diverted, but the new consignee and/or fund citation is not available, a hold request/authorization is issued seeking confirmation the shipment has been located and is available for diversion.

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TM3 for a request/authorization to hold a shipment.
4-9	Enter the DoDAAC of consignor; if unknown, leave blank.
10-12	Enter the date code (appendix F7) for the date shipment left the consignor.
13-16	Leave blank.
17-19	Enter the air terminal or water port identifier code (appendix F4 or appendix F21).
20-23	Leave blank.
24-29	Enter DoDAAC of activity authorizing (requesting) the hold.
30-46	Enter the TCN of the shipment.
47-51	If sent to POE clearance authority, leave blank; otherwise, enter basic flight number, without date, or voyage number preceded by blanks if less than five positions.
52-54	Leave blank.
55-57	If sent to POE clearance authority, leave blank; otherwise, enter the air or water POD code (appendix F4 or appendix F21).
58-61	Leave blank.
62-67	Enter the DoDAAC of the activity that will provide disposition instructions.
68-80	Leave blank.

When the consignee and fund citation have been determined, disposition instructions are sent to the activity holding the shipment by changing and adding to the hold request/authorization as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMS for disposition instructions.
68-71	Enter the TAC indicating the funds paying for movement to the new consignee.
72-77	Enter the DoDAAC of the new consignee.

Figure M-8

Figure M-8

**POE Shipment Hold Reply Acknowledgement (TMC),
Disposition (TMT), and Denial (TML)**

For shipments which, can and will be held, the POE clearance authority returns the hold request/authorization changed as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMC to indicate shipment will be held.

For shipments being held, the POE clearance authority requests disposition instructions by returning the hold request/authorization changed as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMT to request disposition instructions.

For shipments which have been lifted or are otherwise uneconomical to hold and/or divert, the POE clearance authority returns the hold request/authorization changed as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TML to indicate shipment cannot be held.
20-22	If shipment has been lifted, enter the date code (appendix F7) for the date shipment was lifted. If the shipment has been loaded or is otherwise uneconomical to hold or divert, enter XXX.
23	Enter the mode/method code to indicate the method used to forward the shipment.
47-51	If the shipment has been lifted, enter basic flight number, without date, or voyage number preceded by blanks if less than five positions; otherwise, leave blank.
55-57	If the shipment has been lifted, enter the air or water POD identifier code (appendix F4 or appendix F21), otherwise, leave blank.

Figure M-9

**POD Shipment Hold Reply Acknowledgement (TMC),
Disposition (TMT), and Denial (TML)**

For shipments which, can and will be held, the POD clearance authority returns the hold request/authorization changed as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMC to indicate shipment will be held.

For shipments being held, the POD clearance authority requests disposition instructions by returning the hold request/authorization changed as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TMT to request disposition instructions.

For shipments which have been loaded or are otherwise uneconomical to hold and/or divert, the POD clearance authority returns the hold request/authorization changed as follows:

<u>Data Field</u>	<u>Procedure</u>
1-3	Enter TML to indicate shipment cannot be held.
58-60	If shipment has been lifted, enter the date code (appendix F7) for the date shipment was forwarded. If the shipment has been loaded or is otherwise uneconomical to hold or divert, enter XXX.
61	Enter the mode/method code to indicate the method used to forward the shipment.